



Mitica Puelon - S.N. - Ta. Lost World sector, San Vito Lo Capo, Sicily, Italy © 2024 Petzl Distribution - Sam Bé



Hiking towards the sunrise in the Dolomites, Italy © 2024 Petzl Distribution - Vuadici.org

# VERTICALITY LIGHTING

SPORT WORKBOOK **SPRING / SUMMER 2026**



Access  
the  
inaccessible®





Colin Haley, Dent du Géant, Chamonix-Mont-Blanc, France © 2024 Petzl Distribution - Marc Davet



# Access the inaccessible®

For over 50 years, Petzl has been putting superior tools and technical solutions in the hands of our users, so they can level up their performance and enjoy every moment spent doing what they love outdoors. Our know-how and expertise is unmatched, and it allows our communities to have unique experiences no matter what discipline they choose to pursue, by day or by night.

For 2026, our teams have once again poured their heart, skill, and energy into creating innovative products that are designed to meet the needs of those who are passionate about the outdoors and the vertical world. As always, our goal is to be your first choice in gear every time you plan an adventure. This commitment shines through not only in our products, but also in the technical expertise we provide to all of our communities — and we won't be stopping anytime soon!

Happy reading and have a great season!

The Petzl Team

|                                 |    |
|---------------------------------|----|
| We Are Petzl                    | 2  |
| Petzl Across the Globe          | 4  |
| Our Pillars                     | 5  |
| Corporate Social Responsibility | 9  |
| New Products 2026               | 12 |



© 2024 Petzl Distribution - L. Louché



© 2024 Petzl Distribution - L. Louché

|                              |    |
|------------------------------|----|
| Verticality                  | 14 |
| Combinations                 | 16 |
| Harnesses                    | 24 |
| Helmets                      | 32 |
| Belay Devices and Descenders | 36 |
| Ropes                        | 42 |
| Carabiners and Quickdraws    | 48 |
| Ice Axes                     | 56 |
| Crampons                     | 62 |
| Ascenders                    | 70 |
| Pulleys and Trolleys         | 74 |
| Lanyards                     | 76 |
| Kits                         | 80 |
| Anchors                      | 82 |
| Packs and Accessories        | 86 |

|                                   |     |
|-----------------------------------|-----|
| Lighting                          | 94  |
| A Range for Every Use             | 96  |
| Headlamp Specifications           | 99  |
| PERFORMANCE Headlamps             | 108 |
| ADVANCED Headlamps                | 112 |
| DISCOVER Headlamps                | 116 |
| Headlamp Accessories              | 120 |
| Product Index                     | 124 |
| Petzl, Also Serving Professionals | 126 |
| The Petzl Foundation              | 128 |



**We are PETZL.**  
This is how we **see the world.**

We are committed to **creating safer places**.  
For those who **work and play**  
in the vertical and dark worlds.  
For those who want **to access**  
**their own inaccessible** every day.  
We are **independent** and completely  
free to choose our own endeavors.  
To maintain **industrial excellence**,  
paying attention to our impact.  
To be pioneers in the pursuit of  
**perpetual innovation**.  
Sharing, educating, building. **Together.**

This is how we **see the world.**  
**We are PETZL.**




Access  
the  
inaccessible®

“Accessing the inaccessible” is the driving force behind everything you do, whether you are moving towards a summit or descending into darkness. You’re determined to get to ever-greater heights and through ever-deeper shadows. And you’re always searching for better tools to do it: tools with superior performance, tools that are more reliable, tools so comfortable and ergonomic that they disappear into your hand. At Petzl, we share your determination. We’ve built our entire design and manufacturing philosophy around exceeding your needs in the field. It’s what we’ve been doing for 50 years, and what we’ll continue to do for years to come.



Access the inaccessible video





Petzl is a family business that, over the years, has become the largest European manufacturer of personal protective equipment for those who work and play in darkness or at height. All of our products are invented and developed at our headquarters in the heart of the French Alps.



| Key Stats                                         |                                                                             | An International Presence                                                                                                                                                                                                                                                                                                    |                                                           |
|---------------------------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| The brand is present in over <b>55</b> countries. | <b>85%</b> of sales are made internationally.                               | <ul style="list-style-type: none"><li>• Headquarters in the French Alps, in the town of Crolles</li><li>• American subsidiary in Salt Lake City, Utah</li><li>• Local subsidiaries: Austria, Benelux countries, China, Denmark, Finland, France, Germany, Italy, Japan, Norway, Spain, Sweden, Switzerland and UK.</li></ul> |                                                           |
| <b>9</b> million products are sold every year.    | <b>10,000,000</b> people use Petzl personal protective equipment every day. | <b>1,200</b> employees across the globe.                                                                                                                                                                                                                                                                                     | <b>4</b> production sites, 3 in France and 1 in Malaysia. |




The Values That Motivate Us

For 50 years, Petzl has been built around four pillars, four fundamental values that motivate every decision we make: remaining a stable family business, encouraging innovation to imagine the best solutions, insisting on industrial excellence with the goal of zero defects, and remaining engaged with our communities by providing global best practices.


Learn more about each of our pillars.

1

Family Ownership



Sébastien, Paul, and Olivier Petzl





Fernand Petzl and Daniel Gagneur in front of a scaling pole

**Our story begins in the 1930s in southeastern France**  
That was when craftsman Fernand Petzl was introduced to caving. Back at his workshop after each excursion to the depths, Fernand imagined new tools for exploring darkness and heights. In 1968, he marketed his first products; in 1970, Petzl was born. For decades, the Petzl family has built a stable environment that fosters creative solutions and industrial excellence. The new generation is rooted in these principles and ready to make new discoveries.

The Petzl family business is not listed on the stock market. We're proud of our independence; we make our own choices, take responsibility for our decisions, and maintain a long-term, sustainable vision for the future. The confidence and satisfaction of our customers, our dealers, and our partners drives everything we do.

Fernand in his workshop





Innovative Spirit



Innovations That Challenge Convention


With the introduction of the first headlamp in 1973, the legendary GRIGRI assisted blocking belay device in 1991, and the MAESTRO rescue descender in 2019, Petzl ingenuity has always pushed standard practices forward. Since the creation of Petzl in 1970, our objective has always been to make progressing in dark or vertical spaces safer and more comfortable.

Going Farther


As passionate pioneers, we delight in creating new opportunities for our users to venture into ever more committing terrain — to go farther and higher, to work more efficiently, to maximize safety and to make what was inaccessible today accessible tomorrow.

Simplicity, Durability, Efficiency

In every tool we design and construct, we prioritize simplicity, durability, and efficiency. For Petzl, being a pioneer has meant 50 years of passion, expertise, innovation, and continuous improvement. This approach to our craft and our business has allowed us to serve as a global expert, as we did in 2006 with the conception of the EXO personal escape system. At the request of, and in collaboration with, the firefighters of New York City, we were able to design an efficient solution that would allow easy escape in critical situations. It's an achievement that has been recognized with several awards, including best invention of the year by Time Magazine.



The Evolution of Petzl Headlamps



Industrial Excellence



Beyond the Standards

We have a deep responsibility to the people who trust us with their lives, and we develop, test, and qualify all of our products above required standards. Our design center, based in France, integrates all crafts that are related to the creation of products: mechanical, textile, electronic, optical, and technological. From the design and prototype phases, the reliability of a product and the safety of the user are continuously evaluated, with particular attention to risks of use.

With labs dedicated to product testing, we conduct dynamic fall and impact resistance tests, perform cyclical testing, and evaluate performance, as well as beam quality and burn times of our headlamps. This process includes rigorous field testing in order to test the ergonomics and reliability during real-world use.

Zero Defects - PPE (Personal Protective Equipment)

Reliability is at the center of our concerns: our goal is for our products to consistently function at the same level of excellence. Our objective is to allow zero defective products to leave our facilities, which involves processes with significant extra costs at every stage of production.

As we navigate an increasingly globalized economy, we go to great lengths to support our distributors and dealers, and we are heavily involved in the fight against counterfeit products.

Production and Inspection

Petzl's production sites are located in France, in the towns of Crolles, Eybens, and Rotherens, as well as in Rawang, Malaysia. Remaining competitive and keeping the majority of our production in France means that we continuously optimize our production lines and reduce our waste. This production infrastructure is complemented by long-term partnerships with key suppliers in Europe and Asia.

Our purchasing and quality control teams work closely with suppliers, ensuring to the best of our abilities, product reliability and quality that meets or exceeds our strict requirements. Quality inspection is present throughout every step of the production process: machine inspection of operations, human inspection at key points, further reinforcement by error-proofing systems and final individual inspection of each product.

We regularly audit the methods, quality management systems, and CSR practices (Corporate Social Responsibility) of our suppliers and strategic partners, especially when it comes to their employees.







4

Community Engagement



© 2024 Petzl Distribution - Petzl RopeTrip APAC Edition - Rockcamp International Co., Ltd

Using Our Expertise to Serve Communities

Sharing technical knowledge and appropriate product uses is at the heart of what we do at Petzl. We produce high-quality technical content that is available to everyone and utilized by the different communities that we serve. With a focus on maximizing safety, this content is updated and enriched throughout the lifespan of our products to keep our customers informed and moving forward while they practice their sport or do their job.

International Collaboration

Across the world, we have partnerships with iconic athletes, influential figures, professionals who work in extreme conditions, NGOs, certifying bodies, and training centers operated by leading experts in the field. These collaborations help us co-create a world where we can all learn, share, and flourish. They also make it easier to promote best practices and standard uses. At the heart of our collaborations is always a passion for exploration, for a job well done, and for the pursuit of the inaccessible.



© 2023 Petzl Distribution - Peignée Verticale

“More than ever before, we’re acutely aware that the choices we make today will have a lasting impact on the environment and will actively shape our own futures and the futures of our children. We’re committed to using our creativity and our capacity to innovate in service of sustainably reducing our impact in a continuous drive for improvement.”

Sébastien Petzl, Director of CSR

Our approach to CSR is pragmatic, collaborative and positive. It’s built on concrete actions, feedback from our stakeholders, and is solution-oriented, to encourage our teams and community to take action.

The safety and satisfaction of our customers remains our top priority. Beyond that, we’re striving to create a more sustainable future. Petzl has launched projects to improve our own economic, environmental, and social practices, as well as the practices of our suppliers in order to:

- Reduce our carbon intensity
- Reduce, reuse, and recycle our waste
- Improve our employee satisfaction
- Improve the labor conditions of our suppliers



The Petzl Foundation is an integral part of Petzl.

Through the Petzl Foundation, we support and initiate projects that help prevent accidents, preserve the environment, and improve knowledge of the natural world around us.

More information about the Petzl Foundation can be found on page 128.



Four Actionable Commitments

At Petzl, we're focused on four commitments that respond to the primary concerns of over 2,000 of our internal stakeholders (employees, subsidiaries, family shareholders) and external stakeholders (clients, users, suppliers, associations, and NGOs). We are manifesting these four commitments through hands-on projects with measurable outcomes.

1

Reduce Our Carbon Intensity



In 2020, we worked with Carbone 4 to measure the comprehensive carbon impact of our operations in 2019 — from the extraction of raw materials to the end of a product's life. Our footprint was equal to 45,000 metric tons of CO<sub>2</sub>. Three areas accounted for 75% of our emissions:

- Raw materials (34%)
- Transport of goods (24%)
- Energy used to power our headlamps (17%)

In 2021, we created initiatives to reduce our carbon footprint: prioritize the use of materials with the least impact, improve the durability and reparability of our products, shrink the distances our goods travel, and reduce our energy consumption. By 2030, our goal is to reduce our total carbon footprint by 50% per euro in sales.

2

Reduce, Reuse, and Recycle Our Waste



The waste from our industrial and commercial operations produces a variety of pollutants. We're taking action in our factories, warehouses, and offices to reach three objectives by 2025:

- Eliminate single-use plastics in our packaging and supply chain
- Reuse 50% of our cardboard and pallets, recycle the rest
- Recycle 80% of our metal, plastic, cardboard and wood waste, put the rest towards energy recovery

3

Improve Our Employee Satisfaction



Our strong and consistent growth, coupled with the complex issues of the pandemic, has the potential to affect employee health. In 2021, we evaluated the satisfaction of all Petzl employees in France using the Wittyfit platform. The survey covers topics including organization and work load, autonomy, work/life balance, recognition, as well as purpose and values. Using the results, we created action plans to improve satisfaction — some carried out by leadership and others co-created and led by the teams. In 2023, this satisfaction audit was extended to all Petzl employees on a global level.

4

Improve the Labor Conditions of Our Suppliers



Since 2010, our responsible purchasing initiative has aimed to ensure that all our suppliers comply with the Petzl code of conduct. This code aligns with International Labor Organization (ILO) directives: Our objectives are to improve social, environmental, health, and safety practices at all of our suppliers. We've created an annual evaluation of CSR practices for suppliers representing 80% of our purchases. We've offered reinforced support for 25% of our suppliers in their continued improvement plans. We are also collaborating with other manufacturers to combine our audit efforts and reaffirm our CSR standards for common suppliers.



A new season means new products! For Spring/Summer 2026, we're keeping up the pace, continuing to deliver superior products and innovative solutions for outdoor enthusiasts of all kinds, no matter their skill level or aspirations.

## Belay Devices

Specifically designed for learning how to belay with an assisted blocking device, the GRIGRI+ is getting an upgrade, remaining a go-to choice for lead and top rope climbing.

**NEW2026**  
GRIGRI®+  
page 39



## Helmet

Even lighter and more compact than before, and with excellent ventilation, the new METEOR helmet is designed to support climbers and mountaineering enthusiasts on every ascent.

**NEW2026**  
METEOR  
page 34



## Packs

The newest iteration of the iconic BUG pack is designed for those who go straight from the office to the base of a multi-pitch climb.

**NEW2026**  
BUG  
page 87



## Harnesses

Climbing is a passion that is passed from one generation to the next. Help your kids explore the world of climbing inside or outside with the MACCHU harness.

**NEW2026**  
MACCHU  
page 27



## Carabiners and Quickdraws

The ANGE FINESSE quickdraws not only feature MonoFil technology and the Keylock system — they're also the definition of ultra-light, built for climbers who prefer to push their limits on objectives where every gram counts.

**NEW2026**  
ANGE FINESSE  
page 52



**NEW2026**  
ANGE  
page 51



## Headlamps

The SWIFT RL is back and better than ever... along with the newest member of the family: the SWIFT LT! Whether you're working through a training block around town or seeking more committing multi-sport adventures, these headlamps can keep up wherever you go.



**NEW2026**  
SWIFT® RL  
page 109

**NEW2026**  
SWIFT® RL CLASSIC  
page 109

**NEW2026**  
R2250  
page 120

**NEW2026**  
SWIFT® LT  
page 113



## Check out our spare parts!

**Choose repair over replacement to help extend the life of your products.**

Explore our brand-new spare parts offering, designed with you and your customers in mind. Take advantage of a wide range of spare parts that make it possible for you to repair certain products — a big step forward in our commitment to improving sustainability. Browse the Spare Parts section on our website or find the right parts for your repair needs directly on each product page.

**Available now on [petzdealer.com](https://petzdealer.com) and [petzl.com](https://petzl.com)!**



© 2025 Petzl Distribution - Laifouche

Verticality

Lighting





Giulia Bernardini on "Asinello", 6b+, Grotta del Cavallo sector, San Vito Lo Capo, Sicily, Italy, © 2024 Petzl Distribution - Latouche



Alex Magos and Michaela Kirsch on « Era Vella », 8c+/9a, La Visera sector, Margalef, Spain © 2024 Petzl Distribution - Sam Blé

Combinations for every experience — gear for every climber. Whether you're a beginner or a pro, climbing in the gym or at the cliff, Petzl offers complete gear solutions for every skill level.

2026 Climbing and Mountaineering Combinations

Finding the right solution for our users doesn't mean simply providing a good product. It means providing a complete solution that wholly meets their needs. That's why we make products that work together seamlessly to give our customers the best possible experience. Helmets, harnesses, belay devices, carabiners and quickdraws, ropes; every product range offers an important piece of gear for your climbing kit. Discover it all right here!

Contents

|                                         |    |
|-----------------------------------------|----|
| PERFORMANCE Indoor and Outdoor Climbing | 17 |
| PERFORMANCE Multi-Pitch Climbing        | 18 |
| ADVANCED Indoor and Outdoor Climbing    | 19 |
| DISCOVER Indoor and Outdoor Climbing    | 20 |
| PERFORMANCE Mountaineering              | 21 |
| DISCOVER Mountaineering                 | 22 |
| Ski Mountaineering                      | 23 |

PERFORMANCE Indoor and Outdoor Climbing



Michaela Kirsch on « Era Vella », 8c+/9a, La Visera sector, Margalef, Spain © 2024 Petzl Distribution - Sam Blé

Climbers who are continuously pushing their performance to the next level want superior gear to get them there. They're always looking to update their kit with the best and latest equipment available. Often heavily involved in the climbing community, these climbers appreciate the recognition that comes with sporting PERFORMANCE products. They look for gear that is well-designed, innovative, lightweight, compact, and efficient, so they can clip the chains on their dream project. It's no coincidence that we use the same criteria to create our PERFORMANCE products.



SIROCCO®



SITTA



SAKAPOCHE



NEOX®



ATTACHE BAR



X 6

SPIRIT EXPRESS



VOLTA® 9.2 mm



KLIFF

or



SPLIT

NEW 2026



SWIFT® LT



PERFORMANCE Multi-Pitch Climbing



Multi-pitch climbing presents climbers with unique and seemingly endless challenges. When they're pushing their limit a thousand feet off the ground, trusting the gear takes on a whole new meaning. Success often requires total commitment to the goal. And sometimes the outcome boils down to just a few variables. Put all the odds in their favor with gear that is comfortable yet lightweight, and durable without ever compromising performance.



SIROCCO®



AQUILA



SAKAPOCHE



REVERSO®



ATTACHE


NEW 2026




SWIFT® LT



ANGE FINESSE



CONNECT ADJUST



RUMBA® 8 mm

NEW 2026



BUG



PUR'ANNEAU

ADVANCED Indoor and Outdoor Climbing



Seasoned climbers who are often already familiar with Petzl, these climbers are on the hunt for gear that meets their needs for progression and performance. The intrinsic quality of a product is just as important as its design or the image it conveys in the world of climbing. Inspired by the leaders in our sport, these climbers are pushing their personal limits to meet their own objectives. Our ADVANCED products will bring them even closer to accessing their inaccessible.

NEW 2026



METEOR

Men's



SAMA

or



ADJAMA

Women's



SELENA

or



LUNA



SAKA



GRIGRI®



ATTACHE BAR



X 6

SPIRIT EXPRESS



CONNECT ADJUST



ARIAL® 9.5 mm



KLIFF

or



SPLIT



DISCOVER Indoor and Outdoor Climbing



Discovering the joys of climbing for the first time, these climbers often start out in their local climbing gym. They're looking for gear that is accessible, efficient, durable, and will allow them to easily integrate into their newly-adopted climbing community. Overflowing with psych, with only a few sessions under their belt, a little guidance in choosing the right gear is helpful for these climbers. Our DISCOVER range makes it possible for them to have a unique and rewarding experience from the very first time they tie in.

Men's



Women's



PERFORMANCE Mountaineering



Mountaineering is undeniably one of the most demanding and committing activities in our sport, especially when the objective is technically difficult. Climbers who are pursuing challenging objectives in the mountains are always seeking superior equipment to give them the edge they need to succeed, especially when it comes to technical gear. For helmets, harnesses, ice tools, crampons, ice screws, ropes, and lighting alike, experts in the vertical world will find that Petzl is the most reliable and performance-driven partner for every extraordinary adventure.





DISCOVER Mountaineering




Discovering the mountains in a new way means exploring off the beaten path and stepping further into alpine adventures. And there's a whole set of gear you need to get started! Whether it's your first day of ski-mountaineering or classic mountaineering, not to worry; Petzl has everything you need to get started and move with confidence in the mountains. Extraordinary experiences and breathtaking summits await.



Ski Mountaineering



No time constraints, no lift lines, and no limit to the peaks you can access within a stone's throw — the modern skier's ultimate dream. Because our expertise lies in accessing hard-to-reach places, we offer the most specialized gear for skiers who seek adventure, merging skiing and mountaineering into one.







Eugenia Pistarà and Giulia Bernardinon - «Years of Freedom», 7a+, Never Sleeping Wall sector, San Vito Lo Capo, Sicily, Italy © 2024 Petzl Distribution - San Bié

Petzl harnesses are designed to meet the needs of all those who play in the vertical world, whether it's for climbing, mountaineering, via ferrata, canyoning, or caving. We offer a variety of models suited for different body types and different uses.

**Designs for different body types:**

- With adjustable leg loops, suitable for most body types and all seasons (winter and summer use)
- Without adjustable leg loops, making it lightweight and optimizing freedom of movement
- Women's harness with angled waistbelt and an adapted rise and waistbelt-to-leg-loop ratio

**Capacity to carry gear suited to the activity:**


- For gym climbing, via ferrata, glacier travel, or classic mountaineering, two gear loops are sufficient
- For single pitch or big wall climbing, four gear loops are necessary
- For activities requiring a lot of gear, such as trad climbing, technical mountaineering, or ice climbing, a fifth gear loop is more practical

**Harnesses for mountaineering and ski touring:**

- Weight and bulk are minimized
- Practical to put on while wearing crampons or skis

Petzl Harness Technology


For certain climbing and mountaineering harnesses, Petzl uses special technologies: MATRYX, WIREFRAME, FUSEFRAME, and FRAME. These constructions are adapted to different expectations that climbers may have, whether you're just starting out, an active climber, or looking for high performance.



MATRYX  
Technology

**MATRYX® Technology**


This construction is composed of woven HMPE strands that lay across the entire surface of the harness, with special strands interwoven in specific areas. This process is made possible with high-performance MATRYX fabric. It allows the waistbelt and leg loops to be exceptionally low-profile, lightweight, and flexible, so the harness moves seamlessly with the climber, practically unnoticeable when worn. Special weave patterns on the hips and back of the thighs provide added comfort and support for hanging in the harness and carrying gear. MATRYX technology used for the WHISPER harness is minimalist, pushing the limits of compact and lightweight design without forgoing comfort.



WIRE  
FRAME  
technology

**WIREFRAME Technology**


WIREFRAME technology uses HMPE strands. These strands are used in the waistbelt and leg loops to optimally distribute pressure, ensuring maximum comfort and freedom of movement for the climber. This construction gives this technical harness an exceptional weight-to-comfort ratio. WIREFRAME technology, applied to a very sleek design with very slim technical lines, is perfectly suited to SITTA and ALTITUDE harnesses.



FUSE  
FRAME  
technology

**FUSEFRAME Technology**

This construction uses thin thermoformed foam and doubled interior webbing for greater comfort and lightness. This gives the harnesses a smooth and clean exterior surface without adding thickness, for improved abrasion resistance. FUSEFRAME technology gives the HIRUNDOS, AQUILA, and FLY harnesses (removable foam) a clean, smart design that is light and comfortable.



FRAME  
technology

**FRAME Technology**

This construction forms the base of most Petzl harnesses: ADJAMA, LUNA, SAMA, SELINA, CORAX, MACCHU and OUISTITI. The waistbelt and leg loops are formed by joining webbing along the center of a wide layer of foam. The load is distributed by the webbing that is surrounded by foam. This construction allows for excellent durability and comfort when hanging for long periods on a climb.



Choosing Your Petzl Climbing and Mountaineering Harness

|                                                   |                                                                                     | Adjustable<br>Leg Loops | Number of<br>Gear Loops | Weight*   | Optimized for                                                                                              |
|---------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------|-------------------------|-----------|------------------------------------------------------------------------------------------------------------|
| PERFORMANCE Climbing and Mountaineering Harnesses |                                                                                     |                         |                         |           |                                                                                                            |
| WHISPER®                                          |    | -                       | 5                       | 170 g     | Technical Mountaineering<br>Expeditions<br>High-Level Climbing<br>Ice Climbing                             |
| SITTA                                             |    | -                       | 5                       | 275 g     | Single Pitch Climbing<br>Multi-Pitch Climbing<br>Trad Climbing<br>Technical Mountaineering<br>Ice Climbing |
| AQUILA                                            |    | ●                       | 6                       | 405 g     | Single Pitch Climbing<br>Multi-Pitch Climbing<br>Trad Climbing                                             |
| HIRUNDOS                                          |    | -                       | 5                       | 310 g     | Indoor Climbing<br>Single Pitch Climbing<br>Multi-Pitch Climbing                                           |
| FLY                                               |    | ●                       | 2 + 4 (Size S)          | 100/130 g | Ski Mountaineering                                                                                         |
| ADVANCED Climbing and Mountaineering Harnesses    |                                                                                     |                         |                         |           |                                                                                                            |
| ADJAMA                                            |   | ●                       | 6                       | 385 g     | Single Pitch Climbing<br>Multi-Pitch Climbing<br>Trad Climbing                                             |
| LUNA                                              |  | ●                       | 6                       | 380 g     | Single Pitch Climbing<br>Multi-Pitch Climbing<br>Trad Climbing                                             |
| SAMA                                              |  | -                       | 5                       | 330 g     | Indoor Climbing<br>Single Pitch Climbing<br>Multi-Pitch Climbing                                           |
| SELENA                                            |  | -                       | 5                       | 325 g     | Indoor Climbing<br>Single Pitch Climbing<br>Multi-Pitch Climbing                                           |
| ALTITUDE®                                         |  | ●                       | 2                       | 150 g     | Mountaineering<br>Ski Touring                                                                              |
| DISCOVER Climbing and Mountaineering Harnesses    |                                                                                     |                         |                         |           |                                                                                                            |
| CORAX                                             |  | ●                       | 5                       | 470 g     | Indoor Climbing<br>Single Pitch Climbing<br>Via Ferrata                                                    |
| CORAX LT                                          |  | -                       | 5                       | 395 g     | Indoor Climbing<br>Single Pitch Climbing<br>Via Ferrata                                                    |
| CORAX LT WOMEN                                    |  | -                       | 5                       | 370 g     | Indoor Climbing<br>Single Pitch Climbing<br>Via Ferrata                                                    |
| TOUR                                              |  | ●                       | 2                       | 200 g     | Glacier Travel<br>Ski Touring                                                                              |

\* The weight indicated is for the following sizes: M (Men's), S (Women's), S/M or 1

Climbing Harness for Children

MACCHU NEW 2026

Comfortable and fully adjustable children's climbing harness

The MACCHU — a kid's harness with big features! The waistbelt and leg loops are fully adjustable, allowing it to adapt to a variety of children's sizes. With padded waistbelt and leg loops, it is very comfortable when hanging. Two waistbelt buckles make it easy to properly center the tie-in points and the belay loop is a different color for a rapid visual inspection. It also has two gear loops to carry quickdraws.



- **Adjustable harness for children:**
  - The single size offers a wide range of adjustability, allowing it to grow with your child (waistbelt: 54 to 65 cm, leg loops: 34 to 46 cm)
  - DOUBLEBACK buckles on the waistbelt and leg loops allow easy adjustment to your child's size and seasonal clothing
- **Same features as an adult harness:**
  - Two tie-in points and belay loop in a contrasting color allow a quick visual check to confirm the belay device is properly attached
  - Two front gear loops are rigid to easily clip and unclip quickdraws
- **Comfortable when hanging:**
  - Constructed with FRAME Technology for excellent pressure distribution
  - Padded waistbelt and leg loops provide comfortable support
- **Eco-design:** Waistbelt and leg loop exterior fabric are made from 100% recycled polyester



Two DOUBLEBACK buckles on the waistbelt allow you to properly position the tie-in points, and the belay loop is a different color for rapid visual inspection of the connection point.



Two rigid front gear loops to carry quickdraws.



Harness comes with a storage pouch made from 100% recycled polyester fabric.

Product Specifications

- Materials: Polyester, 100% recycled polyester, EVA, polyurethane, steel
- Certifications: CE EN 12277 type C, UIAA
- Comes with a storage pouch made from 100% recycled polyester fabric

Specifications by Reference

- Available in two colors:
- ATLANTIC BLUE C015AB00
  - JADE GREEN C015AB01
- Specifications page 30



|                                                                                                                            |                                                                                                      | Reference  | Size     | Weight       | Waist Size  | Leg Loops  | Made in       | Case quantity | EAN code      |               |
|----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------|----------|--------------|-------------|------------|---------------|---------------|---------------|---------------|
| PERFORMANCE Climbing and Mountaineering Harnesses                                                                          |                                                                                                      |            |          |              |             |            |               |               |               |               |
| <b>WHISPER®</b><br>Ultra-lightweight and technical harness for high-performance climbing and mountaineering                |                     | C003AA00   | XS       | 140 g        | 65 - 71 cm  | 48 - 53 cm | CN            | 10            | 3342540849075 |               |
|                                                                                                                            |                                                                                                      | C003AA01   | S        | 155 g        | 71 - 77 cm  | 48 - 53 cm |               |               | 3342540849082 |               |
|                                                                                                                            |                                                                                                      | C003AA02   | M        | 170 g        | 77 - 84 cm  | 52 - 57 cm |               |               | 3342540849099 |               |
|                                                                                                                            |                                                                                                      | C003AA03   | L        | 185 g        | 84 - 92 cm  | 55 - 60 cm |               |               | 3342540849105 |               |
| <b>SITTA</b><br>Lightweight and comfortable technical harness for performance climbing and mountaineering                  |                     | C011AA00   | XS       | 250 g        | 65 - 71 cm  | 48 - 53 cm | CN            | 20            | 3342540841048 |               |
|                                                                                                                            |                                                                                                      | C011AA01   | S        | 255 g        | 71 - 77 cm  | 48 - 53 cm |               |               | 3342540841055 |               |
|                                                                                                                            |                                                                                                      | C011AA02   | M        | 275 g        | 77 - 84 cm  | 52 - 57 cm |               |               | 3342540841062 |               |
|                                                                                                                            |                                                                                                      | C011AA03   | L        | 290 g        | 84 - 92 cm  | 55 - 60 cm |               |               | 3342540841079 |               |
| <b>AQUILA</b><br>Comfortable and adjustable harness for performance single pitch, multi-pitch, and trad climbing           |                     | C037BA00   | S        | 385 g        | 71 - 77 cm  | 48 - 58 cm | CN            | 10            | 3342540838581 |               |
|                                                                                                                            |                                                                                                      | C037BA01   | M        | 405 g        | 77 - 84 cm  | 52 - 62 cm |               |               | 3342540838598 |               |
|                                                                                                                            |                                                                                                      | C037BA02   | L        | 435 g        | 84 - 92 cm  | 55 - 65 cm |               |               | 3342540838727 |               |
|                                                                                                                            |                                                                                                      | C037BA03   | XL       | 465 g        | 92 - 100 cm | 57 - 67 cm |               |               | 3342540838734 |               |
| <b>HIRUNDOS</b><br>Lightweight and comfortable harness for performance at the gym, on single pitch, and multi-pitch routes | <br>ORANGE          | C036BA00   | XS       | 270 g        | 65 - 71 cm  | 48 - 53 cm | CN            | 10            | 3342540838499 |               |
|                                                                                                                            |                                                                                                      | C036BA01   | S        | 290 g        | 71 - 77 cm  | 48 - 53 cm |               |               | 3342540838505 |               |
|                                                                                                                            |                                                                                                      | C036BA02   | M        | 310 g        | 77 - 84 cm  | 52 - 57 cm |               |               | 3342540838611 |               |
|                                                                                                                            |                                                                                                      | C036BA03   | L        | 330 g        | 84 - 92 cm  | 55 - 60 cm |               |               | 3342540838628 |               |
|                                                                                                                            | <br>BLACK           | C036CA00   | XS       | 270 g        | 65 - 71 cm  | 48 - 53 cm |               |               | 3342540838635 |               |
|                                                                                                                            |                                                                                                      | C036CA01   | S        | 290 g        | 71 - 77 cm  | 48 - 53 cm |               |               | 3342540838642 |               |
|                                                                                                                            |                                                                                                      | C036CA02   | M        | 310 g        | 77 - 84 cm  | 52 - 57 cm |               |               | 3342540838659 |               |
|                                                                                                                            |                                                                                                      | C036CA03   | L        | 330 g        | 84 - 92 cm  | 55 - 60 cm |               |               | 3342540838666 |               |
| <b>FLY</b><br>Ultra-lightweight and adjustable harness for ski mountaineering                                              |                    | C002BA00   | S        | 90 / 120 g*  | 66 - 76 cm  | 50 - 56 cm | CN            | 15            | 3342540841093 |               |
|                                                                                                                            |                                                                                                      | C002BA01   | M        | 100 / 130 g* | 76 - 86 cm  | 52 - 58 cm |               |               | 3342540841109 |               |
|                                                                                                                            |                                                                                                      | C002BA02   | L        | 110 / 140 g* | 86 - 96 cm  | 54 - 60 cm |               |               | 3342540841116 |               |
| ADVANCED Climbing and Mountaineering Harnesses                                                                             |                                                                                                      |            |          |              |             |            |               |               |               |               |
| <b>ADJAMA</b><br>Comfortable and adjustable harness for single pitch, multi-pitch, and trad climbing                       |                   | C022CA00   | S        | 370 g        | 71 - 77 cm  | 46 - 56 cm | CN            | 10            | 3342540843684 |               |
|                                                                                                                            |                                                                                                      | C022CA01   | M        | 385 g        | 77 - 84 cm  | 51 - 61 cm |               |               | 3342540843691 |               |
|                                                                                                                            |                                                                                                      | C022CA02   | L        | 410 g        | 84 - 92 cm  | 54 - 64 cm |               |               | 3342540843707 |               |
|                                                                                                                            |                                                                                                      | C022CA03   | XL       | 435 g        | 92 - 100 cm | 56 - 66 cm |               |               | 3342540843813 |               |
| <b>LUNA</b><br>Comfortable and adjustable women's harness for single pitch, multi-pitch, and trad climbing                 |                   | C035CA00   | XS       | 365 g        | 65 - 71 cm  | 46 - 56 cm | CN            | 10            | 3342540843592 |               |
|                                                                                                                            |                                                                                                      | C035CA01   | S        | 380 g        | 71 - 77 cm  | 51 - 61 cm |               |               | 3342540843608 |               |
|                                                                                                                            |                                                                                                      | C035CA02   | M        | 400 g        | 77 - 84 cm  | 54 - 64 cm |               |               | 3342540843714 |               |
|                                                                                                                            |                                                                                                      | C035CA03   | L        | 420 g        | 84 - 92 cm  | 56 - 66 cm |               |               | 3342540843721 |               |
| <b>SAMA</b><br>Comfortable harness for the gym, single pitch, or multi-pitch routes                                        | <br>ATLANTIC BLUE | C021CA00   | S        | 310 g        | 71 - 77 cm  | 48 - 53 cm | CN            | 10            | 3342540843738 |               |
|                                                                                                                            |                                                                                                      | C021CA01   | M        | 330 g        | 77 - 84 cm  | 52 - 57 cm |               |               | 3342540843745 |               |
|                                                                                                                            |                                                                                                      | C021CA02   | L        | 355 g        | 84 - 92 cm  | 55 - 60 cm |               |               | 3342540843752 |               |
|                                                                                                                            |                                                                                                      | C021CA03   | XL       | 375 g        | 92 - 100 cm | 57 - 62 cm |               |               | 3342540843769 |               |
|                                                                                                                            | <br>DARK GRAY     | C021CA04   | S        | 310 g        | 71 - 77 cm  | 48 - 53 cm |               |               | 3342540843776 |               |
|                                                                                                                            |                                                                                                      | C021CA05   | M        | 330 g        | 77 - 84 cm  | 52 - 57 cm |               |               | 3342540843783 |               |
|                                                                                                                            |                                                                                                      | C021CA06   | L        | 355 g        | 84 - 92 cm  | 55 - 60 cm |               |               | 3342540843790 |               |
|                                                                                                                            |                                                                                                      | C021CA07   | XL       | 375 g        | 92 - 100 cm | 57 - 62 cm | 3342540843806 |               |               |               |
| <b>SELENA</b><br>Comfortable harness for the gym, single pitch, or multi-pitch routes                                      |                   | C055CA00   | XS       | 310 g        | 65 - 71 cm  | 48 - 53 cm | CN            | 10            | 3342540843912 |               |
|                                                                                                                            |                                                                                                      | C055CA01   | S        | 325 g        | 71 - 77 cm  | 52 - 57 cm |               |               | 3342540843929 |               |
|                                                                                                                            |                                                                                                      | C055CA02   | M        | 345 g        | 77 - 84 cm  | 55 - 60 cm |               |               | 3342540843936 |               |
|                                                                                                                            |                                                                                                      | JADE GREEN | C055CA03 | L            | 365 g       | 84 - 92 cm |               |               | 57 - 62 cm    | 3342540843943 |
|                                                                                                                            |                                                                                                      | C055CA04   | XS       | 310 g        | 65 - 71 cm  | 48 - 53 cm |               |               | 3342540843820 |               |
|                                                                                                                            |                                                                                                      | C055CA05   | S        | 325 g        | 71 - 77 cm  | 52 - 57 cm |               |               | 3342540843837 |               |
|                                                                                                                            |                                                                                                      | C055CA06   | M        | 345 g        | 77 - 84 cm  | 55 - 60 cm |               |               | 3342540843844 |               |
|                                                                                                                            |                                                                                                      | C055CA07   | L        | 365 g        | 84 - 92 cm  | 57 - 62 cm | 3342540843851 |               |               |               |
| <b>ALTITUDE®</b><br>Lightweight, compact mountaineering and ski touring harness                                            |                   | C019BA00   | S/M      | 150 g        | 64 - 86 cm  | 55 - 67 cm | CN            | 30            | 3342540841123 |               |
|                                                                                                                            |                                                                                                      | C019BA01   | M/L      | 160 g        | 74 - 96 cm  | 60 - 73 cm |               |               | 3342540841130 |               |
|                                                                                                                            |                                                                                                      | C019BA02   | L/XL     | 170 g        | 84 - 108 cm | 66 - 79 cm |               |               | 3342540841147 |               |

\* Weight without foam / weight with foam

|                                                                                            | Reference                                                                                      | Size | Weight | Waist Size  | Leg Loops  | Made in | Case quantity | EAN code      |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------|--------|-------------|------------|---------|---------------|---------------|
| DISCOVER Climbing and Mountaineering Harnesses                                             |                                                                                                |      |        |             |            |         |               |               |
| <b>CORAX</b><br>Very comfortable and fully adjustable harness for gym and outdoor climbing |  C051AB00   | 1    | 470 g  | 65 - 96 cm  | 48 - 59 cm | MY      | 10            | 3342540844346 |
|                                                                                            | DARK GRAY C051AB01                                                                             | 2    | 520 g  | 76 - 107 cm | 54 - 67 cm |         |               | 3342540844438 |
|                                                                                            |  C051BB00   | 1    | 470 g  | 65 - 96 cm  | 48 - 59 cm |         |               | 3342540844469 |
|                                                                                            | NAVY BLUE C051BB01                                                                             | 2    | 520 g  | 76 - 107 cm | 54 - 67 cm |         |               | 3342540844490 |
|                                                                                            |  C051CB00   | 1    | 470 g  | 65 - 96 cm  | 48 - 59 cm |         |               | 3342540844582 |
|                                                                                            | DARK RED C051CB01                                                                              | 2    | 520 g  | 76 - 107 cm | 54 - 67 cm |         |               | 3342540844599 |
| <b>CORAX LT</b><br>Very comfortable harness for gym and outdoor climbing                   |  C052AB00   | XS   | 345 g  | 65 - 71 cm  | 48 - 53 cm | MY      | 10            | 3342540844353 |
|                                                                                            | C052AB01                                                                                       | S    | 365 g  | 71 - 77 cm  | 48 - 53 cm |         |               | 3342540844360 |
|                                                                                            | C052AB02                                                                                       | M    | 395 g  | 77 - 84 cm  | 52 - 57 cm |         |               | 3342540844377 |
|                                                                                            | DARK GRAY C052AB03                                                                             | L    | 425 g  | 84 - 92 cm  | 55 - 60 cm |         |               | 3342540844384 |
|                                                                                            | C052AB04                                                                                       | XL   | 455 g  | 92 - 100 cm | 57 - 62 cm |         |               | 3342540844391 |
|                                                                                            | C052AB05                                                                                       | XS   | 345 g  | 65 - 71 cm  | 48 - 53 cm |         |               | 3342540844407 |
|                                                                                            |  C052AB06  | S    | 365 g  | 71 - 77 cm  | 48 - 53 cm |         |               | 3342540844414 |
|                                                                                            | C052AB07                                                                                       | M    | 395 g  | 77 - 84 cm  | 52 - 57 cm |         |               | 3342540844421 |
|                                                                                            | INDIGO BLUE C052AB08                                                                           | L    | 425 g  | 84 - 92 cm  | 55 - 60 cm |         |               | 3342540844445 |
| <b>CORAX LT WOMEN</b><br>Very comfortable women's harness for gym and outdoor climbing     | C052AB09                                                                                       | XL   | 455 g  | 92 - 100 cm | 57 - 62 cm | MY      | 10            | 3342540844452 |
|                                                                                            |  C052BB00 | XS   | 350 g  | 65 - 71 cm  | 48 - 53 cm |         |               | 3342540844476 |
|                                                                                            | C052BB01                                                                                       | S    | 370 g  | 71 - 77 cm  | 52 - 57 cm |         |               | 3342540844483 |
|                                                                                            | LILAC WHITE C052BB02                                                                           | M    | 400 g  | 77 - 84 cm  | 55 - 60 cm |         |               | 3342540844506 |
|                                                                                            | C052BB03                                                                                       | L    | 430 g  | 84 - 92 cm  | 57 - 62 cm |         |               | 3342540844513 |
|                                                                                            | C052BB04                                                                                       | XL   | 460 g  | 92 - 100 cm | 57 - 62 cm |         |               | 3342540844520 |
|                                                                                            |  C052BB05 | XS   | 350 g  | 65 - 71 cm  | 48 - 53 cm |         |               | 3342540844537 |
|                                                                                            | C052BB06                                                                                       | S    | 370 g  | 71 - 77 cm  | 52 - 57 cm |         |               | 3342540844544 |
|                                                                                            | CORAL SAND C052BB07                                                                            | M    | 400 g  | 77 - 84 cm  | 55 - 60 cm |         |               | 3342540844551 |
| <b>TOUR</b><br>Durable, lightweight harness for glacier travel and ski touring             |  C020BA00 | S/M  | 200 g  | 64 - 86 cm  | 55 - 67 cm | MY      | 30            | 3342540841154 |
|                                                                                            | C020BA01                                                                                       | M/L  | 215 g  | 74 - 96 cm  | 60 - 73 cm |         |               | 3342540841161 |
|                                                                                            | C020BA02                                                                                       | L/XL | 230 g  | 84 - 108 cm | 66 - 79 cm |         |               | 3342540841178 |
| <b>8003</b><br>Full-body harness for adults                                                |  C05 1N   | 1    | 580 g  | 60 - 95 cm  | 42 - 62 cm | RO      | 12            | 3342540025950 |
|                                                                                            | C05 2N                                                                                         | 2    | 610 g  | 75 - 105 cm | 52 - 77 cm |         |               | 3342540025967 |
| <b>VOLTIGE</b><br>Adjustable chest harness for sit harness                                 |  C60      | -    | 280 g  | -           | -          | RO      | 15            | 3342540001596 |



|                                                                                                                | Reference                                                | Weight | Waist Size | Leg Loops  | Made in | Case quantity | EAN code      |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|--------|------------|------------|---------|---------------|---------------|
| Climbing Harnesses for Children                                                                                |                                                          |        |            |            |         |               |               |
| <div>NEW 2026</div> <div>MACCHU®</div> <div>Comfortable and fully adjustable children's climbing harness</div> | <div></div> <div>C015AB00</div> <div>ATLANTIC BLUE</div> | 275 g  | 54 - 65 cm | 34 - 46 cm | CN      | 10            | 3342540852846 |
|                                                                                                                | <div></div> <div>C015AB01</div> <div>JADE GREEN</div>    |        |            |            |         |               | 3342540852853 |
| <div>OUISTITI</div> <div>Full-body climbing harness for children weighing less than 30 kg</div>                | <div></div> <div>C068AA00</div>                          | 410 g  | 58 - 70 cm | 32 - 40 cm | MY      | 10            | 3342540820432 |



Cédric Lachat exploring «La Fromagère», Vercors, France © 2022 Petzl Distribution - Alex Lopez

|                                                                                                                                                                                                               | Reference | Size      | Weight                                                                   | Waist Size  | Leg Loops  | Made in | Case quantity | EAN code      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|--------------------------------------------------------------------------|-------------|------------|---------|---------------|---------------|
| Caving Harnesses                                                                                                                                                                                              |           |           |                                                                          |             |            |         |               |               |
| <b>AVEN</b><br>Comfortable, durable caving harness                                                                         | C013AA00  | 1         | 465 g                                                                    | 60 - 85 cm  | 42 - 62 cm | RO      | 4             | 3342540835429 |
|                                                                                                                                                                                                               | C013AA01  | 2         | 520 g                                                                    | 80 - 102 cm | 52 - 72 cm |         |               | 3342540835436 |
| <b>SUPERAVANTI</b><br>Durable, lightweight caving harness                                                                  | C012AA00  | 1         | 410 g                                                                    | 60 - 95 cm  | 42 - 62 cm | RO      | 6             | 3342540835405 |
|                                                                                                                                                                                                               | C012AA01  | 2         | 450 g                                                                    | 90 - 105 cm | 52 - 72 cm |         |               | 3342540835412 |
| <b>EXPLO</b><br>Shoulder straps for positioning a CROLL, with gear loops                                                   | C027AA00  | -         | 170 g                                                                    | -           | -          | CN      | 8             | 3342540835450 |
| <b>TORSE</b><br>Shoulder straps for positioning a CROLL                                                                    | C026AA00  | -         | 90 g                                                                     | -           | -          | RO      | 9             | 3342540835443 |
| Canyoning Harnesses                                                                                                                                                                                           |           |           |                                                                          |             |            |         |               |               |
| <b>CANYON GUIDE</b><br>Comfortable, ergonomic harness with integrated protective seat for canyoning                        | C086BA00  | 1         | 870 g                                                                    | 65 - 95 cm  | 40 - 65 cm | CN      | 5             | 3342540829893 |
|                                                                                                                                                                                                               | C086BA01  | 2         | 920 g                                                                    | 75 - 120 cm | 40 - 75 cm |         |               | 3342540829909 |
| <b>CANYON CLUB</b><br>Easy-to-use harness with integrated protective seat for canyoning                                  | C086AA00  | -         | 660 g                                                                    | 60 - 120 cm | 40 - 75 cm | KH      | 10            | 3342540829886 |
|                                                                                                                                                                                                               |           | Reference | Weight                                                                   | Specifics   |            | Made in | Case quantity | EAN code      |
| CANYON Harness Accessories                                                                                                                                                                                    |           |           |                                                                          |             |            |         |               |               |
| <b>Comfort Foam for CANYON CLUB Harness</b>                                                                              | C086FA00  | 105 g     | -                                                                        |             | CN         | 10      | 3342540830059 |               |
| <b>Gear Loop for CANYON CLUB Harness</b>                                                                                 | C086GA00  | 25 g      | -                                                                        |             | CN         | 20      | 3342540830066 |               |
| <b>Cutaway Sling for CANYON GUIDE Harness</b>                                                                            | C086EA00  | 7 g       | Installs directly on the harness gated attachment point                  |             | FR         | 40      | 3342540830615 |               |
| <b>Cutaway sling for CANYON CLUB harness</b>                                                                             | C086DA00  | 9 g       | It is easy to install with a girth hitch on the harness attachment point |             | FR         | 40      | 3342540830004 |               |
| Harness Accessories                                                                                                                                                                                           |           |           |                                                                          |             |            |         |               |               |
| <b>CARITOOl</b><br>Harness tool holder                                                                                   | P42       | 25 g      | Working load limit: 5 kg                                                 |             | IT         | 30      | 3342540063877 |               |
| <b>CARITOOl EVO</b><br>Universal ice screw holder adaptable to any type of harness, for ice climbing or mountaineering.  | P043AB00  | 40 g      | Working load limit: 5 kg                                                 |             | IT         | 16      | 3342540844629 |               |





Helmet Up, Pasa Dornane, Spain © 2023 Petzl Distribution - Sam Blé

Petzl offers several helmet models for climbing, mountaineering, or via ferrata, for intensive or regular use, or for your first time trying out these activities.

Choosing Your Helmet

|        | PERFORMANCE                                                                                     | ADVANCED                                                                                      | DISCOVER                                                                                      |                                                                                               |
|--------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|        | <br>SIROCCO® | <br>METEOR | <br>BOREO® | <br>BOREA® |
| Weight | 170 g (size M/L)                                                                                | 240 g (size M/L)                                                                              | 330 g (size M/L)                                                                              | 305 g                                                                                         |
| Detail | Ultra-lightweight                                                                               | Lightweight                                                                                   | Durable and versatile                                                                         | Durable and versatile<br>Women's                                                              |

Two other models round out the range: the PICCHU helmet for children and the BOREO CAVING helmet designed for cavers.



PICCHU  
Children's helmet for climbing and cycling




BOREO® CAVING  
Caving helmet with mounting plates for DUO headlamp

Petzl Helmet Construction

|                                                                                                              | Construction                                                                            | Principle of Shock Absorption                                                                                                                                                                                                                | Petzl Helmets              |
|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| <br>Hybrid              | Top EPS foam liner injected under a thin polycarbonate crown, and EPP foam on the sides | On top of the helmet, EPS foam absorbs impacts from above. It is reinforced by the polycarbonate crown which helps stop sharp objects.<br><br>EPP foam on the lower part of the helmet absorbs side, front, and rear impacts by deformation. | SIROCCO®                   |
| <br>In-Mold             | EPS foam liner injected under a thin polycarbonate shell                                | The EPS foam liner absorbs side, front, and rear impacts by deformation.<br><br>It is reinforced by the polycarbonate shell which helps stop sharp objects.                                                                                  | METEOR                     |
| <br>Hard shell / Hybrid | Hard ABS shell protects the EPP and/or EPS foam liner                                   | The ABS shell protects the liners, helps stop sharp objects, and distributes impact.<br><br>The liners absorb impact by deformation.                                                                                                         | BOREO®<br>BOREA®<br>PICCHU |

EPP: Expanded polypropylene  
EPS: Expanded polystyrene  
ABS: Acrylonitrile butadiene styrene





METEOR NEW 2026

Lightweight climbing and mountaineering helmet

Passionate about climbing or mountaineering? The METEOR helmet was built for you. Lightweight, low-profile, and offering excellent ventilation, it's the all-season helmet for every ascent. The design provides greater coverage and enhanced head protection. It provides a comfortable fit for all climbers with a headband designed to leave room for a ponytail. Compatible with our headlamps, you can wear it for after-dark excursions.



Design provides greater coverage for enhanced head protection.



Buckle is easy to use, even when wearing gloves.



Large vents offer excellent air flow.

Product Specifications

- Materials: Polycarbonate shell, expanded polystyrene (EPS) liner, polyester webbing
- Certifications: CE EN 12492, UIAA

Spare Parts

Absorbent replacement foam  
A042MA00  
SIROCCO Buckle A073AB00

Accessories

HELMET ADAPT E073AB00  
UNI ADAPT E000BA00

Specifications by Reference

Available in four colors and in two sizes per color:  
• WHITE/ORANGE S/M A071AC00  
• WHITE/ORANGE M/L A071AC01  
• WHITE/GRAY S/M A071AC02  
• WHITE/GRAY M/L A071AC03  
• BLACK/GRAY S/M A071AC04  
• BLACK/GRAY M/L A071AC05  
• SMOKED BLUE/BROWN S/M A071AC06  
• SMOKED BLUE/BROWN M/L A071AC07  
Specifications page 35

Lightweight, low-profile, ventilated helmet:

- Size S/M weighs only 225 g and size M/L only 240 g
- Low-profile design achieved using In-Mold construction with an EPS foam liner injected inside a lightweight polycarbonate shell
- Large vents offer excellent air flow

Easy to adjust and accessorize:

- Semi-rigid headband can be easily adjusted, even with gloves on
- OMEGA headband with a pronounced notch for wearing the helmet with a ponytail
- Low-profile buckle on the chinstrap locks in place to help keep the webbing from loosening unintentionally
- Two front clips and rear elastic band for securing a headlamp to the helmet
- Headband folds into the shell for easy storage and transport

Enhanced protection for climbing and mountaineering:

- the design provides greater coverage for optimal protection against impacts to the side, front, and rear of the head
- Repairability: comfort foam and buckle are available as spare parts to help extend helmet lifespan

NOTE: This helmet does not meet the requirements of the EN 18100: 2024 standard for ski mountaineering helmets.

|                                                                  | Reference | Color | Size | Weight | Head Circumference | Made in | Case quantity | EAN code      |
|------------------------------------------------------------------|-----------|-------|------|--------|--------------------|---------|---------------|---------------|
| PERFORMANCE Climbing and Mountaineering Helmets                  |           |       |      |        |                    |         |               |               |
| SIROCCO®<br>Ultra-lightweight climbing and mountaineering helmet | A073DA00  | WHITE | S/M  | 160 g  | 48 - 58 cm         | CN      | 8             | 3342540843981 |
|                                                                  | A073DA01  |       | M/L  | 170 g  | 53 - 61 cm         |         |               | 3342540843998 |
|                                                                  | A073DA02  | BLACK | S/M  | 160 g  | 48 - 58 cm         |         |               | 3342540844001 |
|                                                                  | A073DA03  |       | M/L  | 170 g  | 53 - 61 cm         |         |               | 3342540844018 |

ADVANCED Climbing and Mountaineering Helmets

|                                                                                       |  |          |                   |     |       |            |    |   |               |
|---------------------------------------------------------------------------------------|--|----------|-------------------|-----|-------|------------|----|---|---------------|
| <span>NEW 2026</span><br><br>METEOR<br>Lightweight climbing and mountaineering helmet |  | A071AC00 | WHITE/ORANGE      | S/M | 225 g | 52 - 59 cm | CN | 8 | 3342540853515 |
|                                                                                       |  | A071AC01 |                   | M/L | 240 g | 57 - 61 cm |    |   | 3342540853522 |
|                                                                                       |  | A071AC02 | WHITE/GRAY        | S/M | 225 g | 52 - 59 cm |    |   | 3342540853539 |
|                                                                                       |  | A071AC03 |                   | M/L | 240 g | 57 - 61 cm |    |   | 3342540853546 |
|                                                                                       |  | A071AC04 | BLACK/GRAY        | S/M | 225 g | 52 - 59 cm |    |   | 3342540853430 |
|                                                                                       |  | A071AC05 |                   | M/L | 240 g | 57 - 61 cm |    |   | 3342540853447 |
|                                                                                       |  | A071AC06 | SMOKED BLUE/BROWN | S/M | 225 g | 52 - 59 cm |    |   | 3342540853416 |
|                                                                                       |  | A071AC07 |                   | M/L | 240 g | 57 - 61 cm |    |   | 3342540853423 |

DISCOVER Climbing and Mountaineering Helmets

|                                                                                |  |          |              |     |       |            |    |   |               |
|--------------------------------------------------------------------------------|--|----------|--------------|-----|-------|------------|----|---|---------------|
| BOREO®<br>Durable and versatile helmet for climbing and mountaineering         |  | A042VA00 | WHITE        | S/M | 300 g | 48 - 58 cm | TN | 8 | 3342540841208 |
|                                                                                |  | A042VA01 |              | M/L | 330 g | 53 - 61 cm |    |   | 3342540841215 |
|                                                                                |  | A042VA02 | GRAY         | S/M | 300 g | 48 - 58 cm |    |   | 3342540841222 |
|                                                                                |  | A042VA03 |              | M/L | 330 g | 53 - 61 cm |    |   | 3342540841239 |
|                                                                                |  | A042VA04 | ORANGE       | S/M | 300 g | 48 - 58 cm |    |   | 3342540841246 |
|                                                                                |  | A042VA05 |              | M/L | 330 g | 53 - 61 cm |    |   | 3342540841253 |
|                                                                                |  | A042VA06 | RED          | S/M | 300 g | 48 - 58 cm |    |   | 3342540841260 |
|                                                                                |  | A042VA07 |              | M/L | 330 g | 53 - 61 cm |    |   | 3342540841277 |
|                                                                                |  | A042VA08 | BLUE         | S/M | 300 g | 48 - 58 cm |    |   | 3342540841284 |
|                                                                                |  | A042VA09 |              | M/L | 330 g | 53 - 61 cm |    |   | 3342540841291 |
| BOREA®<br>Durable and versatile women's helmet for climbing and mountaineering |  | A048AB00 | LILAC WHITE  | -   | 305 g | 52 - 58 cm | TN | 8 | 3342540843950 |
|                                                                                |  | A048AB01 | NAVY BLUE    | -   | 305 g | 52 - 58 cm |    |   | 3342540843967 |
|                                                                                |  | A048AB02 | JUNGLE GREEN | -   | 305 g | 52 - 58 cm |    |   | 3342540843974 |

Children's Climbing and Cycling Helmets

|                                                      |  |          |        |   |       |            |    |   |               |
|------------------------------------------------------|--|----------|--------|---|-------|------------|----|---|---------------|
| PICCHU<br>Children's helmet for climbing and cycling |  | A049AA00 | BLUE   | - | 330 g | 48 - 54 cm | PT | 8 | 3342540829541 |
|                                                      |  | A049AA01 | VIOLET | - | 330 g | 48 - 54 cm |    |   | 3342540830462 |

Caving Helmets

|                                                                      |  |          |       |     |       |            |    |   |               |
|----------------------------------------------------------------------|--|----------|-------|-----|-------|------------|----|---|---------------|
| BOREO® CAVING<br>Caving helmet with mounting plates for DUO headlamp |  | A042SA02 | WHITE | S/M | 335 g | 48 - 58 cm | TN | 8 | 3342540841307 |
|                                                                      |  | A042SA03 |       | M/L | 355 g | 53 - 61 cm |    |   | 3342540841314 |






Eugenia Pistara and Giulia Bernardini. Grotta Dei Santi sector, San Vito Lo Capo, Sicily, Italy © 2024 Petzl Distribution - Sam Blé

Petzl Belay Systems: Two Types of Devices

Belay Devices with Cam-Assisted Blocking

Working Principle

When a climber falls or rests, the rope tightens and the cam pivots to pinch the rope and block it.



Advantages


- **Comfortable belay**, thanks to **cam-assisted blocking**, which minimizes the strength required of the brake-side hand and is especially useful for working a route: trying a move multiple times and holding the climber
- **Considerable leeway for brake-side hand position**, regardless of the angle between the climber side and brake side of the rope
- **Exceptionally comfortable descent**, with an ergonomic handle that gives you progressive control of the rope feed

Three different belay devices designed to optimize different activities




NEOX®

**Ideal for lead climbing**  
NEOX features an integrated wheel that allows you to smoothly and quickly pay out slack to the climber.



GRIGRI®


**Compact and versatile for belaying lead and top rope climbing**  
For lead and top rope climbing, GRIGRI provides comfortable belaying and control of the descent.



NEW 2026

GRIGRI® +

**Designed for learning and top rope climbing**  
With its anti-panic handle, the GRIGRI + is especially useful for learning. Ideal for top rope belaying, ASSIST + mode makes it easier to take up slack.






Manual Braking Belay/Rappel Devices

Working Principle

When a climber falls or rests, the brake hand grips the rope firmly and pulls it downward, the rope gets pressed into the braking grooves, thus increasing the friction until the rope stops.



Advantages

- Simple, compact, and lightweight
- Compatible with single, half, and twin dynamic ropes
- Comfortable rappels due to efficiency of the braking grooves





**REVERSO®**  
 Versatile, lightweight belay/rappel device, for use with one or two rope strands and ability to belay a second climber from the anchor



**VERSO**  
 Compact, lightweight belay/rappel device, for use with one or two rope strands and for rappelling

Choosing Your Belay Device

|                                      | <br>NEOX® | <br>GRIGRI® | <br>GRIGRI® + | <br>REVERSO® | <br>VERSO |
|--------------------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| Type of Device                       | Belay Devices With Cam-Assisted Blocking                                                     |                                                                                                |                                                                                                  | Manual Braking Belay/Rappel Devices                                                              |                                                                                                |
| Strength Required of Brake-Side Hand |           |                                                                                                |                                                                                                  |             |                                                                                                |
| Optimized for                        | Lead climbing in the gym and outside                                                         | Lead and top rope climbing in the gym and outside                                              | Top rope climbing in the gym and outside                                                         | Single pitch climbing, multi-pitch climbing and mountaineering                                   | Single Pitch Climbing                                                                          |
| Specifics                            | Feed slack easily                                                                            | Compact and versatile                                                                          | Anti-panic handle and ASSIST + mode                                                              | Belaying a second climber from the anchor and rappelling on two rope stands                      | Rappelling on two rope strands                                                                 |
| Weight                               | 235 g                                                                                        | 175 g                                                                                          | 200 g                                                                                            | 57 g                                                                                             | 55 g                                                                                           |

Belay Devices With Cam-Assisted Blocking

GRIGRI® +
 NEW 2026

Belay device with cam-assisted blocking and anti-panic handle, optimized for top rope climbing

The art of belaying starts here. The GRIGRI + is a cam-assisted blocking belay device for top rope or lead climbing in the gym or outside. The anti-panic handle makes it especially useful for learning how to lower a climber. The ideal device for top rope belaying, ASSIST + mode makes it easier to take up slack. Designed for use with single ropes from 8.5 to 11 mm. Start your climbing journey with the GRIGRI +!



- **Belay device with cam-assisted blocking and anti-panic handle, optimized for top rope climbing:**
  - For belaying both lead and top rope climbers
  - The anti-panic handle is designed to assist users learning how to lower a climber: if the user pulls too hard on the handle, the anti-panic function engages to stop the rope from feeding through the device
  - Optimized for learning how to top rope belay, ASSIST + mode pre-activates the blocking action of the cam, making it easier to take up slack and helping limit the risk of the rope feeding through the device in the event that the user accidentally releases the brake strand
  - Cam-assisted blocking for a more comfortable belay: when the climber falls or weights the system, the rope tightens due to the action of the brake-side hand; the cam pivots to pinch and block the rope

- **Easy to use:**
  - Easy to install the rope with diagrams engraved on the belay device
  - Feeding slack and catching falls are accomplished using techniques standard to all Petzl belay devices, always keeping a hand on the brake side of the rope
  - Cam-assisted blocking offers leeway for the brake-side hand position, regardless of the angle between the climber side and brake side of the rope
  - Compatible with 8.5 to 11 mm dynamic single ropes and optimized for 8.9 to 10.5 mm

- **Descent control:**
  - Ergonomic handle allows you to easily unblock the rope and lower someone
  - Anti-panic handle
  - 3:1 mechanical advantage of the handled camming mechanism helps control rope feed on small-diameter ropes and requires less effort on the handle for large-diameter ropes

- **Eco-design:** all plastic components, including the handle, are made with recycled nylon





Diagram on the belay device makes it easier to install the rope.



Anti-panic handle: if the user pulls too hard on the handle, the anti-panic function engages and stops the descent.



ASSIST + mode makes it easier to take up slack for top rope belaying.

Product Specifications

- Weight: 200 g
- Rope compatibility: single ropes between 8.5 and 11 mm
- Materials: Aluminum side plates, stainless steel friction plate and cam, recycled nylon handle
- Certifications: CE EN 15151-1, UIAA

Specifications by Reference

Available in three colors:

- YELLOW D015AA00
- BLUE D015AA01
- GREEN D015AA02

Specifications page 40



|                                                                                                                                                           |                                                                                                                                                                     | Reference | Color      | Weight | Rope Diameter                                                                                    | Made in | Case quantity | EAN code      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------|--------|--------------------------------------------------------------------------------------------------|---------|---------------|---------------|
| Belay Devices With Cam-Assisted Blocking                                                                                                                  |                                                                                                                                                                     |           |            |        |                                                                                                  |         |               |               |
| <b>NEOX®</b><br>Belay device with cam-assisted blocking, optimized for lead climbing                                                                      |                                                                                    | D016AA01  | ORANGE     | 235 g  | 8.5 to 11 mm single rope                                                                         | FR      | 17            | 3342540844049 |
|                                                                                                                                                           |                                                                                    | D016AA00  | LIGHT GRAY |        |                                                                                                  |         |               | 3342540844032 |
|                                                                                                                                                           |                                                                                    | D016AA02  | BLACK      |        |                                                                                                  |         |               | 3342540844056 |
| <b>GRIGRI®</b><br>Compact and versatile belay device with cam-assisted blocking for lead and top rope climbing                                            |                                                                                    | D014BA02  | BLUE       | 175 g  | 8.5 to 11 mm single rope                                                                         | FR      | 17            | 3342540825550 |
|                                                                                                                                                           |                                                                                    | D014BA01  | RED/ORANGE |        |                                                                                                  |         |               | 3342540825543 |
|                                                                                                                                                           |                                                                                    | D014BA00  | GRAY       |        |                                                                                                  |         |               | 3342540825536 |
| <b>GRIGRI® +</b><br>Belay device with cam-assisted blocking and anti-panic handle, optimized for top rope climbing                                        |   | D015AA00  | YELLOW     | 200 g  | 8.5 to 11 mm single rope                                                                         | FR      | 38            | 3342540850477 |
|                                                                                                                                                           |                                                                                    | D015AA01  | BLUE       |        |                                                                                                  |         |               | 3342540850484 |
|                                                                                                                                                           |                                                                                    | D015AA02  | GREEN      |        |                                                                                                  |         |               | 3342540850460 |
| Manual Braking Belay/Rappel Devices                                                                                                                       |                                                                                                                                                                     |           |            |        |                                                                                                  |         |               |               |
| <b>REVERSO®</b><br>Versatile, lightweight belay/rappel device, for use with one or two rope strands and ability to belay a second climber from the anchor |                                                                                    | D017AA00  | GRAY       | 57 g   | Ropes:<br>- Single: 8.5 to 11 mm<br>- Half: 7.1 to 9.2 mm<br>- Twin: 6.9 to 9.2 mm               | GB      | 18            | 3342540825918 |
|                                                                                                                                                           |                                                                                    | D017AA01  | GREEN      |        |                                                                                                  |         |               | 3342540825932 |
|                                                                                                                                                           |                                                                                   | D017AA02  | RED/ORANGE |        |                                                                                                  |         |               | 3342540825925 |
| <b>VERSO</b><br>Compact, lightweight belay/rappel device, for use with one or two rope strands and for rappelling                                         |                                                                                  | D019AA00  | GRAY       | 55 g   | Ropes:<br>- Single: 8.5 to 11 mm<br>- Half: 7.1 to 9.2 mm<br>- Twin: 6.9 to 9.2 mm               | GB      | 18            | 3342540825949 |
|                                                                                                                                                           |                                                                                  | D019AA01  | GREEN      |        |                                                                                                  |         |               | 3342540825956 |
| Descenders                                                                                                                                                |                                                                                                                                                                     |           |            |        |                                                                                                  |         |               |               |
| <b>HUIT</b><br>Figure-eight descender                                                                                                                     |                                                                                  | D02       | GRAY       | 100 g  | 8 to 13 mm rope                                                                                  | FR      | 15            | 3342540010499 |
| <b>HUIT ANTIBRULURE</b><br>Figure-eight descender with anti-burn tab                                                                                      |                                                                                  | D01       | BLACK      | 110 g  | 8 to 13 mm rope                                                                                  | FR      | 15            | 3342540001749 |
| Caving Descenders                                                                                                                                         |                                                                                                                                                                     |           |            |        |                                                                                                  |         |               |               |
| <b>STOP</b><br>Assisted braking descender for caving                                                                                                      |                                                                                  | D009AA00  | BLUE       | 350 g  | 8.5 to 11 mm low stretch kernmantle rope                                                         | FR      | 10            | 3342540828551 |
| <b>SIMPLE</b><br>Simple, lightweight descender for caving                                                                                                 |                                                                                  | D004AA00  | RED        | 240 g  | 8.5 to 11 mm low stretch kernmantle rope                                                         | FR      | 15            | 3342540828568 |
| <b>RACK</b><br>Brake bar descender for long descents                                                                                                      |                                                                                  | D11       | -          | 470 g  | Low stretch kernmantle rope<br>- One rope strand: 9 to 13 mm<br>- Two rope strands: 8.5 to 11 mm | FR      | 25            | 3342540002067 |

|                                                                                               |                                                                                     | Reference | Color  | Weight | Rope Diameter   | Made in | Case quantity | EAN code      |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------|--------|--------|-----------------|---------|---------------|---------------|
| Canyoning Descenders                                                                          |                                                                                     |           |        |        |                 |         |               |               |
| <b>PIRANA GUIDE</b><br>Adjustable friction descender with spur and locking slot for canyoning |  | D005AB00  | ORANGE | 110 g  | 8 to 13 mm rope | TW      | 10            | 3342540842113 |
| <b>PIRANA CLUB</b><br>Adjustable friction descender for canyoning                             |  | D005BA00  | GREEN  | 90 g   | 8 to 13 mm rope | TW      | 18            | 3342540839045 |
|                                                                                               |  | D005BA01  | BLACK  |        |                 |         |               | 3342540839052 |



Eugenia Pistara and Giulia Bernardini on «Silent Sleep», 6a+, Never Sleeping Wall sector, San Vito Lo Capo, Sicily, Italy © 2024 Petzl Distribution - Sam Bé





Cédric Lachat exploring «La Fromagère», Vercors, France © 2022 Petzl Distribution - Alex Lopez

Types of Ropes

Dynamic Ropes

- Single ropes ①**  
Ropes used as a single strand. These are mainly used for single-pitch climbing. Some climbers also use them for multi-pitch climbing or mountaineering.
- Half ② and Twin Ropes ③**  
These are certified to two types of the CE EN 892 standard.
- **Half Ropes:** ropes used in pairs that may be clipped separately or together during progression. They are recommended for rappels and to facilitate rope drag management. They provide a backup in case one of the strands is damaged by a falling rock or a sharp edge.
  - **Twin Ropes:** ropes used in pairs that, unlike half ropes, must always be clipped together during progression. They are recommended for rappels.

**Multi-Type Ropes**  
Multi-type ropes are certified to three types of the CE EN 892 standard. They may be used as a single, half, or twin rope.

Low Stretch Kernmantle Ropes

Low stretch kernmantle ropes have low elongation and are very resistant to wear and abrasion. They're designed for canyoning, caving, hauling, and installing fixed ropes.


Treatment and Finishes on Petzl Ropes

- Special treatment stabilizes core strands and improves consistency, providing excellent grip and consistent handling over time.
- The core and the sheath are bonded together at the rope ends for greater durability and to prevent frayed ends (except for the 200-meter length).
- Specific coil makes the rope ready for use; helps the user avoid initial uncoiling mistakes (except for the 200-meter length).
- Indicates the middle of the rope for easier rope management (except for the 200-meter length).

Additional Treatments For Mountaineering Ropes

- The UIAA Guide Dry treatment is our most complete water repellent treatment for frequent use in wet environments: ice climbing and mountaineering. It meets the requirements of the UIAA Water Repellent Test and improves the rope's resistance to dirt and abrasion.
- Dry treatment makes the rope more resistant to water, dirt, and abrasion. Handling, grip, and other characteristics are maintained longer in cold, wet conditions.

As of 2025, all Petzl ropes, including those featuring the UIAA Guide Dry treatment and Duratec DRY, are being made without PFAS (per- and polyfluoroalkyl substances), in order to reduce our environmental impact.





Choosing Your Dynamic Rope

|                      |  | Additional Treatment | Weight per Meter | Optimized for                                                                              |
|----------------------|--|----------------------|------------------|--------------------------------------------------------------------------------------------|
| Multi-Type           |  |                      |                  |                                                                                            |
| VOLTA® GUIDE 9 mm    |  |                      | 54 g             | Ice Climbing, Mixed Climbing<br>Performance Mountaineering<br>Performance Outdoor Climbing |
| VOLTA® 9.2 mm        |  |                      | 55 g             | Performance Outdoor Climbing<br>Mountaineering                                             |
| Single               |  |                      |                  |                                                                                            |
| ARIAL® 9.5 mm        |  |                      | 58 g             | Single Pitch Climbing<br>Mountaineering                                                    |
| CONTACT® 9.8 mm      |  |                      | 60 g             | Indoor and Outdoor Climbing                                                                |
| CONTACT® WALL 9.8 mm |  |                      | 60 g             | Indoor Climbing                                                                            |
| MAMBO® 10.1 mm       |  |                      | 65 g             | Indoor and Outdoor Climbing                                                                |
| Half / Twin          |  |                      |                  |                                                                                            |
| PASO® GUIDE 7.7 mm   |  |                      | 40 g             | Ice Climbing, Mixed Climbing<br>Performance Mountaineering                                 |
| RUMBA® 8 mm          |  |                      | 44 g             | Multi-Pitch Climbing and Mountaineering                                                    |
| TANGO® 8.5 mm        |  |                      | 47 g             | Multi-Pitch Climbing                                                                       |

Choosing Your Low Stretch Kernmantle Rope

|              |  | Specifics                            | Weight per Meter | Optimized for                                              |
|--------------|--|--------------------------------------|------------------|------------------------------------------------------------|
| PUSH + 9 mm  |  | Lightweight,<br>Compact, Durable     | 54 g             | Independent Canyoning,<br>Caving, and Hauling              |
| PUSH 9 mm    |  | Lightweight and<br>Compact           | 55 g             |                                                            |
| CLUB + 10 mm |  | Excellent Handling<br>and Durability | 66 g             | Group Use Canyoning, Caving,<br>and Installing Fixed Lines |
| CLUB 10 mm   |  | Excellent Handling                   | 70 g             |                                                            |

|                                                                                                                                                          | Reference | Length | Color     | Weight per Meter | Made in | Case quantity | EAN code      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|-----------|------------------|---------|---------------|---------------|
| Dynamic Single Ropes                                                                                                                                     |           |        |           |                  |         |               |               |
| <b>VOLTA® GUIDE 9 mm</b><br>Ultra-lightweight multipurpose 9 mm rope with UIAA Guide Dry treatment, for ultimate climbing and mountaineering performance | R36AO 030 | 30 m   | ORANGE    | 54 g             | DE      | 4             | 3342540106215 |
|                                                                                                                                                          | R36AO 040 | 40 m   |           |                  |         | 3             | 3342540817654 |
|                                                                                                                                                          | R36AO 050 | 50 m   |           |                  |         | 3             | 3342540106239 |
|                                                                                                                                                          | R36AO 060 | 60 m   |           |                  |         | 3             | 3342540106222 |
|                                                                                                                                                          | R36AO 080 | 80 m   |           |                  |         | 2             | 3342540833937 |
|                                                                                                                                                          | R36AO 100 | 100 m  |           |                  |         | 2             | 3342540823211 |
| <b>VOLTA® 9.2 mm</b><br>Ultra-lightweight, multi-type 9.2 mm rope for performance climbing and mountaineering                                            | R35AO 030 | 30 m   | ORANGE    | 55 g             | DE      | 4             | 3342540099128 |
|                                                                                                                                                          | R35AN 050 | 50 m   | GRAY      |                  |         | 3             | 3342540096806 |
|                                                                                                                                                          | R35AO 050 |        | ORANGE    |                  |         |               | 3342540096813 |
|                                                                                                                                                          | R35AN 060 | 60 m   | GRAY      |                  |         | 2             | 3342540096820 |
|                                                                                                                                                          | R35AO 060 |        | ORANGE    |                  |         |               | 3342540096837 |
|                                                                                                                                                          | R35AN 070 | 70 m   | GRAY      |                  |         | 2             | 3342540096844 |
|                                                                                                                                                          | R35AO 070 |        | ORANGE    |                  |         |               | 3342540096851 |
|                                                                                                                                                          | R35AN 080 | 80 m   | GRAY      |                  |         | 2             | 3342540096868 |
|                                                                                                                                                          | R35AO 080 |        | ORANGE    |                  |         |               | 3342540096875 |
|                                                                                                                                                          | R35AO 100 | 100 m  | ORANGE    |                  |         | 2             | 3342540096882 |
| <b>ARIAL® 9.5 mm</b><br>Lightweight and durable 9.5 mm single rope with Duratec Dry treatment for climbing and mountaineering                            | R34AC 060 | 60 m   | RED       | 58 g             | DE      | 2             | 3342540833876 |
|                                                                                                                                                          | R34AD 060 |        | BLUE      |                  |         |               | 3342540833906 |
|                                                                                                                                                          | R34AC 070 | 70 m   | RED       |                  |         |               | 3342540833883 |
|                                                                                                                                                          | R34AD 070 |        | BLUE      |                  |         |               | 3342540833913 |
|                                                                                                                                                          | R34AC 080 | 80 m   | RED       |                  |         |               | 3342540833890 |
|                                                                                                                                                          | R34AD 080 |        | BLUE      |                  |         |               | 3342540833920 |
| <b>CONTACT® 9.8 mm</b><br>9.8 mm diameter lightweight single rope for gym or rock climbing                                                               | R33AC 060 | 60 m   | BLUE      | 60 g             | DE      | 2             | 3342540833814 |
|                                                                                                                                                          | R33AD 060 |        | GREEN     |                  |         |               | 3342540833845 |
|                                                                                                                                                          | R33AC 070 | 70 m   | BLUE      |                  |         |               | 3342540833821 |
|                                                                                                                                                          | R33AD 070 |        | GREEN     |                  |         |               | 3342540833852 |
|                                                                                                                                                          | R33AC 080 | 80 m   | BLUE      |                  |         |               | 3342540833838 |
|                                                                                                                                                          | R33AD 080 |        | GREEN     |                  |         |               | 3342540833869 |
| <b>CONTACT® WALL 9.8 mm</b><br>9.8 mm diameter lightweight single rope for gym climbing                                                                  | R33AC 030 | 30 m   | BLUE      | 60 g             | DE      | 4             | 3342540835139 |
|                                                                                                                                                          | R33AD 040 | 40 m   | GREEN     |                  |         | 3             | 3342540835146 |
| <b>MAMBO® 10.1 mm</b><br>10.1 mm diameter single rope with good grip for gym or rock climbing                                                            | R32AC 050 | 50 m   | TURQUOISE | 65 g             | DE      | 2             | 3342540833753 |
|                                                                                                                                                          | R32AD 050 |        | GREEN     |                  |         |               | 3342540833784 |
|                                                                                                                                                          | R32AC 060 | 60 m   | TURQUOISE |                  |         |               | 3342540833760 |
|                                                                                                                                                          | R32AD 060 |        | GREEN     |                  |         |               | 3342540833791 |
|                                                                                                                                                          | R32AC 070 | 70 m   | TURQUOISE |                  |         |               | 3342540833777 |
|                                                                                                                                                          | R32AD 070 |        | GREEN     |                  |         |               | 3342540833807 |




|                                                                                                                                                                                                                      | Reference | Length | Color      | Weight per Meter | Made in | Case quantity | EAN code       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|------------|------------------|---------|---------------|----------------|
| Dynamic Half Ropes                                                                                                                                                                                                   |           |        |            |                  |         |               |                |
| <b>PASO® GUIDE 7.7 mm</b><br>7.7 mm diameter half rope with UIAA Guide Dry treatment for technical mountaineering and ice climbing  | R22BG 050 | 50 m   | GRAY       | 40 g             | DE      | 4             | 3342540106031  |
|                                                                                                                                                                                                                      | R22BO 050 |        | ORANGE     |                  |         |               | 3342540106000  |
|                                                                                                                                                                                                                      | R22BG 060 | 60 m   | GRAY       |                  |         | 3             | 3342540106048  |
|                                                                                                                                                                                                                      | R22BO 060 |        | ORANGE     |                  |         |               | 3342540106017  |
|                                                                                                                                                                                                                      | R22BG 070 | 70 m   | GRAY       |                  |         | 3             | 3342540106055  |
|                                                                                                                                                                                                                      | R22BO 070 |        | ORANGE     |                  |         |               | 3342540106024  |
| <b>RUMBA® 8 mm</b><br>8 mm diameter half rope with Duratec Dry treatment for multi-pitch climbing and mountaineering                | R21BR 050 | 50 m   | RED        | 44 g             | DE      | 4             | 3342540106260  |
|                                                                                                                                                                                                                      | R21BB 050 |        | BLUE       |                  |         |               | 3342540106253  |
|                                                                                                                                                                                                                      | R21BR 060 | 60 m   | RED        |                  |         | 3             | 3342540106277  |
|                                                                                                                                                                                                                      | R21BB 060 |        | BLUE       |                  |         |               | 3342540106246  |
| <b>TANGO® 8.5 mm</b><br>8.5 mm diameter half rope for multi-pitch and alpine rock routes                                            | R20AW 050 | 50 m   | WHITE/BLUE | 47 g             | DE      | 3             | 3342540096899  |
|                                                                                                                                                                                                                      | R20AB 050 |        | YELLOW     |                  |         |               | 3342540096905  |
|                                                                                                                                                                                                                      | R20AW 060 | 60 m   | WHITE/BLUE |                  |         | 2             | 3342540096912  |
|                                                                                                                                                                                                                      | R20AB 060 |        | YELLOW     |                  |         |               | 3342540096929  |
| Low Stretch Kernmantle Ropes                                                                                                                                                                                         |           |        |            |                  |         |               |                |
| <b>PUSH + 9 mm</b><br>Ultra-durable 9 mm low stretch kernmantle rope for canyoning and caving                                     | R040AA00  | 40 m   | ORANGE     | 54 g             | CZ      | 3             | 3342540848252  |
|                                                                                                                                                                                                                      | R040AA01  | 60 m   |            |                  |         | 2             | 3342540848269  |
|                                                                                                                                                                                                                      | R040AA02  | 70 m   |            |                  |         | 2             | 3342540848276  |
|                                                                                                                                                                                                                      | R040AA03  | 200 m  |            |                  |         | 1             | 3342540848405  |
| <b>PUSH 9 mm</b><br>9 mm low stretch kernmantle rope for canyoning and caving                                                     | R40AO 040 | 40 m   | ORANGE     | 55 g             | CZ      | 3             | 3342540104761  |
|                                                                                                                                                                                                                      | R40AW 040 |        | WHITE      |                  |         |               | 3342540817647  |
|                                                                                                                                                                                                                      | R40AO 060 | 60 m   | ORANGE     |                  |         | 2             | 3342540104778  |
|                                                                                                                                                                                                                      | R40AO 070 | 70 m   |            |                  |         | 2             | 3342540104785  |
|                                                                                                                                                                                                                      | R40AO 200 | 200 m  |            |                  |         | 1             | 3342540104617  |
|                                                                                                                                                                                                                      | R40AW 200 | 200 m  | WHITE      |                  |         | 1             | 3342540104594  |
| <b>CLUB + 10 mm</b><br>Ultra-durable 10 mm low stretch kernmantle rope for canyoning and caving                                   | R039AA00  | 40 m   | ORANGE     | 66 g             | CZ      | 3             | 3342540848221  |
|                                                                                                                                                                                                                      | R039AA01  | 60 m   |            |                  |         | 2             | 3342540848238  |
|                                                                                                                                                                                                                      | R039AA02  | 70 m   |            |                  |         | 2             | 3342540848245  |
|                                                                                                                                                                                                                      | R039AA03  | 200 m  |            |                  |         | 1             | 3342540848399  |
| <b>CLUB 10 mm</b><br>10 mm low stretch kernmantle rope for canyoning and caving                                                   | R39AO 040 | 40 m   | ORANGE     | 70 g             | CZ      | 3             | 3342540104471  |
|                                                                                                                                                                                                                      | R39AW 040 |        | WHITE      |                  |         |               | 3342540817630  |
|                                                                                                                                                                                                                      | R39AO 060 | 60 m   | ORANGE     |                  |         | 2             | 3342540104464  |
|                                                                                                                                                                                                                      | R39AO 070 | 70 m   |            |                  |         | 2             | 3342540104457  |
|                                                                                                                                                                                                                      | R39AO 200 | 200 m  |            |                  |         | 1             | 33425440104488 |
|                                                                                                                                                                                                                      | R39AW 200 | 200 m  | WHITE      |                  |         | 1             | 33425440104495 |

|                                                                                                                                                                                                      | Reference | Diameter   | Length            | Color                    | Weight per Meter | Made in       | Case quantity | EAN code      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------|-------------------|--------------------------|------------------|---------------|---------------|---------------|
| Technical Cords                                                                                                                                                                                      |           |            |                   |                          |                  |               |               |               |
| <b>PUR LINE 6 mm</b><br>Ultra-lightweight and ultra-durable hyperstatic cord designed for climbers and mountaineers to haul packs and retrieve single certified ropes during rappels                 | R010AA00  | 6 mm       | 65 m              | WHITE/<br>ORANGE         | 20 g             | FR            | 6             | 3342540832589 |
|                                                                                                                                                                                                      | R010AA01  |            | 200 m             |                          |                  |               | 3             | 3342540832596 |
| <b>RAD LINE 6 mm</b><br>Ultra-light and compact hyperstatic cord designed for skiers doing crevasse rescue, rappelling, or roping up on a glacier to get out of a crevasse zone                      | R011AA00  | 6 mm       | 30 m              | ORANGE                   | 22 g             | CZ            | 3             | 3342540832602 |
|                                                                                                                                                                                                      | R011AA01  |            | 60 m              |                          |                  |               | 4             | 3342540832619 |
| <b>CAVING LINE 7 mm</b><br>Ultra-compact and ultra-lightweight, low stretch cord designed for cave exploration                                                                                       | R041AA00  | 7 mm       | 200 m             | ORANGE                   | 32 g             | CZ            | 1             | 3342540848849 |
| <b>SEGMENT 8 mm</b><br>Compact and lightweight, low stretch cord designed for cave exploration                                                                                                       | R076AA06  | 8 mm       | 200 m             | WHITE                    | 43 g             | CZ            | 1             | 3342540817111 |
| Kits                                                                                                                                                                                                 |           |            |                   |                          |                  |               |               |               |
| <b>RAD SYSTEM</b><br>A complete ultra-lightweight and compact kit with specific cord, designed for skiers doing crevasse rescue, rappelling, or roping up on a glacier to get out of a crevasse zone | K011AB00  | 6 mm       | Cord length: 30 m | -                        | 970 g            | CZ            | 3             | 3342540846173 |
| Cords                                                                                                                                                                                                |           |            |                   |                          |                  |               |               |               |
| <b>Cords</b><br>Semi-static cords in 120-meter rolls                                                                                                                                                 | R044AA00  | 4 mm       | 120 m             | ORANGE                   | 10 g             | FR            | 5             | 3342540820784 |
|                                                                                                                                                                                                      | R045AA00  | 5 mm       |                   | RED                      | 15 g             |               | 4             | 3342540820852 |
|                                                                                                                                                                                                      | R046AA00  | 6 mm       |                   | GREEN                    | 24 g             |               | 2             | 3342540820791 |
|                                                                                                                                                                                                      | R047AA00  | 7 mm       |                   | BLUE                     | 31 g             |               | 2             | 3342540820869 |
| Technical Hiking Cords                                                                                                                                                                               |           |            |                   |                          |                  |               |               |               |
| <b>CONGA® 8 mm</b><br>8 mm diameter cord for installing a handline when on a hike                                                                                                                    | R42AB 020 | 8 mm       | 20 m              | BLUE                     | 41 g             | FR            | 15            | 3342540098381 |
|                                                                                                                                                                                                      | R42AB 030 |            | 30 m              |                          |                  |               | 10            | 3342540098374 |
|                                                                                                                                                                                                      | Reference | Color      | Weight            | Specifics                | Made in          | Case quantity | EAN code      |               |
| Rope Bags                                                                                                                                                                                            |           |            |                   |                          |                  |               |               |               |
| <b>SPLIT</b><br>Rope bag                                                                                                                                                                             | S013AA00  | GRAY       | 600 g             | Volume: 8 to 25 liters   | VN               | 8             | 3342540841185 |               |
|                                                                                                                                                                                                      | S013AA01  | RED/ORANGE |                   |                          |                  |               | 3342540841192 |               |
| <b>KLIFF</b><br>Rope bag for rock climbing                                                                                                                                                           | S010AA00  | GRAY       | 750 g             | Volume: 36 liters        | VN               | 10            | 3342540825796 |               |
|                                                                                                                                                                                                      | S010AA01  | RED/ORANGE |                   |                          |                  |               | 3342540825802 |               |
| <b>TARP</b><br>Large rope tarp                                                                                                                                                                       | S012AA00  | BLACK      | 280 g             | Dimensions: 140 x 140 cm | VN               | 32            | 3342540835153 |               |





## Features of Petzl Carabiners




### Fluid Interior Design

The fluid interior design of Petzl locking carabiners limits the risk of the nose getting caught while clipping and facilitates rotation of the carabiner.



### H-Frame

Carabiners have an H-frame that provides an optimal strength-to-weight ratio, protects the markings from abrasion, and offers excellent handling, even when wearing gloves.



### Keylock System

To provide optimal efficiency, all Petzl carabiners use the Keylock system: the nose of the carabiner, where the body and gate meet, does not have a notch that could snag on anchors, ropes, harness equipment loops, or other gear.

## Locking Carabiners

### Shapes and Uses



#### D Shape

D-shaped carabiners are the most versatile and are efficient in a variety of different situations.



#### Pear Shape


These carabiners have a large basket. They are recommended for carrying gear, tying a Munter hitch, or to use at anchor points.



#### Oval Shape


These carabiners are designed for use with pulleys and progress-capture pulleys.

### Locking Systems




#### SCREW-LOCK

With an easy-to-open gate, it can be locked or not according to need. The red indicator provides a visual warning when the carabiner is unlocked. This system is ideal for harsh environments where contaminants (mud, ice) could cause an automatic locking system to jam.




#### TWIST-LOCK

Automatic locking system designed for very frequent use; for use at the end of a lanyard or for connecting assisted-blocking belay devices to the harness. Double-action opening by turning the sleeve, then pressing on the gate.



#### BALL-LOCK

Automatic locking system designed for frequent use. The triple-action opening consists of pressing on the green indicator, turning the sleeve, then pressing on the gate. The green button indicates when the gate is locked.



#### TRIACT-LOCK

Automatic locking system. The triple-action opening consists of raising and turning the sleeve, then pressing on the gate.



Non-Locking Carabiners

MonoFil or Classic Gate



The MonoFil gate provides smooth clipping action.



Classic straight gates have grooves for better grip when opening the carabiner.

Different Sizes



NEW 2026

ANGE



SPIRIT



DJINN

Larger carabiners are easier to handle and clip, even while wearing gloves. Smaller carabiners are more lightweight and compact.

Quickdraws



Quickdraw slings are available in two or three lengths to reduce rope drag in certain situations, such as small roofs, overhangs, or offset anchor points.



All quickdraws come with a STRING to maintain the proper orientation of the carabiner and facilitate clipping.

Choosing Your Petzl Quickdraws



NEW 2026

**ANGE FINESSE**  
**For lightweight climbing**  
Designed for climbing situations where every gram counts, ANGE FINESSE quickdraws are ultra-light and compact. Available in two lengths.



**SPIRIT EXPRESS**  
**For greater versatility**  
A lightweight yet ergonomic solution, SPIRIT EXPRESS quickdraws are ideal for working routes on single pitch or multi-pitch climbs. Available in three lengths.




**DJINN AXESS**  
**For optimal durability**  
Combining durability with good handling, DJINN AXESS quickdraws are designed for sport climbing. Available in three lengths.

Non-Locking Carabiners

ANGE **NEW 2026**

**Ultra-lightweight and compact carabiner for mountaineering, multi-pitch, and trad climbing**

The ideal choice when every gram counts! Designed for mountaineering, multi-pitch, and trad climbing, the ANGE carabiner represents the best of both traditional solid and classic wire gate carabiners. Petzl MonoFil technology and the H-frame design bring the weight down to an ultralight 31 grams, providing an optimal strength-to-weight ratio. The shape of the nose and the Keylock system help prevent the carabiner from snagging when clipping and unclipping. It was built for climbers on the hunt for ultra lightweight gear.



The MonoFil gate provides smooth clipping action.



The Keylock system is designed to avoid snagging on a gear loop, bolt hanger, or rope.

- **Ultra-lightweight and compact carabiner for mountaineering, multi-pitch, and trad climbing:**
  - Only 31 g
  - H-frame design optimizes carabiner size and strength-to-weight ratio
  - Carabiner's wide surface of contact with the rope and bolt hanger reduces wear and allows the rope to move smoothly through the carabiner

- **Easy to clip and unclip:**
  - MonoFil gate provides smooth clipping action
  - Keylock system is designed to avoid snagging on a gear loop, bolt hanger, or rope
  - Nose of the carabiner has a hole that allows ice, snow, or dirt to be cleared out
  - Flat carabiner spine offers excellent stability when holding it in your hand or pinch clipping

- **Available in seven colors:** orange, gray, violet, green, red, yellow, and blue

Product Specifications

- Material: Aluminum
- Certifications: CE EN 12275 type B, UIAA

Specifications by Reference

Available in seven colors:

- ORANGE M056AA06
- GRAY M056AA00
- VIOLET M056AA02
- GREEN M056AA03
- RED M056AA04
- YELLOW M056AA05
- BLUE M056AA01

Specifications page 54




Quickdraws

ANGE FINESSE NEW2026

Ultra-lightweight quickdraw for mountaineering and multi-pitch climbing

The reliable choice for alpine routes. Designed for climbing situations where every gram counts, the ANGE FINESSE quickdraw is ultra-light. Featuring Petzl's MonoFil technology and an H-frame, ANGE carabiners are very lightweight and offer an optimal strength-to-weight ratio. The shape of the nose and the Keylock system help prevent the carabiner from snagging when clipping and unclipping. The FINESSE sling has an ergonomic shape that provides a good grip. It is available in two lengths: 12 and 17 cm.



- **Ultra-lightweight quickdraw for mountaineering and multi-pitch climbing:**
  - Ultra-lightweight ANGE carabiners with MonoFil gate
  - Ultra-lightweight FINESSE sling made from HMPE (high-modulus polyethylene) with an ergonomic shape that makes it easier to grab
  - H-frame design optimizes carabiner size and strength-to-weight ratio

- **Easy to clip and unclip:**
  - MonoFil gate provides smooth clipping action
  - Keylock system is designed to avoid snagging on a gear loop, bolt hanger, or rope
  - Nose of the carabiner has a hole that allows ice, snow, or dirt to be cleared out
  - Flat carabiner spine offers excellent stability when holding it in your hand or pinch clipping
  - The STRING helps stabilize the carabiner when clipping and protects the carabiner attachment loop from wear

- **Available in two lengths:** 12 and 17 cm

Product Specifications

- ANGE carabiner:
  - Major axis strength: 20 kN
  - Minor axis strength: 7 kN
  - Open gate strength: 8 kN
  - Gate opening: 23 mm
- Materials: Aluminum carabiners, high-modulus polyethylene slings, thermoplastic elastomer STRING
- Certifications:
  - Carabiner: CE EN 12275 type B, UIAA
  - Sling: CE EN 566, UIAA

Spare Parts

STRING M M090BA00  
FINESSE C042AB00/01  
ANGE M056AA00/01/02/03/04/05/06

Specifications by Reference

Available in two lengths:

- 12 cm M057AB00
- 17 cm M057AB01

Specifications page 55



|                                                                                                            | Reference | Version                | Weight |       |      |      | Made in | Case quantity | EAN code      |
|------------------------------------------------------------------------------------------------------------|-----------|------------------------|--------|-------|------|------|---------|---------------|---------------|
| Locking Carabiners                                                                                         |           |                        |        |       |      |      |         |               |               |
| <b>WILLIAM</b><br>Large, pear-shaped locking carabiner for belay stations and belaying with a Munter hitch | M36A SL   | SCREW-LOCK             | 85 g   | 27 kN | 8 kN | 8 kN | FR      | 20            | 3342540102361 |
|                                                                                                            | M36A BL   | BALL-LOCK              | 90 g   |       |      |      |         |               | 3342540102316 |
| <b>Am'D</b><br>D-shaped locking carabiner for attaching devices to a harness                               | M34A SL   | SCREW-LOCK             | 70 g   | 27 kN | 8 kN | 7 kN | FR      | 20            | 3342540102477 |
|                                                                                                            | M34A BL   | BALL-LOCK              | 75 g   |       |      |      |         |               | 3342540102422 |
|                                                                                                            | M34A RL   | TWIST-LOCK             | 75 g   |       |      |      |         |               | 3342540102392 |
| <b>Sm'D</b><br>Highly versatile, lightweight, compact, D-shaped locking carabiner                          | M39A SL   | SCREW-LOCK             | 46 g   | 23 kN | 8 kN | 7 kN | FR      | 20            | 3342540817524 |
|                                                                                                            | M39A RL   | TWIST-LOCK             | 51 g   |       |      |      |         |               | 3342540817548 |
| <b>OK</b><br>Oval carabiner for use with pulleys and ascenders                                             | M33A SL   | SCREW-LOCK             | 70 g   | 25 kN | 8 kN | 7 kN | FR      | 20            | 3342540815810 |
|                                                                                                            | M33A TL   | TRIACT-LOCK            | 75 g   |       |      |      |         |               | 3342540815834 |
|                                                                                                            | M33A BL   | BALL-LOCK              | 75 g   |       |      |      |         |               | 3342540815858 |
| <b>ATTACHE</b><br>Locking pear-shaped carabiner with round-stock basket for smooth rope operation          | M038AA00  | SCREW-LOCK, YELLOW     | 58 g   | 21 kN | 7 kN | 6 kN | FR      | 20            | 3342540842762 |
|                                                                                                            | M038AA01  | SCREW-LOCK, GRAY       |        |       |      |      |         |               | 3342540843660 |
| <b>ATTACHE BAR</b><br>Pear-shaped locking carabiner with unidirectional positioning bar                    | M038CA00  | SCREW-LOCK             | 63 g   | 21 kN | 7 kN | 6 kN | FR      | 20            | 3342540842786 |
| <b>ROCHA</b><br>Ultra-lightweight, ultra-compact, pear-shaped screw-lock carabiner                         | M027AA00  | SCREW-LOCK, ORANGE     | 45 g   | 23 kN | 7 kN | 6 kN | FR      | 20            | 3342540842793 |
|                                                                                                            | M027AA01  | SCREW-LOCK, LIGHT GRAY |        |       |      |      |         |               | 3342540842939 |





|                                                                                                           |  | Reference | Version              | Weight |       |       |      | Made in | Case quantity | EAN code      |
|-----------------------------------------------------------------------------------------------------------|--|-----------|----------------------|--------|-------|-------|------|---------|---------------|---------------|
| Specialized Locking Carabiners                                                                            |  |           |                      |        |       |       |      |         |               |               |
| <b>FREINO Z</b><br>Carabiner with friction spur for STOP and SIMPLE descenders                            |  | M042AA00  | TWIST-LOCK           | 75 g   | 23 kN | 8 kN  | 8 kN | GB      | 25            | 3342540828575 |
|                                                                                                           |  |           |                      |        |       |       |      |         |               |               |
| <b>FREINO</b><br>Carabiner with friction spur for descenders                                              |  | M42       | TWIST-LOCK           | 85 g   | 25 kN | 10 kN | 9 kN | GB      | 25            | 3342540061859 |
| <b>NEW 2026</b><br><b>OMNI</b><br>Multidirectional semi-circle carabiner                                  |  | M037AA00  | SCREW-LOCK           | 75 g   | 20 kN | 15 kN | 8 kN | FR      | 20            | 3342540850026 |
|                                                                                                           |  | M037BA00  | TRIACT-LOCK          | 80 g   |       |       |      |         |               | 3342540850033 |
| <b>VERTIGO WIRE-LOCK</b><br>Carabiner for SCORPIO VERTIGO lanyard                                         |  | M040AB00  | WIRE-LOCK            | 95 g   | 25 kN | 10 kN | 8 kN | FR      | 20            | 3342540848542 |
| Non-Locking Carabiners                                                                                    |  |           |                      |        |       |       |      |         |               |               |
| <b>ANGE</b><br>Ultra-lightweight and compact carabiner for mountaineering, multi-pitch, and trad climbing |  | M056AA00  | GRAY                 | 31 g   | 20 kN | 7 kN  | 8 kN | FR      | 28            | 3342540853133 |
|                                                                                                           |  | M056AA01  | BLUE                 |        |       |       |      |         |               | 3342540853157 |
|                                                                                                           |  | M056AA02  | VIOLET               |        |       |       |      |         |               | 3342540853164 |
|                                                                                                           |  | M056AA03  | GREEN                |        |       |       |      |         |               | 3342540853171 |
|                                                                                                           |  | M056AA04  | RED                  |        |       |       |      |         |               | 3342540852907 |
|                                                                                                           |  | M056AA05  | YELLOW               |        |       |       |      |         |               | 3342540853119 |
|                                                                                                           |  | M056AA06  | ORANGE               |        |       |       |      |         |               | 3342540853126 |
| <b>NEW 2026</b>                                                                                           |  |           |                      |        |       |       |      |         |               |               |
| <b>ANGE 6-Pack</b>                                                                                        |  | M056AA07  | -                    | 186 g  | 20 kN | 7 kN  | 8 kN | FR      | 10            | 3342540853140 |
| <b>SPIRIT</b><br>Lightweight, versatile carabiner for sport climbing                                      |  | M061AA00  | Straight gate, GRAY  | 37 g   | 23 kN | 7 kN  | 8 kN | FR      | 28            | 3342540841413 |
|                                                                                                           |  | M061AB00  | Bent gate, BLUE      |        |       |       |      |         |               | 3342540841437 |
|                                                                                                           |  | M061AB02  | Bent gate, GRAY      |        |       |       |      |         |               | 3342540841840 |
|                                                                                                           |  | M061AB03  | Bent gate, VIOLET    |        |       |       |      |         |               | 3342540841826 |
|                                                                                                           |  | M061AB04  | Bent gate, GREEN     |        |       |       |      |         |               | 3342540841833 |
|                                                                                                           |  | M061AB05  | Bent gate, RED       |        |       |       |      |         |               | 3342540841857 |
|                                                                                                           |  | M061AB06  | Bent gate, YELLOW    |        |       |       |      |         |               | 3342540841864 |
| <b>SPIRIT 6-Pack</b>                                                                                      |  | M061AB01  | Bent Gate            | 37 g   | 23 kN | 7 kN  | 8 kN | FR      | 10            | 3342540841444 |
| <b>DJINN</b><br>Durable carabiner for sport climbing                                                      |  | M060LA00  | Straight gate, GRAY  | 44 g   | 23 kN | 8 kN  | 9 kN | FR      | 28            | 3342540841390 |
|                                                                                                           |  | M060LB00  | Bent gate, TURQUOISE |        |       |       |      |         |               | 3342540841406 |
|                                                                                                           |  | M060LB01  | Bent gate, VIOLET    |        |       |       |      |         |               | 3342540841529 |
| <b>Sm'D WALL</b><br>Compact, lightweight D-shaped carabiner ideal for aid climbing and racking gear       |  | M39A S    | YELLOW               | 41 g   | 23 kN | 8 kN  | 7 kN | FR      | 20            | 3342540817531 |

|                                                                                                                                                       |  | Reference                                                                                                        | Sling Length | Weight | Carabiner       |                      | Sling Strength | Made in       | Case quantity | EAN code      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------|--------------|--------|-----------------|----------------------|----------------|---------------|---------------|---------------|
| Carabiner Accessories                                                                                                                                 |  |                                                                                                                  |              |        |                 |                      |                |               |               |               |
| <b>BAR</b><br>Removable positioning bar for ATTACHE SCREW-LOCK carabiner                                                                              |  |  M029AA00                     | -            | 5 g    | -               | -                    | -              | IT            | 30            | 3342540845015 |
| Quickdraws                                                                                                                                            |  |                                                                                                                  |              |        |                 |                      |                |               |               |               |
| <b>ANGE FINESSE</b><br>Ultra-lightweight quickdraw for mountaineering, multi-pitch, and trad climbing                                                 |  |  <b>NEW 2026</b> M057AB00     | 12 cm        | 69 g   | ANGE GRAY       | ANGE ORANGE          | 22 kN          | FR            | 10            | 3342540853188 |
|                                                                                                                                                       |  | M057AB01                                                                                                         | 17 cm        | 73 g   |                 |                      |                |               |               | 3342540853201 |
| <b>SPIRIT EXPRESS</b><br>Lightweight, versatile quickdraw for sport climbing                                                                          |  |  M061AC00                     | 12 cm        | 89 g   | SPIRIT straight | SPIRIT bent          | 22 kN          | FR            | 20            | 3342540841451 |
|                                                                                                                                                       |  | M061AC01                                                                                                         | 17 cm        | 95 g   |                 |                      |                |               |               | 3342540841468 |
|                                                                                                                                                       |  | M061AC02                                                                                                         | 25 cm        | 104 g  |                 |                      |                |               | 10            | 3342540841475 |
| <b>SPIRIT EXPRESS 6-Pack</b><br>Six-pack of lightweight, versatile quickdraws for sport climbing                                                      |  |  <b>NEW 2026</b> X 6 M061AC03 | 17 cm        | 570 g  | SPIRIT straight | SPIRIT bent          | 23 kN          | FR            | 3             | 3342540853218 |
| <b>DJINN AXESS</b><br>Durable quickdraw for sport climbing                                                                                            |  |  M060LC01                    | 12 cm        | 103 g  | DJINN straight  | DJINN bent TURQUOISE | 22 kN          | FR            | 20            | 3342540841482 |
|                                                                                                                                                       |  | M060LC02                                                                                                         | 12 cm        | 103 g  |                 | DJINN bent VIOLET    |                |               |               | 3342540841499 |
|                                                                                                                                                       |  | M060LC03                                                                                                         | 17 cm        | 110 g  |                 | DJINN bent TURQUOISE |                |               |               | 3342540841505 |
|                                                                                                                                                       |  | M060LC04                                                                                                         | 25 cm        | 120 g  |                 | DJINN bent TURQUOISE |                |               | 10            | 3342540841611 |
| <b>DJINN AXESS 6-Pack</b><br>Pack of six durable quickdraws for rock climbing                                                                         |  |  x 6 M060LC05               | 12 cm        | 620 g  | DJINN straight  | DJINN bent TURQUOISE | 22 kN          | FR            | 3             | 3342540842663 |
|                                                                                                                                                       |  |                                                                                                                  |              |        |                 |                      |                |               |               |               |
|                                                                                                                                                       |  | Reference                                                                                                        | Length       | Weight | Sling Strength  |                      | Made in        | Case quantity | EAN code      |               |
| Quickdraw Slings and Accessories                                                                                                                      |  |                                                                                                                  |              |        |                 |                      |                |               |               |               |
| <b>FINESSE</b><br>Ultra-light quickdraw sling with STRING                                                                                             |  |  <b>NEW 2026</b> C042AB00   | 12 cm        | 9 g    | 22 kN           |                      | MY             | 150           | 3342540853676 |               |
|                                                                                                                                                       |  | C042AB01                                                                                                         | 17 cm        | 13 g   |                 |                      |                |               | 3342540853683 |               |
| <b>EXPRESS</b><br>Ergonomic quickdraw sling with STRING                                                                                               |  |  C040CA00                   | 12 cm        | 15 g   | 22 kN           |                      | MY             | 150           | 3342540840416 |               |
|                                                                                                                                                       |  | C040CA01                                                                                                         | 17 cm        | 21 g   |                 |                      |                | 100           | 3342540840423 |               |
|                                                                                                                                                       |  | C040CA02                                                                                                         | 25 cm        | 30 g   |                 |                      |                |               | 3342540840430 |               |
| <b>AXESS</b><br>Durable quickdraw sling with STRING                                                                                                   |  |  C041BA00                   | 12 cm        | 15 g   | 22 kN           |                      | MY             | 150           | 3342540840591 |               |
|                                                                                                                                                       |  | C041BA01                                                                                                         | 17 cm        | 22 g   |                 |                      |                | 100           | 3342540840614 |               |
|                                                                                                                                                       |  | C041BA02                                                                                                         | 25 cm        | 32 g   |                 |                      |                |               | 3342540840621 |               |
| <b>STRING M</b><br>Quickdraw sling protector that also maintains the orientation of the carabiners on FINESSE, EXPRESS, and AXESS slings (pack of 10) |  |  x 10 M090BA00              | M            | 3 g    | -               |                      | FR             | 18            | 3342540841802 |               |





Winter approach, Champsaur Range, France © 2023 Petzl Distribution - Marc Daviet

Ice Axes for Each Activity

|                          | Version                                                                                            | Ski Touring | Glacier Travel | Classic Mountaineering | Steep Skiing | Technical Mountaineering | Ice Climbing | Dry tooling |
|--------------------------|----------------------------------------------------------------------------------------------------|-------------|----------------|------------------------|--------------|--------------------------|--------------|-------------|
| ERGONOMIC <sup>(1)</sup> |  Mini Hammer    |             |                |                        |              | ★                        | ★★★★         | ★★★★        |
| NOMIC <sup>(1)</sup>     |  Mini Hammer    |             |                |                        |              | ★★                       | ★★★★         | ★★          |
| QUARK <sup>(1)</sup>     |  Adze or Hammer |             |                | ★                      | ★★           | ★★★★                     | ★★           |             |
| GULLY                    |  Adze or Hammer | ★★          |                | ★                      | ★★★★         | ★★                       |              |             |
| SUM'TEC <sup>(1)</sup>   |  Adze or Hammer | ★           |                | ★★                     | ★★           | ★★★★                     | ★            |             |
| SUMMIT® EVO              |  Adze           |             | ★★             | ★★★★                   |              | ★                        |              |             |
| SUMMIT®                  |  Adze           |             | ★★             | ★★★★                   |              |                          |              |             |
| GLACIER                  |  Adze           | ★           | ★★★★           | ★                      |              |                          |              |             |
| RIDE                     |  Adze           | ★★★★        | ★              |                        | ★★           |                          |              |             |

★★★★ Ideal Use / ★★★ Suitable Use / ★ Possible Use  
<sup>(1)</sup> Ice axe with modular head

ALPENADAPT  
Modular Ice Axes

With the ALPEN ADAPT system, all ice axes for technical mountaineering, ice climbing, and dry tooling have a modular head that can be adapted to the specific demands of the terrain. Certain picks and hand rests are also modular.

Ice Axe/Accessory Compatibility for Technical Mountaineering, Ice Climbing, and Dry Tooling

|                                                                                                 | ICE | PURICE | DRY | PUR'DRY | PANNE | MARTEAU | MINI MARTEAU | MASSELOTTE | TRIGREST | GRIPREST NOMIC | GRIPREST ERGONOMIC | V-LINK |
|-------------------------------------------------------------------------------------------------|-----|--------|-----|---------|-------|---------|--------------|------------|----------|----------------|--------------------|--------|
| ERGONOMIC  | ●   | ●      | ●   | ●       | ●     | ●       | ●            | ●          | ●        | ●              | ●                  | ●      |
| NOMIC      | ●   | ●      | ●   | ●       | ●     | ●       | ●            | ●          | ●        | ●              | ●                  | ●      |
| QUARK      | ●   | ●      | ●   | ●       | ●     | ●       | ●            | ●          | ●        |                |                    | ●      |
| GULLY      |     |        |     |         |       |         |              | ●          | ●        |                |                    | ●      |
| SUM'TEC    | ●   | ●      | ●   | ●       | ●     | ●       | ●            | ●          | ●        |                |                    | ●      |

● Compatible (included with ice axe) / ● Compatible (not included with ice axe)



Ice Axe Use and Standards

The range of Petzl ice axes is composed of different families:

- Glacier travel and ski mountaineering ice axes
- Classic mountaineering ice axes
- Technical mountaineering ice axes
- Ice climbing and dry tooling ice axes

Each ice axe features characteristics that are specific to its use on the certain terrain, including length, as well as shaft and pick shape.



Standards


In terms of standards, ice axes are divided into two types: Type 1 and Type 2. These types make a distinction between basic and technical ice axes.

This distinction is made using different tests:


- Shaft center-load pull test
- Shaft insertion strength test
- Pick levering test

These tests are detailed in the diagrams here.


Pull Test



Levering Test



Shaft Insertion Strength Test



Type 1 Ice Axes

These ice axes have a lower strength requirement than Type 2 ice axes. They are generally used for skiing, glacier travel, and classic mountaineering. For Type 1 ice axes, no marking is required, but if there is any, the marking is: B.

Type 2 Ice Axes

These ice axes have the highest strength required by the standard. They are primarily used for technical mountaineering, ice climbing, and dry tooling. For Type 2 ice axes, markings are required. The marking is: T.


|                                                                                         | Reference                                                                             | Version  | Weight       | Pick Type | Shaft Type | Made in | Case quantity | EAN code |               |
|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------|--------------|-----------|------------|---------|---------------|----------|---------------|
| Ice Climbing and Dry Tooling Ice Axes                                                   |                                                                                       |          |              |           |            |         |               |          |               |
| <b>ERGONOMIC</b><br>Performance ice climbing and dry tooling axe                        |    | U022AA00 | -            | 635 g     | 2          | 2       | FR            | 5        | 3342540823648 |
| <b>NOMIC</b><br>Ice climbing axe                                                        |    | U021AA00 | -            | 585 g     | 1          | 2       | FR            | 5        | 3342540823631 |
| Technical Mountaineering Ice Axes                                                       |                                                                                       |          |              |           |            |         |               |          |               |
| <b>QUARK</b><br>Versatile ice axe for technical mountaineering and ice climbing         |    | U019AA00 | 50 cm Adze   | 550 g     | 2          | 2       | FR            | 5        | 3342540823617 |
|                                                                                         |                                                                                       | U019BA00 | 50 cm Hammer |           |            |         |               |          | 3342540823624 |
| <b>GULLY</b><br>Ultra-lightweight ice axe for technical mountaineering and steep skiing |    | U014AA00 | 45 cm Adze   | 280 g     | 1          | 1       | FR            | 5        | 3342540818941 |
|                                                                                         |                                                                                       | U014BA00 | 45 cm Hammer |           |            |         |               |          | 3342540818934 |
| <b>SUM'TEC</b><br>Modular ice axe for technical mountaineering                          |   | U015AA00 | 52 cm Adze   | 470 g     | 2          | 2       | FR            | 5        | 3342540818965 |
|                                                                                         |                                                                                       | U015BA00 | 52 cm Hammer |           |            |         |               |          | 3342540818958 |
| Classic Mountaineering Ice Axes                                                         |                                                                                       |          |              |           |            |         |               |          |               |
| <b>SUMMIT® EVO</b><br>Technical performance ice axe for classic mountaineering          |  | U14B 052 | 52 cm        | 400 g     | 1          | 1       | FR            | 5        | 3342540100657 |
|                                                                                         |                                                                                       | U14B 059 | 59 cm        | 420 g     |            |         |               |          | 3342540100664 |
|                                                                                         |                                                                                       | U14B 066 | 66 cm        | 450 g     |            |         |               |          | 3342540100671 |
| <b>SUMMIT®</b><br>Classic mountaineering ice axe                                        |  | U13B 052 | 52 cm        | 360 g     | 1          | 1       | FR            | 5        | 3342540100626 |
|                                                                                         |                                                                                       | U13B 059 | 59 cm        | 380 g     |            |         |               |          | 3342540100633 |
|                                                                                         |                                                                                       | U13B 066 | 66 cm        | 400 g     |            |         |               |          | 3342540100640 |
| Glacier Travel and Ski Mountaineering Ice Axes                                          |                                                                                       |          |              |           |            |         |               |          |               |
| <b>GLACIER</b><br>Lightweight ice axe for glacier travel                                |  | U025AA00 | 50 cm        | 320 g     | 1          | 1       | FR            | 5        | 3342540847408 |
|                                                                                         |                                                                                       | U025AA01 | 60 cm        | 345 g     |            |         |               |          | 3342540847514 |
|                                                                                         |                                                                                       | U025AA02 | 68 cm        | 365 g     |            |         |               |          | 3342540847521 |
|                                                                                         |                                                                                       | U025AA03 | 75 cm        | 385 g     |            |         |               |          | 3342540847538 |
| <b>GLACIER LINKIN</b><br>Lightweight ice axe for glacier travel, with leash             |  | U026AA00 | 50 cm        | 340 g     | 1          | 1       | FR            | 5        | 3342540847453 |
|                                                                                         |                                                                                       | U026AA01 | 60 cm        | 365 g     |            |         |               |          | 3342540847460 |
|                                                                                         |                                                                                       | U026AA02 | 68 cm        | 385 g     |            |         |               |          | 3342540847477 |
|                                                                                         |                                                                                       | U026AA03 | 75 cm        | 405 g     |            |         |               |          | 3342540847484 |
| <b>RIDE</b><br>Compact, ultra-lightweight ice axe for ski touring and freeriding        |  | U04A 45  | 45 cm        | 250 g     | 1          | 1       | FR            | 5        | 3342540106314 |



|                                                                                                         | Reference                                                                                    | Weight | Pick Type | Made in | Case quantity | EAN code      |
|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|-----------|---------|---------------|---------------|
| Ice Axe Accessories                                                                                     |                                                                                              |        |           |         |               |               |
| <b>ICE</b><br>Pick for ice and mixed climbing, designed for ice axes with modular heads                 |  U19 ICE    | 129 g  | 2         | FR      | 10            | 3342540088900 |
| <b>PUR'ICE</b><br>Pick designed specifically for ice climbing, intended for ice axes with modular heads |  U021CA00   | 105 g  | 1         | FR      | 10            | 3342540824188 |
| <b>DRY</b><br>Pick for dry tooling, designed for ice axes with modular heads                            |  U19 DRY    | 129 g  | 2         | FR      | 10            | 3342540088917 |
| <b>PUR'DRY</b><br>Pick exclusively designed for dry tooling, for NOMIC and ERGONOMIC ice axes           |  U022BA00   | 140 g  | 2         | FR      | 10            | 3342540824126 |
| <b>MINI MARTEAU</b><br>Ultra-light hammer for ice axes with modular head                                |  U021BA00   | 20 g   | -         | ES      | 10            | 3342540824201 |
| <b>MARTEAU</b><br>Hammer for ice axes with modular head                                                 |  U19 MAR    | 58 g   | -         | ES      | 10            | 3342540088931 |
| <b>PANNE</b><br>Adze for ice axes with modular head                                                     |  U19 PAN  | 69 g   | -         | ES      | 10            | 3342540088924 |
| <b>TRIGREST</b><br>Adjustable hand rest for classic and technical mountaineering ice axes               |  U016AA00 | 15 g   | -         | FR      | 10            | 3342540819061 |
| <b>GRIPREST NOMIC</b><br>Hand rest for NOMIC ice axe                                                    |  U021DA00 | 40 g   | -         | FR      | 10            | 3342540824218 |
| <b>GRIPREST ERGONOMIC</b><br>Hand rest for ERGONOMIC ice axe                                            |  U022CA00 | 35 g   | -         | TN      | 10            | 3342540824195 |
| <b>FREELOCK</b><br>Fixed leash for technical ice axe                                                    |  U81000   | 40 g   | -         | RO      | 10            | 3342540055353 |
| <b>V-LINK</b><br>Elasticated loss-prevention webbing for technical ice axes                             |  U083AA00 | 80 g   | -         | CN      | 125           | 3342540817470 |
| <b>LINKIN</b><br>Removable leash for mountaineering ice axe                                             |  U082AA00 | 20 g   | -         | CN      | 20            | 3342540848832 |
| <b>MASSELOTTES</b><br>Weights for technical mountaineering, ice climbing, and dry tooling ice axes      |  U021EA00 | 65 g   | -         | ES      | 10            | 3342540824119 |
| <b>PICK AND SPIKE PROTECTION</b><br>Protective caps for ice axe pick and spike                          |  U084AA00 | 10 g   | -         | FR      | 20            | 3342540848825 |



Aurélia Lape  on ice in the Champseur Range, France   2023 Petzl Distribution - Latouche







Crampons on, Champsaur Range © 2023 Petzl Distribution - Marc Daviet

Crampons for Each Activity




Petzl crampons are designed for moving over different types of terrain. Each one is designed for a specific use. However, their versatility also enables efficient movement in mixed terrain that may be encountered in alpine environments.

|               |                                                                                       | Ski Touring | Snow Travel | Glacier Travel | Classic Mountaineering | Technical Mountaineering | Ice Climbing | Dry Tooling |
|---------------|---------------------------------------------------------------------------------------|-------------|-------------|----------------|------------------------|--------------------------|--------------|-------------|
| DART          |    |             |             |                |                        | ★★                       | ★★★          | ★★★         |
| LYNX®         |    |             |             |                |                        | ★★★                      | ★★★          | ★★          |
| D-LYNX        |    |             |             |                |                        |                          | ★            | ★★★         |
| SARKEN        |    |             | ★           | ★★             | ★★                     | ★★★★                     | ★            |             |
| VASAK®        |    | ★           | ★★          | ★★★★           | ★★★★                   | ★                        |              |             |
| IRVIS®        |   | ★★          | ★★          | ★★★★           | ★                      |                          |              |             |
| IRVIS® HYBRID |  | ★★★         | ★★          | ★★             | ★                      |                          |              |             |
| LEOPARD       |  | ★★★         | ★★★★        |                |                        |                          |              |             |

★★★★ Ideal Use / ★★★ Suitable Use / ★ Possible Use

Petzl Binding Systems

Petzl crampons are available with three different heel/toe bail combinations. This makes them adaptable to different footwear with or without heel and toe welts.





ALPENADAPT


Modular Petzl Crampons

Modular heel/toe bail binding system

Petzl offers a large range of heel and toe bails systems, making crampons compatible with a wide variety of boots: for mountaineering, skiing, snowboarding, or telemark skiing. FIL and FIL FLEX bindings have three versions to adapt to different boot shapes, narrow or wide.

Starting in 2024, all these bindings will be compatible with all Petzl crampons.


Note: Reference the crampon technical notices to find information about compatibility between boots and binding systems.



Modular front and rear sections

The ALPEN ADAPT system also offers front and rear section modularity, so you can use the configuration that best fits your objective.

Example of system modularity with IRVIS crampons and LEVERLOCK UNIVERSEL (LLU version) bindings



Crampon Accessory Compatibility

|                |                       | DART<br>> 2019 | LYNX®<br>> 2024 | SARKEN<br>> 2016 | VASAK<br>> 2016 | IRVIS®<br>> 2016 | IRVIS® HYBRID | LEOPARD |
|----------------|-----------------------|----------------|-----------------|------------------|-----------------|------------------|---------------|---------|
| Toe bails      | FIL                   |                |                 |                  |                 |                  |               |         |
|                | FIL SMALL             |                |                 |                  |                 |                  |               |         |
|                | FIL TELEMARK          |                |                 |                  |                 |                  |               |         |
|                | FIL FLEX              |                |                 |                  |                 |                  |               |         |
|                | FIL FLEX SMALL        |                |                 |                  |                 |                  |               |         |
|                | FIL FLEX WIDE         |                |                 |                  |                 |                  |               |         |
| Heel Bails     | BACK LEVER            |                |                 |                  |                 |                  |               |         |
|                | BACK FLEX             |                |                 |                  |                 |                  |               |         |
| Linking Bars   | BARRETTES             |                |                 |                  |                 |                  |               |         |
|                | FLEX                  |                |                 |                  |                 |                  |               |         |
| Front Sections | DART Front Sections   |                |                 |                  |                 |                  |               |         |
|                | LYNX® Front Sections  |                |                 |                  |                 |                  |               |         |
|                | SARKEN Front Sections |                |                 |                  |                 |                  |               |         |
|                | VASAK Front Sections  |                |                 |                  |                 |                  |               |         |
|                | IRVIS® Front Sections |                |                 |                  |                 |                  |               |         |
| ANTISNOW       | ANTISNOW DART         |                |                 |                  |                 |                  |               |         |
|                | ANTISNOW LYNX®        |                |                 |                  |                 |                  |               |         |
|                | ANTISNOW VASAK/SARKEN |                |                 |                  |                 |                  |               |         |
|                | ANTISNOW IRVIS®       |                |                 |                  |                 |                  |               |         |
|                | ANTISNOW LEOPARD      |                |                 |                  |                 |                  |               |         |
| Other          | LYNX® Front Point Kit |                |                 |                  |                 |                  |               |         |
|                | KIT CORD-TEC          |                |                 |                  |                 |                  |               |         |
|                | ELASTIC STRAP         |                |                 |                  |                 |                  |               |         |

When using the FIL, FIL SMALL, or FIL TELEMARK toe bails, BACK LEVER straps can be replaced by the ELASTIC STRAP. BACK FLEX heel bails can only be used in conjunction with FIL FLEX, FIL FLEX SMALL, or FIL FLEX WIDE toe bails.



|                                                                                                          | Reference                                                                                    | Binding System      | Weight                          | Number of Points | Boot Sizes                                                                   | Made in | Case quantity | EAN code      |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------------|---------------------------------|------------------|------------------------------------------------------------------------------|---------|---------------|---------------|
| Ice Climbing and Dry Tooling Crampons                                                                    |                                                                                              |                     |                                 |                  |                                                                              |         |               |               |
| <b>DART</b><br>Modular crampons for ice climbing and dry tooling                                         |  U001AB00   | LEVER-LOCK FIL      | 815 g                           | 12               | 34 to 44 with M linking bars (included); 38 to 49 with BARRETTES (accessory) | FR      | 6             | 3342540843585 |
| <b>LYNX®</b><br>Modular crampons designed for ice climbing, technical mountaineering, and mixed climbing |  U034AA00   | LEVERLOCK UNIVERSEL | 935 g (FIL)<br>965 g (FIL FLEX) | 14               | 37 - 49                                                                      | FR      | 6             | 3342540843523 |
| <b>D-LYNX</b><br>Mono-point crampon for dry tooling and mixed climbing                                   |  T25        | -                   | 400 g                           | 9                | -                                                                            | FR      | 4             | 3342540092259 |
| Technical Mountaineering Crampons                                                                        |                                                                                              |                     |                                 |                  |                                                                              |         |               |               |
| <b>SARKEN</b><br>Technical mountaineering crampons                                                       |  U008AA00   | LEVERLOCK UNIVERSEL | 875 g (FIL)<br>905 g (FIL FLEX) | 12               | 36 - 50                                                                      | FR      | 6             | 3342540844834 |
| Classic Mountaineering Crampons                                                                          |                                                                                              |                     |                                 |                  |                                                                              |         |               |               |
| <b>VASAK®</b><br>Classic mountaineering crampons                                                         |  U007AA00 | LEVERLOCK UNIVERSEL | 845 g (FIL)<br>875 g (FIL FLEX) | 12               | 36 - 50                                                                      | FR      | 6             | 3342540844810 |
|                                                                                                          |  U007BA00 | FLEXLOCK            | 895 g                           |                  |                                                                              |         |               | 3342540844827 |
| Glacier Travel and Ski Mountaineering Crampons                                                           |                                                                                              |                     |                                 |                  |                                                                              |         |               |               |
| <b>IRVIS®</b><br>Crampons for glacier travel, classic mountaineering, and ski touring                    |  U006AA00 | LEVERLOCK UNIVERSEL | 740 g (FIL)<br>770 g (FIL FLEX) | 10               | 36 - 45                                                                      | FR      | 6             | 3342540843554 |
|                                                                                                          |  U006BA00 | FLEXLOCK            | 790 g                           |                  |                                                                              |         |               | 3342540843561 |
| <b>IRVIS® HYBRID</b><br>Hybrid crampons for ski touring and approaches involving glacier travel          |  U031AA00 | LEVERLOCK UNIVERSEL | 540 g (FIL)<br>570 g (FIL FLEX) | 10               | 36 - 46                                                                      | FR      | 6             | 3342540843578 |
| <b>LEOPARD</b><br>Ultra-lightweight crampon for ski touring and snow approaches                          |  U004BA00 | FLEXLOCK            | 385 g                           | 10               | 36 - 46                                                                      | FR      | 6             | 3342540844742 |
|                                                                                                          |  U004AA00 | LEVER-LOCK FIL      | 330 g                           |                  |                                                                              |         |               | 3342540844735 |

|                                                                                                                                                                     | Reference                                                                                      | Weight | Compatibility                                           | Made in | Case quantity | EAN code      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------|---------------------------------------------------------|---------|---------------|---------------|
| Crampon Accessories                                                                                                                                                 |                                                                                                |        |                                                         |         |               |               |
| <b>FIL</b><br>Toe bails that allow any type of Petzl crampon to be used with boots with toe welts                                                                   |  T03A FIL   | 30 g   | LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART | FR      | 10            | 3342540818125 |
| <b>FIL SMALL</b><br>Toe bails that allow any type of Petzl crampon to be used with narrow boots with toe welts                                                      |  U001FA00   | 30 g   | LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART | FR      | 10            | 3342540828629 |
| <b>FIL TELEMARK</b><br>Toe bails that allow any type of Petzl crampon to be used with telemark boots                                                                |  T03600     | 30 g   | LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART | FR      | 10            | 3342540065291 |
| <b>FIL FLEX</b><br>Toe bails that allow you to use Petzl crampons with mountaineering boots that don't have toe welts                                               |  U011AA00   | 70 g   | LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART | FR      | 10            | 3342540844865 |
| <b>FIL FLEX SMALL</b><br>Toe bails that allow you to use Petzl crampons with small or narrow sizes of mountaineering boots that don't have toe welts                |  U012AA00  | 65 g   | LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART | FR      | 10            | 3342540844858 |
| <b>FIL FLEX WIDE</b><br>Toe bails that allow you to use Petzl crampons with snowboard or telemark boots that don't have toe welts                                   |  U013AA00 | 85 g   | LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART | FR      | 10            | 3342540844841 |
| <b>BACK LEVER</b><br>Heel bails that allow you to use Petzl crampons with mountaineering boots that have heel welts                                                 |  U017AA00 | 105 g  | LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART | FR      | 10            | 3342540844773 |
| <b>BACK FLEX</b><br>Heel bails that allow you to use Petzl crampons with mountaineering or snowboard boots that don't have heel welts                               |  U018AA00 | 125 g  | LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART | FR      | 10            | 3342540844780 |
| <b>BARRETTES</b><br>Linking bars for IRVIS, VASAK, SARKEN, LYNX and DART crampons                                                                                   |  T03A BA  | 110 g  | IRVIS, VASAK, SARKEN, LYNX, DART                        | FR      | 10            | 3342540104525 |
| <b>FLEX</b><br>Linking bars that create a flexible connection between the front and rear Petzl crampon sections, for use with flexible and/or larger sized footwear |  T03A BS  | 70 g   | IRVIS, VASAK, SARKEN, LYNX, DART                        | FR      | 10            | 3342540104518 |



| Reference                                                                                                                                                                                                                                                 | Weight | Compatibility                                     | Made in | Case quantity | EAN code      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------------------|---------|---------------|---------------|
| <b>DART Front Sections</b><br>DART crampon front sections, adaptable to most Petzl crampons  U001EA00                                                                    | 360 g  | IRVIS, VASAK, SARKEN, LYNX, DART                  | FR      | 12            | 3342540828612 |
| <b>LYNX® Front Sections</b><br>LYNX crampon front sections, adaptable to most Petzl crampons  U023AA00                                                                   | 465 g  | IRVIS, VASAK, SARKEN, LYNX                        | FR      | 12            | 3342540845299 |
| <b>SARKEN Front Sections</b><br>SARKEN crampon front sections, adaptable to most Petzl crampons  T10A AV                                                                 | 405 g  | IRVIS, VASAK, SARKEN, LYNX                        | FR      | 12            | 3342540104532 |
| <b>VASAK® Front Sections</b><br>VASAK crampon front sections, adaptable to most Petzl crampons  T05A AV                                                                  | 375 g  | IRVIS, VASAK, SARKEN, LYNX                        | FR      | 12            | 3342540104549 |
| <b>IRVIS® Front Sections</b><br>IRVIS crampon front sections, adaptable to most Petzl crampons  T03A AV                                                                  | 275 g  | LEOPARD, IRVIS HYBRID, IRVIS, LYNX, VASAK, SARKEN | FR      | 12            | 3342540104563 |
| <b>ANTISNOW DART</b><br>System compatible with DART crampons. It limits snow buildup under the crampons in a variety of snow conditions  U001DA00                      | -      | DART                                              | FR      | 10            | 3342540828605 |
| <b>ANTISNOW LYNX®</b><br>System compatible with LYNX crampons. It limits snow buildup under the crampons in a variety of snow conditions  U020AA00                     | 105 g  | LYNX (U034AA00)                                   | FR      | 10            | 3342540845312 |
| <b>ANTISNOW IRVIS</b><br>Replacement antibott system for IRVIS crampons  T03A AS                                                                                       | -      | IRVIS                                             | FR      | 10            | 3342540104587 |
| <b>ANTISNOW for VASAK and SARKEN</b><br>Replacement antibott system for VASAK and SARKEN crampons  T05A AS                                                             | -      | VASAK, SARKEN                                     | FR      | 10            | 3342540104570 |
| <b>ANTISNOW LEOPARD</b><br>System suitable for LEOPARD FL and LEOPARD LLF crampons. It limits snow buildup under the crampons in a variety of snow conditions  T01A AS | -      | LEOPARD                                           | FR      | 10            | 3342540106338 |
| <b>LYNX® Front Point Kit</b>  T24850                                                                                                                                   | 150 g  | LYNX, DART                                        | FR      | 10            | 3342540092235 |

| Reference                                                                                                                                                                                     | Weight | Compatibility                                           | Made in | Case quantity | EAN code      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------------------------|---------|---------------|---------------|
| <b>KIT CORD-TEC</b><br>Ultra-lightweight crampon rear sections, adaptable to most Petzl crampons  U001GA00 | 120 g  | DART, LYNX, IRVIS, IRVIS HYBRID, LEOPARD                | FR      | 12            | 3342540828636 |
| <b>ELASTIC STRAP</b><br>Elastic straps designed for the LEVERLOCK FIL binding system  U001CA00             | 30 g   | BACK LEVER                                              | CN      | 10            | 3342540824461 |
| <b>FAKIR Pouch</b><br>Durable crampon pouch  V01                                                           | 140 g  | LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART | CN      | 15            | 3342540063341 |
| <b>CORD-TEC Pouch</b><br>Ultra-light, compact pouch for CORD-TEC equipped crampons  U003BA00               | 30 g   | LEOPARD, IRVIS HYBRID                                   | TN      | 10            | 3342540828728 |
| <b>ULTRALIGHT Pouch</b><br>Ultra-lightweight pouch for crampons  U003AA00                                | 50 g   | LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART | TN      | 32            | 3342540828667 |



## A person in a blue jacket and helmet is rappelling down a rope in a large, dark cave. A massive, textured stalactite hangs from the ceiling, illuminated by a bright light source. The cave walls are rugged and layered. The person is positioned in the center of the frame, looking down. The rope extends from the top of the frame down to the person. The cave's interior is dimly lit, with the primary light source creating a strong contrast and highlighting the textures of the rock and the person's gear.


1




Backup Ascender




**TIBLOC**  
Ultralight and compact, TIBLOC is a backup ascender that adapts readily to situations other than ascending ropes, such as pulley systems or progress capture.



Pulley System



Progress Capture



Ascending a Rope

Ascender Accessories

For greater efficiency and convenience when ascending, Petzl offers accessories for use with hand and chest ascenders.



PANTIN  
Foot ascender



FOOTAPE  
Adjustable webbing foot loop



FOOTCORD  
Adjustable foot loop made with HMPE cord for greater versatility and optimal durability

Locking Systems



Rope blocking with toothed cam (all ascenders except TIBLOC)

The teeth initiate the locking action and the cam pinches the rope. Blocking is optimal in a variety of conditions, including when the rope is wet, frozen, or muddy, all while reducing the effort needed to slide the device upward.



Rope blocking via carabiner compression and toothed frame (TIBLOC)

The carabiner compresses the rope into the toothed frame. The self-cleaning slot enables use in a variety of conditions, including when the rope is wet, icy, or muddy. Ultra-lightweight solution using only the teeth and carabiner to block the rope.

Choosing Your Ascender

|                    |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
|--------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                    |  |  |  |  |  |
|                    | ASCENSION                                                                           | BASIC                                                                               | CROLL® S                                                                            | CROLL® L                                                                              | TIBLOC                                                                                |
| Ascender Type      | Hand                                                                                |                                                                                     | Chest                                                                               |                                                                                       | Backup                                                                                |
| Locking System     | Toothed Cam                                                                         |                                                                                     |                                                                                     |                                                                                       | Carabiner/Teeth                                                                       |
| Ideal Use          | Rope ascent, hauling                                                                | Rope ascent, pulley system                                                          | Rope ascent, with a handled ascender                                                |                                                                                       | Rope ascent, haul system, progress capture                                            |
| Rope Compatibility | 8 to 13 mm                                                                          | 8 to 11 mm                                                                          | 8 to 11 mm                                                                          | 8 to 13 mm                                                                            | 8 to 11 mm                                                                            |
| Weight             | 165 g                                                                               | 85 g                                                                                | 85 g                                                                                | 140 g                                                                                 | 35 g                                                                                  |

|                                                                         | Reference                                                                             | Version  | Weight       | Rope Diameter | Made in    | Case quantity | EAN code |                |
|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------|--------------|---------------|------------|---------------|----------|----------------|
| Ascenders                                                               |                                                                                       |          |              |               |            |               |          |                |
| ASCENSION<br>Ergonomic handled ascender                                 |    | B17ALA   | Left (BLACK) | 165 g         | 8 to 13 mm | FR            | 10       | 3342540100411  |
|                                                                         |                                                                                       | B17ARA   |              |               |            |               |          | Right (YELLOW) |
| CROLL® S<br>Reinforced chest ascender for thin to medium-diameter ropes |    | B16BAA   | -            | 85 g          | 8 to 11 mm | FR            | 12       | 3342540094307  |
| CROLL® L<br>Chest ascender for large-diameter ropes                     |    | B016AA00 | -            | 140 g         | 8 to 13 mm | FR            | 16       | 3342540821057  |
| PANTIN®<br>Foot ascender                                                |    | B02CLA   | Left (BLACK) | 85 g          | 8 to 13 mm | FR            | 8        | 3342540103771  |
|                                                                         |                                                                                       | B02CRA   |              |               |            |               |          | Right (YELLOW) |
| Multipurpose Ascenders                                                  |                                                                                       |          |              |               |            |               |          |                |
| BASIC<br>Compact, versatile ascender                                    |    | B18BAA   | -            | 85 g          | 8 to 11 mm | FR            | 10       | 3342540094314  |
| TIBLOC<br>Ultra-lightweight emergency ascender                          |  | B01B     | -            | 35 g          | 8 to 11 mm | FR            | 8        | 3342540101418  |
| Ascender Accessories                                                    |                                                                                       |          |              |               |            |               |          |                |
| FOOTAPE<br>Adjustable webbing foot loop                                 |  | C47A     | -            | 65 g          | -          | FR            | 8        | 3342540095229  |
| FOOTCORD<br>Adjustable cord foot loop                                   |  | C48A     | -            | 40 g          | -          | FR            | 10       | 3342540095236  |





Packed up and ready to go. Champsaur Range, France © 2023 Petzl Distribution - Marc Daviet

|                          |                                                                                   | Reference | Weight | Rope Diameter    | Efficiency | Made in | Case quantity | EAN code      |
|--------------------------|-----------------------------------------------------------------------------------|-----------|--------|------------------|------------|---------|---------------|---------------|
| Progress-Capture Pulleys |                                                                                   |           |        |                  |            |         |               |               |
|                          | <b>MINI TRAXION</b><br>High-efficiency, openable progress-capture pulley          | P054AA00  | 150 g  | 7 to 11 mm       | 93 %       | FR      | 15            | 3342540841871 |
|                          | <b>MICRO TRAXION</b><br>High-efficiency, lightweight progress-capture pulley      | P53       | 85 g   | 7 to 11 mm       | 91 %       | FR      | 18            | 3342540091986 |
|                          | <b>NANO TRAXION</b><br>High efficiency, ultra-lightweight progress-capture pulley | P053AA00  | 53 g   | 7 to 11 mm       | 91 %       | FR      | 8             | 3342540835481 |
| Crevasse Rescue Kit      |                                                                                   |           |        |                  |            |         |               |               |
|                          | <b>Crevasse Rescue Kit</b><br>Kit for hauling and self-rescue from crevasses      | K025AA00  | 370 g  | 8 to 11 mm       | -          | FR      | 4             | 3342540829374 |
| Single Pulleys           |                                                                                   |           |        |                  |            |         |               |               |
|                          | <b>PARTNER</b><br>Compact pulley with moving side plates                          | P52A      | 56 g   | 7 to 11 mm       | 91 %       | FR      | 12            | 3342540087811 |
|                          | <b>RESCUE</b><br>High-strength pulley with moving side plates                     | P50A      | 185 g  | 7 to 13 mm       | 95 %       | FR      | 10            | 3342540087798 |
|                          | <b>FIXE</b><br>Pulley with fixed side plates                                      | P05SO     | 90 g   | 7 to 13 mm       | 71 %       | FR      | 12            | 3342540087347 |
|                          | <b>OSCILLANTE</b><br>Emergency pulley with moving side plates                     | P02A      | 42 g   | 7 to 11 mm       | 71 %       | FR      | 24            | 3342540087330 |
|                          | <b>ULTRALEGERE</b><br>Emergency pulley                                            | P00A      | 10 g   | 7 to 13 mm       | -          | FR      | 30            | 3342540087354 |
| Prusik Pulleys           |                                                                                   |           |        |                  |            |         |               |               |
|                          | <b>MINI</b><br>Lightweight Prusik pulley                                          | P59A      | 80 g   | 7 to 11 mm       | 91 %       | FR      | 10            | 3342540087729 |
|                          | <b>GEMINI</b><br>Double Prusik pulley                                             | P66A      | 135 g  | 7 to 11 mm       | 91 %       | FR      | 8             | 3342540087743 |
| Transport Pulleys        |                                                                                   |           |        |                  |            |         |               |               |
|                          | <b>TANDEM® SPEED</b><br>Efficient double pulley for travel along ropes            | P21 SPE   | 270 g  | Max. Rope: 13 mm | 95 %       | FR      | 20            | 3342540041868 |
|                          | <b>TANDEM®</b><br>Double pulley for travel along ropes                            | P21       | 195 g  | Max. Rope: 13 mm | 71 %       | FR      | 20            | 3342540025929 |





Ferrata Campanile, C. Alessi, Cortina d'Ampezzo, Italy © 2021 Petzl Distribution - Vedici.org

Lanyards are essential in many activities including via ferrata, caving, and canyoning. Petzl offers lanyards with or without energy absorbers, that respond to the specific needs of these activities.


### Via Ferrata Lanyards

#### Lightweight and compact in order to easily move around



SCORPIO lanyards have a lightweight and ultra-compact energy absorber, reducing bulk and allowing the user to more easily move through the course.

#### Two elasticized arms and a short arm



The elasticized arms offer long extension capacity for easier progression and to adapt to different heights. The short arm can be used to easily rest on a rung (carabiner not included).

#### Easy to use, ergonomic carabiners



The VERTIGO WIRE-LOCK carabiners are lightweight and provide excellent grip.



Optimal grip with ergonomic EASHOOK carabiners. They are easy to handle when passing intermediate anchors and designed for a wide range of hand sizes.

#### Versions with a swivel provide even more comfort



The SCORPIO VERTIGO SW and SCORPIO EASHOOK SW are equipped with a swivel that keeps the arms from tangling during use.

#### Discover via ferrata with our combinations




KIT VIA FERRATA VERTIGO



KIT VIA FERRATA EASHOOK

Each kit contains a SCORPIO VERTIGO or SCORPIO EASHOOK lanyard, CORAX harness (size 1 or 2), and BOREO helmet (size M/L). Ready for adventure?







Lanyards for Climbing, Mountaineering,  
Caving, and Canyoning

Petzl offers many types of lanyards including single, double, asymmetrical, and adjustable.


Lanyards designed for different uses



The CONNECT ADJUST single lanyard allows the user to tether to the anchor when climbing or mountaineering in order to manage rope or gear, such as setting up a top rope or getting ready to belay.




The DUAL CONNECT ADJUST double lanyard allows the user to tether to the anchor in order to set up a rappel system when multi-pitch climbing.



With two adjustable arms, the EVOLV ADJUST lanyard makes aid climbing progression easier.



The DUAL CAVING double lanyard has multiple different uses when caving, such as tethering to an anchor, progressing along a traverse line, passing intermediate anchors, or ascending a rope.




The DUAL CANYON CLUB and DUAL CANYON GUIDE lanyards allow positioning at the anchor and progression along a lifeline when canyoning.

Length can be selected using  
the ADJUST rope adjuster



Lanyards equipped with the ADJUST rope adjuster allow for quick and precise length selection of the adjustable arm. This adjustment option allows optimal positioning when at the anchor.

Choosing Your Lanyard

|              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
|--------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|              |  |  |  |  |  |  |
|              | CONNECT ADJUST                                                                      | DUAL CONNECT ADJUST                                                                 | DUAL EVOLV ADJUST                                                                   | DUAL CAVING                                                                         | DUAL CANYON GUIDE                                                                     | DUAL CANYON CLUB                                                                      |
| Activity     | Climbing and Mountaineering                                                         | Multi-Pitch Climbing                                                                | Aid Climbing                                                                        | Caving                                                                              | Canyoning                                                                             |                                                                                       |
| Lanyard Type | Single                                                                              | Double                                                                              |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
| Setup        | Girth Hitch                                                                         |                                                                                     |                                                                                     | Semi-Circle                                                                         | Gated Attachment Point                                                                | Girth Hitch                                                                           |
| Adjustable   | ●                                                                                   |                                                                                     |                                                                                     | -                                                                                   | ●                                                                                     | -                                                                                     |
| Length       | 15 - 95 cm                                                                          | 45 cm/15 - 95 cm                                                                    | 15 - 150 cm                                                                         | 35 cm/65 cm                                                                         | 65 cm/15 - 85 cm                                                                      | 55 cm                                                                                 |

|                                                                                                                                                                               | Reference | Weight | Specifics                                                                                               | Made in | Case quantity | EAN code      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|---------------------------------------------------------------------------------------------------------|---------|---------------|---------------|
| Via Ferrata Lanyards                                                                                                                                                          |           |        |                                                                                                         |         |               |               |
| <br><b>SCORPIO® EASHOOK SW</b><br>Via ferrata lanyard with EASHOOK carabiners and swivel   | L060CB00  | 460 g  | - Retracted length: 74 cm<br>- Extended length: 112 cm<br>- Short arm length (without carabiner): 26 cm | TW      | 10            | 3342540848672 |
| <br><b>SCORPIO® EASHOOK</b><br>Via ferrata lanyard with EASHOOK carabiners                 | L060BB00  | 440 g  | - Retracted length: 72 cm<br>- Extended length: 108 cm<br>- Short arm length (without carabiner): 22 cm | TW      | 10            | 3342540848665 |
| <br><b>SCORPIO® VERTIGO SW</b><br>Via ferrata lanyard with VERTIGO carabiners and swivel   | L060DB00  | 385 g  | - Retracted length: 70 cm<br>- Extended length: 110 cm<br>- Short arm length (without carabiner): 26 cm | CN      | 10            | 3342540848863 |
| <br><b>SCORPIO® VERTIGO</b><br>Via ferrata lanyard with VERTIGO carabiners                 | L060AB00  | 365 g  | - Retracted length: 68 cm<br>- Extended length: 106 cm<br>- Short arm length (without carabiner): 22 cm | CN      | 10            | 3342540848856 |
| Climbing and Mountaineering Lanyards                                                                                                                                          |           |        |                                                                                                         |         |               |               |
| <br><b>CONNECT ADJUST</b><br>Adjustable single lanyard for climbing and mountaineering    | L034BA00  | 120 g  | - Length: 15 - 95 cm                                                                                    | FR      | 34            | 3342540844605 |
| <br><b>DUAL CONNECT ADJUST</b><br>Adjustable double lanyard for multi-pitch climbing     | L035CA00  | 160 g  | - Fixed arm length: 45 cm<br>- Adjustable arm length: 15 to 95 cm                                       | FR      | 20            | 3342540845220 |
| <br><b>DUAL EVOLV ADJUST</b><br>Double lanyard with two adjustable arms for aid climbing | L035DA00  | 315 g  | - Length: 15 - 150 cm                                                                                   | FR      | 16            | 3342540844612 |
| Caving Lanyards                                                                                                                                                               |           |        |                                                                                                         |         |               |               |
| <br><b>DUAL CAVING</b><br>Double lanyard for caving                                      | L002AB00  | 85 g   | - Short arm length: 35 cm<br>- Long arm length: 65 cm                                                   | CZ      | 36            | 3342540845138 |
| Canyoning Lanyards                                                                                                                                                            |           |        |                                                                                                         |         |               |               |
| <br><b>DUAL CANYON GUIDE</b><br>Adjustable double lanyard for canyoning                  | L086BC00  | 160 g  | - Fixed arm length: 65 cm<br>- Adjustable arm length: 15 to 85 cm                                       | FR      | 20            | 3342540845121 |
| <br><b>DUAL CANYON CLUB</b><br>Double lanyard for canyoning                              | L086AC00  | 95 g   | - Fixed arm length: 55 cm                                                                               | CZ      | 36            | 3342540845114 |





|                                                                                                                                                                                                                                                                                               | Reference | Weight | Specifics                                                            | Made in | Case quantity | EAN code      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|----------------------------------------------------------------------|---------|---------------|---------------|
| Climbing Kits                                                                                                                                                                                                                                                                                 |           |        |                                                                      |         |               |               |
| <b>KIT CORAX GRIGRI Sm'D</b><br>Climbing kit containing CORAX harness, GRIGRI assisted blocking belay device, and Sm'D carabiner<br>                                                                       | K032AB00  | 700 g  | - Harness: size 1 / 65 - 96 cm                                       | MY      | 6             | 3342540845640 |
|                                                                                                                                                                                                                                                                                               | K032AB01  | 750 g  | - Harness: size 2 / 76 - 107 cm                                      |         |               | 3342540845657 |
| Via Ferrata Kits                                                                                                                                                                                                                                                                              |           |        |                                                                      |         |               |               |
| <b>KIT VIA FERRATA EASHOOK</b><br>Via ferrata kit including a SCORPIO EASHOOK lanyard, CORAX harness, and BOREO helmet<br>                                                                                 | K029DD00  | 1245 g | - Harness: size 1 / 65 - 96 cm<br>- Helmet: size M / L / 53 - 61 cm  | TW      | 4             | 3342540848641 |
|                                                                                                                                                                                                                                                                                               | K029DD01  | 1295 g | - Harness: size 2 / 76 - 107 cm<br>- Helmet: size M / L / 53 - 61 cm |         |               | 3342540848658 |
| <b>KIT VIA FERRATA VERTIGO</b><br>Via ferrata kit including a SCORPIO VERTIGO lanyard, CORAX harness, and BOREO helmet<br>                                                                               | K029CD00  | 1175 g | - Harness: size 1 / 65 - 96 cm<br>- Helmet: size M / L / 53 - 61 cm  | CN      | 4             | 3342540848627 |
|                                                                                                                                                                                                                                                                                               | K029CD01  | 1225 g | - Harness: size 2 / 76 - 107 cm<br>- Helmet: size M / L / 53 - 61 cm |         |               | 3342540848634 |
| Rescue Kits                                                                                                                                                                                                                                                                                   |           |        |                                                                      |         |               |               |
| <b>RAD SYSTEM</b><br>A complete ultra-lightweight and compact kit with specific cord, designed for skiers doing crevasse rescue, rappelling, or roping up on a glacier to get out of a crevasse zone<br> | K011AB00  | 970 g  | - Cord length: 30 m                                                  | CZ      | 3             | 3342540846173 |
| <b>KIT SECOURS CREVASSE</b><br>Kit for hauling and self-rescue from crevasses<br>                                                                                                                        | K025AA00  | 370 g  | - Rope diameter: 8 to 11 mm                                          | FR      | 4             | 3342540829374 |





Bolting in Manikla, Greece © 2021 Petzl Distribution - Lafouche

|                                                                                                                                                                                      |          | Reference | Length   | Weight         | Made in | Case quantity | EAN code      |          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|----------------|---------|---------------|---------------|----------|
| Ice Anchors                                                                                                                                                                          |          |           |          |                |         |               |               |          |
| <br><b>LASER SPEED LIGHT</b><br>Ultra-lightweight ice screw with integrated crank                 | G052AA00 | 13 cm     | 91 g     | FR             | 12      | 3342540832701 |               |          |
|                                                                                                                                                                                      | G052AA01 | 17 cm     | 100 g    |                |         | 3342540832718 |               |          |
|                                                                                                                                                                                      | G052AA02 | 21 cm     | 110 g    |                |         | 3342540832725 |               |          |
| <br><b>LASER SPEED</b><br>Ultra-high-performance ice screw with integrated crank                  | G051AA03 | 10 cm     | 113 g    | FR             | 12      | 3342540832695 |               |          |
|                                                                                                                                                                                      | G051AA00 | 13 cm     | 128 g    |                |         | 3342540832664 |               |          |
|                                                                                                                                                                                      | G051AA01 | 17 cm     | 143 g    |                |         | 3342540832671 |               |          |
|                                                                                                                                                                                      | G051AA02 | 21 cm     | 161 g    |                |         | 3342540832688 |               |          |
| <br><b>LASER</b><br>Lightweight, high-performance ice screw                                      | G050AA00 | 13 cm     | 120 g    | FR             | 12      | 3342540832633 |               |          |
|                                                                                                                                                                                      | G050AA01 | 17 cm     | 135 g    |                |         | 3342540832640 |               |          |
|                                                                                                                                                                                      | G050AA02 | 21 cm     | 153 g    |                |         | 3342540832657 |               |          |
| Ice Protection Accessories                                                                                                                                                           |          |           |          |                |         |               |               |          |
| <br><b>MULTIHOOK</b><br>Multi-function, foldable threading tool                                 | U002AA00 | 28 cm     | 40 g     | FR             | 20      | 3342540828650 |               |          |
| <br><b>OCTO</b><br>Protective carrying pouch for ice screws                                     | U010AA00 | -         | 160 g    | CN             | 50      | 3342540828643 |               |          |
| <br><b>LASER PROTECTION</b><br>Protection cap for Petzl ice screws (pack of 5)                  | U024AA00 | -         | 5 g      | IT             | 10      | 3342540844094 |               |          |
|                                                                                                                                                                                      |          |           |          |                |         |               |               |          |
|                                                                                                                                                                                      |          | Reference | Diameter | Drilling Depth | Weight  | Made in       | Case quantity | EAN code |
| Rock Anchors                                                                                                                                                                         |          |           |          |                |         |               |               |          |
| <br><b>COEUR BOLT STAINLESS</b><br>Stainless steel anchor for typical exterior use (pack of 20) | P36BS 10 | 10 mm     | 7 cm     | 110 g          | DE      | 1             | 3342540104181 |          |
|                                                                                                                                                                                      | P36BS 12 | 12 mm     | 8,5 cm   | 135 g          |         |               | 3342540104129 |          |
| <br><b>COEUR STAINLESS</b><br>Stainless steel hanger for typical exterior use (pack of 20)      | P36AS 10 | 10 mm     | -        | 65 g           | FR      | 4             | 3342540104167 |          |
|                                                                                                                                                                                      | P36AS 12 | 12 mm     |          | 60 g           |         |               | 3342540104143 |          |




|                                                                          | Reference                                                                                       | Diameter | Drilling Depth | Weight | Made in | Case quantity | EAN code      |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------|----------------|--------|---------|---------------|---------------|
| <b>COEUR PULSE 12 mm</b><br>Removable 12 mm anchor with locking function |  G037BA00      | 12 mm    | 6,5 cm         | 140 g  | FR      | 8             | 3342540842243 |
| <b>PULSE 8 mm</b><br>Temporary 8 mm anchor for caving                    |  G037AA00      | 8 mm     | 5 cm           | 60 g   | FR      | 20            | 3342540842236 |
| <b>BAT'INOX</b><br>14 mm resin anchor (pack of 10)                       |  x 10 G102AA00 | 14 mm    | 10 cm          | 250 g  | FR      | 2             | 3342540829824 |
| <b>AMPOULE BAT'INOX</b><br>Resin glue for BAT'INOX (pack of 10)          |  x 10 G103AA00 | -        | -              | 20 g   | NL      | 9             | 3342540829862 |
| <b>COLLINOX</b><br>10 mm resin anchor (pack of 10)                       |  x 10 G100AA00 | 10 mm    | 7 cm           | 95 g   | FR      | 2             | 3342540829817 |
| <b>AMPOULE COLLINOX</b><br>Resin glue for COLLINOX (pack of 10)          |  x 10 G101AA00 | -        | -              | 14 g   | NL      | 14            | 3342540829855 |

|                                                         | Reference                                                                           | Length | Weight | Made in | Case quantity | EAN code      |
|---------------------------------------------------------|-------------------------------------------------------------------------------------|--------|--------|---------|---------------|---------------|
| <b>Pitons</b>                                           |                                                                                     |        |        |         |               |               |
| <b>V CONIQUE</b><br>Chromoly steel knifeblade piton     |  | 66007  | 7 cm   | FR      | 10            | 3342540660076 |
|                                                         |                                                                                     | 66011  | 11 cm  |         |               | 3342540660113 |
| <b>UNIVERSEL</b><br>Semi-hardened steel forged piton    |  | P17 5  | 5 cm   | FR      | 10            | 3342540089716 |
|                                                         |                                                                                     | P17 7  | 7 cm   |         |               | 3342540089723 |
|                                                         |                                                                                     | P17 9  | 9 cm   |         |               | 3342540089730 |
| <b>ROCHER MIXTE</b><br>Semi-hardened steel forged piton |  | 65106  | 6 cm   | FR      | 10            | 3342540651067 |
|                                                         |                                                                                     | 65108  | 8 cm   |         |               | 3342540651081 |
|                                                         |                                                                                     | 65110  | 10 cm  |         |               | 3342540651104 |
| <b>U</b><br>Semi-hardened steel forged piton            |  | 65312  | 10 cm  | FR      | 10            | 3342540653122 |
|                                                         |                                                                                     | 65314  | 12 cm  |         |               | 3342540653146 |
| <b>LIVANOS</b><br>Chromoly steel knifeblade piton       |  | 65504  | 4 cm   | FR      | 10            | 3342540655041 |
|                                                         |                                                                                     | 65506  | 6 cm   |         |               | 3342540655065 |
|                                                         |                                                                                     | 65508  | 8 cm   |         |               | 3342540655089 |
|                                                         |                                                                                     | 65510  | 10 cm  |         |               | 3342540655102 |

Rock and Caving Anchors

|                                                   |                                                                                                   |   |      |    |   |               |
|---------------------------------------------------|---------------------------------------------------------------------------------------------------|---|------|----|---|---------------|
| <b>VRILLEE</b><br>Caving bolt hanger (pack of 25) |  x 25 G104AA00 | - | 32 g | FR | 2 | 3342540829831 |
| <b>COUDEE</b><br>Caving bolt hanger (pack of 25)  |  x 25 G105AA00 | - | 32 g | FR | 2 | 3342540829848 |

|                                                                  | Reference                                                                                        | Unit Weight | Major Axis Strength | Minor Axis Strength | Made in | Case quantity | EAN code      |
|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-------------|---------------------|---------------------|---------|---------------|---------------|
| <b>Quick Links</b>                                               |                                                                                                  |             |                     |                     |         |               |               |
| <b>DELTA</b><br>Triangular quick link                            |  P11          | 150 g       | 45 kN               | 10 kN               | FR      | 30            | 3342540008649 |
| <b>SPEEDY</b><br>Quick link with rapid gate (pack of 5)          |  x5 G106AA00  | 23 g        | 15 kN               | -                   | FR      | 20            | 3342540829879 |
| <b>GO 8 mm</b><br>8 mm wide-opening, galvanized steel quick link |  x10 P015AA00 | 95 g        | 30 kN               | 10 kN               | FR      | 8             | 3342540833012 |
|                                                                  |  x1 P015AA01  |             |                     |                     |         | 50            | 3342540834996 |
| <b>DEMI ROND</b><br>Semi-circular quick link                     |  P18          | 55 g        | 25 kN               | 10 kN               | FR      | 30            | 3342540008823 |

|                                                     | Reference                                                                                      | Weight | Specifics                                      | Made in | Case quantity | EAN code      |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------|--------|------------------------------------------------|---------|---------------|---------------|
| <b>Rock and Caving Anchor Accessories</b>           |                                                                                                |        |                                                |         |               |               |
| <b>BONGO</b><br>Piton hammer                        |  P27        | 680 g  | Length: 33 cm                                  | FR      | 10            | 3342540070486 |
| <b>TAM TAM</b><br>Caving hammer                     |  P16        | 535 g  | Length: 26.5 cm                                | FR      | 10            | 3342540008755 |
| <b>ROCPEC</b><br>SDS-bit hand drill                 |  P26        | 198 g  | -                                              | FR      | 10            | 3342540038462 |
| <b>ROCPEC ADP</b><br>Adapter for ROCPEC drill       |  P26250    | 37 g   | -                                              | FR      | 50            | 3342540057357 |
| <b>PERFO SPE</b><br>Drill for self-drilling anchors |  P08      | 208 g  | Diameter: 8 mm                                 | FR      | 10            | 3342540008526 |
| <b>BOLTBAG</b><br>Bolting gear pouch                |  C11 A    | 170 g  | -                                              | KH      | 15            | 3342540087309 |
| <b>PROTEC</b><br>Flexible rope protection           |  R003AA00 | 130 g  | Dimensions: 56 x 5 x 2.5 cm                    | KH      | 58            | 3342540839717 |
| <b>SWIVEL S</b><br>Ball bearing swivel              |  P58 S    | 95 g   | Breaking strength: 23 kN<br>Working load: 5 kN | IT      | 12            | 3342540070868 |
| <b>PAW S</b><br>Rigging plate                       |  G063AA00 | 60 g   | Breaking strength: 36 kN                       | IT      | 10            | 3342540835870 |

|                                             | Reference                                                                             | Length   | Color  | Weight | Made in | Case quantity | EAN code      |
|---------------------------------------------|---------------------------------------------------------------------------------------|----------|--------|--------|---------|---------------|---------------|
| <b>Sewn Slings</b>                          |                                                                                       |          |        |        |         |               |               |
| <b>ANNEAU</b><br>Polyester sling            |  | C40A 60  | 60 cm  | YELLOW | MY      | 50            | 3342540103436 |
|                                             |                                                                                       | C40A 80  | 80 cm  | BLUE   |         |               | 3342540105140 |
|                                             |                                                                                       | C40A 120 | 120 cm | GREEN  |         | 25            | 3342540103429 |
|                                             |                                                                                       | C40A 150 | 150 cm | RED    |         |               | 3342540105133 |
| <b>ST'ANNEAU</b><br>Lightweight sewn sling  |  | C07 24   | 24 cm  | GREEN  | FR      | 50            | 3342540071773 |
|                                             |                                                                                       | C07 60   | 60 cm  | YELLOW |         |               | 3342540071780 |
|                                             |                                                                                       | C07 120  | 120 cm | RED    |         | 25            | 3342540071797 |
| <b>PUR'ANNEAU</b><br>Ultra-light sewn sling |  | G006AA00 | 60 cm  | YELLOW | FR      | 50            | 3342540817555 |
|                                             |                                                                                       | G006AA01 | 120 cm | RED    |         | 25            | 3342540817562 |
|                                             |                                                                                       | G006AA02 | 180 cm | VIOLET |         | 15            | 3342540817579 |





Choose your sector © 2021 Petzl Distribution - Latouche

Climbing Packs

BUG NEW 2026

Pack for multi-pitch climbing and everyday use

The pack that seamlessly transitions from the daily grind to an adventurous weekend of multi-pitch climbing. Compact and ergonomic, the BUG is an 18-liter pack with no shortage of functional features, including a rope carry system, detachable helmet holder, large exterior zippered pocket, spacious main compartment for a harness, shoes, and clothes. Plus, it has a dedicated sleeve to carry a laptop or hydration system. Offering comfort and optimal support every step of the approach, this pack has padded shoulder straps and lateral webbing that can be tightened to compress the pack. It also opens from the top, providing a practical solution when you're at a hanging belay. Available in three colorways, it effortlessly unites form and function.



Lateral compression straps to hold the rope in place during the approach.



Large main compartment for a harness, shoes, and clothes, padded sleeve for laptop or hydration system, and two interior zippered pockets for small items.



Removable helmet holder.

Product Specifications

- Volume: 18 liters
- Weight: 665 g
- Materials: TPU, 100% recycled polyester, EVA, polyurethane, nylon, aluminum

Spare Parts

BUG Waistbelt S074BA00  
BUG Helmet Holder S074AA00

Specifications by Reference


Available in three colors:  
• ORANGE S073AB01  
• SMOKED BLUE S073AB02  
• BLACK S073AB00  
Specifications page 88

- **Compact, ergonomic shape provides great mobility while climbing or for everyday use:**
  - 18-liter volume for carrying all your gear
  - Low profile shape sits snugly against your back
  - Opens from the top for easy access when multi-pitch climbing
  - Ergonomic padded shoulder straps

- **Features made for climbing or everyday use:**
  - Side compression straps
  - Adjustable strap for attaching a rope to the top of the pack
  - Adjustable and removable waistbelt
  - Adjustable sternum strap
  - Large exterior zippered pocket for quick access
  - Padded interior sleeve for a laptop or hydration system
  - Two interior zippered pockets for storing small items
  - Removable helmet holder
  - Bottom of the pack is lined with high-strength material for great durability

- **Eco-Design:** Exterior fabric made from 100% recycled polyester

- **Available in three colors:** ORANGE, SMOKED BLUE, BLACK.






|                                                                                        |                                                                                     | Reference | Color          | Weight | Made in        | Case quantity | EAN code      |               |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------|----------------|--------|----------------|---------------|---------------|---------------|
| Chalk Bags                                                                             |                                                                                     |           |                |        |                |               |               |               |
| <b>SAKAPOCHE</b><br>Ergonomic chalk bag with pocket                                    |    | S040AB00  | BLACK          | 85 g   | CN             | 30            | 3342540844308 |               |
|                                                                                        |                                                                                     | S040AB01  | ORANGE/WHITE   |        |                |               | 3342540844711 |               |
|                                                                                        |                                                                                     | S040AB02  | BLACK DAZZLE   |        |                |               | 3342540844728 |               |
| <b>SAKA</b><br>Ergonomic chalk bag                                                     |    | S039BB00  | DARK GRAY      | 80 g   | CN             | 30            | 3342540844681 |               |
|                                                                                        |                                                                                     | S039BB01  | PINK           |        |                |               | 3342540844698 |               |
|                                                                                        |                                                                                     | S039BB02  | CHALK STRIPES  |        |                |               | 3342540844704 |               |
|                                                                                        |                                                                                     | S039BB03  | ORANGE/WHITE   |        |                |               | 3342540844759 |               |
|                                                                                        |                                                                                     | S039BB04  | WHITE DAZZLE   |        |                |               | 3342540844766 |               |
| <b>BANDI</b><br>Round chalk bag                                                        |    | S038BB00  | BRIGHT BLUE    | 75 g   | CN             | 30            | 3342540844636 |               |
|                                                                                        |                                                                                     | S038BB01  | JADE GREEN     |        |                |               | 3342540844643 |               |
|                                                                                        |                                                                                     | S038BB02  | CHALK STRIPES  |        |                |               | 3342540844650 |               |
|                                                                                        |                                                                                     | S038BB03  | ORANGE         |        |                |               | 3342540844667 |               |
|                                                                                        |                                                                                     | S038BB04  | SAILOR STRIPES |        |                |               | 3342540844674 |               |
| <b>SAKAB</b><br>Freestanding chalk bucket for bouldering                               |    | S037AA00  | GRAY           | 205 g  | VN             | 50            | 3342540832824 |               |
| <b>SAKOVER</b><br>Ultra-lightweight sealed bag for storage and transport of chalk bags |  | S036AA00  | GRAY           | 40 g   | VN             | 300           | 3342540832831 |               |
| Chalk                                                                                  |                                                                                     |           |                |        |                |               |               |               |
| <b>POWER CRUNCH</b><br>Chunky chalk                                                    |  | S034AA00  | -              | 200 g  | FR             | 26            | 3342540844926 |               |
|                                                                                        |                                                                                     | S034AA01  |                | 300 g  |                | 20            | 3342540845213 |               |
|                                                                                        |                                                                                     | S034AA02  |                | 500 g  |                | 12            | 3342540848795 |               |
| <b>POWER LIQUID</b><br>Liquid chalk                                                    |  | S035AA00  | -              | 200 ml | FR             | 30            | 3342540844933 |               |
|                                                                                        |                                                                                     |           |                |        |                |               |               |               |
|                                                                                        |                                                                                     | Reference | Color          | Weight | Volume         | Made in       | Case quantity | EAN code      |
| Climbing Packs                                                                         |                                                                                     |           |                |        |                |               |               |               |
| <div>NEW 2026</div><br><b>BUG</b><br>Pack for multi-pitch climbing and everyday use    |  | S073AB00  | BLACK          | 665 g  | 18 liters      | CN            | 15            | 3342540852716 |
|                                                                                        |                                                                                     | S073AB01  | ORANGE         |        |                |               |               | 3342540852723 |
|                                                                                        |                                                                                     | S073AB02  | SMOKED BLUE    |        |                |               |               | 3342540852730 |
| <b>SPLIT</b><br>Rope bag                                                               |  | S013AA00  | GRAY           | 600 g  | 8 to 25 liters | VN            | 8             | 3342540841185 |
|                                                                                        |                                                                                     | S013AA01  | RED/ORANGE     |        |                |               |               | 3342540841192 |

|                                                                       | Reference | Color        | Weight | Volume    | Made in | Case quantity | EAN code      |
|-----------------------------------------------------------------------|-----------|--------------|--------|-----------|---------|---------------|---------------|
| <b>KLIFF</b><br>Rope bag for rock climbing                            | S010AA00  | GRAY         | 750 g  | 36 liters | VN      | 10            | 3342540825796 |
|                                                                       | S010AA01  | RED          |        |           |         |               | 3342540825802 |
| <b>TARP</b><br>Large rope tarp                                        | S012AA00  | BLACK        | 280 g  | -         | VN      | 32            | 3342540835153 |
| Canyoning Packs                                                       |           |              |        |           |         |               |               |
| <b>ALCANADRE CLUB 30</b><br>Easy-to-use canyoning pack                | S064AA00  | GREEN/BLACK  | 885 g  | 30 liters | KH      | 16            | 3342540834873 |
| <b>ALCANADRE GUIDE 45</b><br>Ergonomic and comfortable canyoning pack | S064BA00  | ORANGE/BLACK | 1745 g | 45 liters | KH      | 8             | 3342540834880 |
| <b>YARA CLUB 15</b><br>Small-capacity rope bag for canyoning          | S065AB00  | GREEN/BLACK  | 420 g  | 15 liters | KH      | 22            | 3342540840447 |
| <b>YARA GUIDE 25</b><br>Medium-capacity rope bag for canyoning        | S065BB00  | ORANGE/BLACK | 610 g  | 25 liters | KH      | 16            | 3342540840454 |
| Caving Packs                                                          |           |              |        |           |         |               |               |
| <b>PERSONNEL 15</b><br>Durable small-capacity pack for caving         | S44Y 015  | YELLOW/BLACK | 580 g  | 15 liters | KH      | 15            | 3342540090378 |
| <b>CLASSIQUE 22</b><br>Durable medium-capacity pack for caving        | C03 2     | YELLOW/BLACK | 660 g  | 22 liters | KH      | 10            | 3342540087101 |
| Transport Bags                                                        |           |              |        |           |         |               |               |
| <b>TRANSPORT 30</b><br>Durable pack                                   | S042AA00  | YELLOW/BLACK | 1300 g | 30 liters | KH      | 6             | 3342540844803 |
|                                                                       | S042AA01  | BLACK        |        |           |         |               | 3342540844797 |
| <b>TRANSPORT 45</b><br>Durable pack                                   | S042BA00  | YELLOW/BLACK | 1530 g | 45 liters | KH      | 5             | 3342540844889 |
|                                                                       | S042BA01  | BLACK        |        |           |         |               | 3342540844896 |
| <b>TRANSPORT 60</b><br>Durable pack                                   | S042CA00  | YELLOW/BLACK | 1780 g | 60 liters | KH      | 4             | 3342540844902 |
|                                                                       | S042CA01  | BLACK        |        |           |         |               | 3342540844919 |
| <b>DUFFEL 65</b><br>Medium-capacity transport bag                     | S045AA02  | BLACK        | 1350 g | 65 liters | KH      | 6             | 3342540839342 |
| <b>DUFFEL 85</b><br>Large-capacity transport bag                      | S045AA03  | BLACK        | 1550 g | 85 liters | KH      | 5             | 3342540839359 |



|                                                                                         | Reference                                                                                  | Weight  | Working load limit | Made in | Case quantity | EAN code      |
|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------|--------------------|---------|---------------|---------------|
| Rescue Litters                                                                          |                                                                                            |         |                    |         |               |               |
| <b>NEST</b><br>Litter for confined spaces                                               |  S061AA00 | 13100 g | 150 kg             | FR      | 1             | 3342540829558 |
| <b>STEF</b><br>Tilting device for NEST litter                                           |  S059AA00 | 640 g   | 150 kg             | FR      | 5             | 3342540829749 |
| <b>STEF for NEST Litter (before 2020)</b><br>Tilting device for NEST litter before 2020 |  S059BA00 | 620 g   | 140 kg             | FR      | 5             | 3342540832244 |
| <b>Bag for NEST Litter</b>                                                              |  S062AA00 | 1860 g  | -                  | RO      | 2             | 3342540831568 |

|                                                                                     | Reference                                                                           | Size                                      | Color                                                                               | Weight      | Made in       | Case quantity | EAN code      |               |               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------|-------------|---------------|---------------|---------------|---------------|---------------|
| Gloves                                                                              |                                                                                     |                                           |                                                                                     |             |               |               |               |               |               |
| <b>CORDEX</b><br>Lightweight belay/<br>rappel gloves                                |   | K52 SN                                    | S                                                                                   | BLACK       | TN            | 30            | 3342540080461 |               |               |
|                                                                                     |                                                                                     | K52 MN                                    | M                                                                                   |             |               |               | 3342540080478 |               |               |
|                                                                                     |                                                                                     | K52 LN                                    | L                                                                                   |             |               |               | 3342540080485 |               |               |
|                                                                                     |                                                                                     | K52 XLN                                   | XL                                                                                  |             |               |               | 3342540080492 |               |               |
|                                                                                     |  | K52 XST                                   | XS                                                                                  | LIGHT BROWN |               |               | 100 g         | 3342540076020 |               |
|                                                                                     |                                                                                     | K52 ST                                    | S                                                                                   |             |               |               | 105 g         | 3342540072688 |               |
|                                                                                     |                                                                                     | K52 MT                                    | M                                                                                   |             |               |               | 115 g         | 3342540072695 |               |
|                                                                                     |                                                                                     | K52 LT                                    | L                                                                                   |             |               |               | 118 g         | 3342540072701 |               |
|                                                                                     |                                                                                     | <b>CORDEX PLUS</b><br>Belay/rappel gloves | K52 XLT                                                                             |             |               |               | XL            | 120 g         | 3342540072718 |
|                                                                                     |                                                                                     |                                           |  |             |               |               | K53 SN        | S             | BLACK         |
| K53 MN                                                                              | M                                                                                   |                                           |                                                                                     | 140 g       | 3342540080515 |               |               |               |               |
| K53 LN                                                                              | L                                                                                   |                                           |                                                                                     | 146 g       | 3342540080522 |               |               |               |               |
| K53 XLN                                                                             | XL                                                                                  |                                           |                                                                                     | 152 g       | 3342540080539 |               |               |               |               |
|  | K53 XST                                                                             |                                           | XS                                                                                  | LIGHT BROWN | 132 g         | 3342540076037 |               |               |               |
|                                                                                     | K53 ST                                                                              |                                           | S                                                                                   |             | 136 g         | 3342540072725 |               |               |               |
|                                                                                     | K53 MT                                                                              |                                           | M                                                                                   |             | 140 g         | 3342540072732 |               |               |               |
|                                                                                     | K53 LT                                                                              |                                           | L                                                                                   |             | 146 g         | 3342540072749 |               |               |               |
|                                                                                     | K53 XLT                                                                             |                                           | XL                                                                                  |             | 152 g         | 3342540072756 |               |               |               |

|                                                                                             | Reference                                                                                  | Weight | Specifics                                                       | Made in | Case quantity | EAN code      |
|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------|---------|---------------|---------------|
| Aid Climbing Accessories                                                                    |                                                                                            |        |                                                                 |         |               |               |
| <b>SHUNT</b><br>Rappel backup device                                                        |  B03B   | 188 g  | Rope compatibility: single ropes 10-11 mm or half ropes 8-11 mm | FR      | 14            | 3342540817944 |
| <b>FIFI</b><br>Suspension hook for aid climbing                                             |  V12    | 38 g   | -                                                               | FR      | 50            | 3342540067875 |
| <b>MAILLON RAPIDE N° 5</b><br>Quick link for installing a retrieval system on the FIFI hook |  P49100 | -      | -                                                               | FR      | 100           | 3342540044081 |
| <b>GOUTTE D'EAU</b><br>Large radius progression hook                                        |  P06 2  | 46 g   | -                                                               | FR      | 30            | 3342540092006 |
| <b>REGLETTE</b><br>Small radius progression hook                                            |  P06 1  | 38 g   | -                                                               | FR      | 30            | 3342540091993 |
| <b>QUICKSTEP</b><br>Adjustable single-step etrier for aid climbing                          |  C09   | 142 g  | -                                                               | FR      | 15            | 3342540054592 |
| <b>LOOPING</b><br>Four-step etrier for aid climbing                                         |  C25  | 145 g  | BLACK/YELLOW                                                    | FR      | 10            | 3342540001299 |
| <b>GRADISTEP</b><br>Lightweight five-step etrier for aided sections on free climbs          |  C08  | 146 g  | BLACK/GRAY                                                      | FR      | 15            | 3342540054585 |

|                                                  |                                                                                             |       |                          |    |    |               |
|--------------------------------------------------|---------------------------------------------------------------------------------------------|-------|--------------------------|----|----|---------------|
| Other Accessories                                |                                                                                             |       |                          |    |    |               |
| <b>CARNET</b><br>Topographic notebook for caving |  S90   | 150 g | 15 x 10.5 cm (A6 format) | FR | 96 | 3342540030541 |
|                                                  |                                                                                             | S91   | 210 g                    |    | 60 | 3342540030558 |
| <b>SPATHA</b><br>Clippable knife                 |  S92AY | 43 g  | YELLOW                   | FR | 20 | 3342540097384 |
|                                                  |                                                                                             |       | BLUE                     |    |    | 3342540097377 |




|                                                                                                                                                                                    | Reference                                                                                  | Size      | Version | Made in                     | Case quantity | EAN code      |               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------|---------|-----------------------------|---------------|---------------|---------------|
| Petzl Branded Products                                                                                                                                                             |                                                                                            |           |         |                             |               |               |               |
| <b>CEINTURE</b><br>Belt with logo and one DOUBLEBACK LIGHT buckle                                                                                                                  |  C010AA00 | -         | BLUE    | CN                          | 40            | 3342540822986 |               |
|                                                                                                                                                                                    |  C010AA01 | -         | VIOLET  |                             |               | 3342540822993 |               |
| <b>Petzl Book</b><br>From the Deep: the Petzl Adventure, the story of a company and its community.<br>Authors: Sophie Cuenot and Hervé Bodeau<br>Preface by Lynn Hill<br>272 pages |           | Z180 FR   | -       | French-Version              | FR            | 13            | 3342540096431 |
|                                                                                                                                                                                    |                                                                                            | Z180 ES   | -       | Spanish-Version             | ES            | 13            | 3342540100299 |
|                                                                                                                                                                                    |                                                                                            | Z18001 EN | -       | English Version in Gift Box | EN            | 10            | 3342540096448 |
| The book "From the Deep: the Petzl Adventure" is available for download in French and English on the Petzl website.                                                                |                                                                                            |           |         |                             |               |               |               |
| <b>ADAM</b><br>Men's Petzl cotton T-shirt                                                                                                                                          |           | T001AA00  | S       | BLACK                       | TR            | 50            | 3342540838185 |
|                                                                                                                                                                                    |                                                                                            | T001AA01  | M       |                             |               |               | 3342540838192 |
|                                                                                                                                                                                    |                                                                                            | T001AA02  | L       |                             |               |               | 3342540838208 |
|                                                                                                                                                                                    |                                                                                            | T001AA03  | XL      |                             |               |               | 3342540838314 |
|                                                                                                                                                                                    |                                                                                            | T001AA04  | XXL     |                             |               |               | 3342540838321 |
|                                                                                                                                                                                    |          | T001AA05  | S       | BLUE                        |               |               | 3342540838338 |
|                                                                                                                                                                                    |                                                                                            | T001AA06  | M       |                             |               |               | 3342540838345 |
|                                                                                                                                                                                    |                                                                                            | T001AA07  | L       |                             |               |               | 3342540838352 |
|                                                                                                                                                                                    |                                                                                            | T001AA08  | XL      |                             |               |               | 3342540838369 |
|                                                                                                                                                                                    |                                                                                            | T001AA09  | XXL     |                             |               |               | 3342540838376 |
| <b>EVE</b><br>Women's Petzl cotton T-shirt                                                                                                                                         |         | T002AA00  | XS      | VIOLET                      | TR            | 50            | 3342540838239 |
|                                                                                                                                                                                    |                                                                                            | T002AA01  | S       |                             |               |               | 3342540838246 |
|                                                                                                                                                                                    |                                                                                            | T002AA03  | L       |                             |               |               | 3342540838260 |

## Notes

[illegible]







Whether it's for caving, running, skiing, hiking, or everyday activities, Petzl makes headlamps to meet your every need.

PERFORMANCE Headlamps

For high-commitment endurance sports like trail running, mountaineering, and ski touring



NAO® RL

NEW 2026




SWIFT® RL

NEW 2026



SWIFT® RL CLASSIC

For caving



DUO RL



DUO S

For regular use and dynamic activities



ACTIK® CORE



ARIA® 2R RGB



IKO® CORE



ACTIK®



SWIFT® LT

NEW 2026



IKO®



DISCOVER Headlamps

For occasional use or for your first headlamp



For emergency situations




Headlamps suitable for every activity

|                       |                                                                                                |  |  |  |  |  |  |  |
|-----------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                       |                                                                                                | Caving                                                                              | Ski Touring                                                                         | Mountaineering                                                                      | Trail Running and Endurance                                                         | Day hiking                                                                          | Camping                                                                             | Hunting and fishing                                                                 |
| PERFORMANCE Headlamps |                                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DUO RL                |             | ★ ★ ★                                                                               |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DUO S                 |             | ★ ★ ★                                                                               |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| NAO® RL               |             |                                                                                     | ★                                                                                   | ★                                                                                   | ★ ★ ★                                                                               |                                                                                     |                                                                                     |                                                                                     |
| SWIFT® RL             |  NEW 2026   |                                                                                     | ★ ★ ★                                                                               | ★ ★ ★                                                                               | ★                                                                                   | ★                                                                                   |                                                                                     |                                                                                     |
| SWIFT® RL CLASSIC     |  NEW 2026   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| ADVANCED Headlamps    |                                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| IKO® CORE             |            |                                                                                     |                                                                                     |                                                                                     | ★ ★ ★                                                                               | ★                                                                                   | ★                                                                                   |                                                                                     |
| IKO®                  |           |                                                                                     |                                                                                     |                                                                                     | ★ ★ ★                                                                               | ★                                                                                   | ★                                                                                   |                                                                                     |
| ARIA® 2R RGB          |           |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ★                                                                                   | ★                                                                                   | ★ ★ ★                                                                               |
| ACTIK® CORE           |           |                                                                                     |                                                                                     | ★ ★ ★                                                                               | ★                                                                                   | ★ ★ ★                                                                               |                                                                                     |                                                                                     |
| ACTIK®                |           |                                                                                     |                                                                                     | ★                                                                                   | ★                                                                                   | ★ ★ ★                                                                               |                                                                                     |                                                                                     |
| SWIFT® LT             |  NEW 2026 |                                                                                     |                                                                                     |                                                                                     | ★                                                                                   | ★ ★ ★                                                                               | ★ ★ ★                                                                               |                                                                                     |
| DISCOVER Headlamps    |                                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| ARIA® 1R RGB          |           |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ★                                                                                   | ★                                                                                   | ★ ★ ★                                                                               |
| TIKKA® CORE           |           |                                                                                     |                                                                                     |                                                                                     | ★                                                                                   | ★ ★ ★                                                                               | ★ ★ ★                                                                               |                                                                                     |
| TIKKA®                |           |                                                                                     |                                                                                     |                                                                                     | ★                                                                                   | ★ ★ ★                                                                               | ★ ★ ★                                                                               |                                                                                     |
| TIKKINA®              |           |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ★                                                                                   | ★ ★ ★                                                                               |                                                                                     |
| TIKKID®               |           |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ★ ★ ★                                                                               |                                                                                     |
| e+LITE®               |           | Emergency headlamp                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |

★ ★ ★ Designed for / ★ Suited for



From the simplest of tasks to the most demanding sports, Petzl headlamps meet your needs and let you choose from a wide range of brightness levels.





Summary

| ANSI/PLATO FL 1       |                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                       |                                                                                     |  |  |  |  |  |  |  |  |  |  |
| PERFORMANCE Headlamps |                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| DUO RL                |    | ●                                                                                 |                                                                                   | ●                                                                                 | 2800 lm                                                                           | 255 m - 771 ft                                                                    | 72 h                                                                              | ●                                                                                  | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| DUO S                 |    |                                                                                   | ●                                                                                 |                                                                                   | 1100 lm                                                                           | 200 m - 656 ft                                                                    | 23 h                                                                              | ●                                                                                  | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| NAO® RL               |    | ●                                                                                 |                                                                                   | ●                                                                                 | 1500 lm                                                                           | 200 m - 656 ft                                                                    | 80 h                                                                              | ●                                                                                  | ●                                                                                   | ●                                                                                   |                                                                                     |
| SWIFT® RL             |    | ●                                                                                 |                                                                                   | ●                                                                                 | 1200 lm                                                                           | 155 m - 505 ft                                                                    | 100 h                                                                             | ●                                                                                  |                                                                                     | ●                                                                                   |                                                                                     |
| SWIFT® RL CLASSIC     |    |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| ADVANCED Headlamps    |                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| IKO® CORE             |   | ●                                                                                 |                                                                                   |                                                                                   | 500 lm                                                                            | 100 m - 328 ft                                                                    | 100 h                                                                             | ●                                                                                  | ●                                                                                   | ●                                                                                   |                                                                                     |
| IKO®                  |  | ●                                                                                 |                                                                                   |                                                                                   | 350 lm                                                                            | 80 m - 262 ft                                                                     | 100 h                                                                             | ●                                                                                  | ●                                                                                   | ●                                                                                   |                                                                                     |
| ARIA® 2 RGB           |  | ●                                                                                 |                                                                                   |                                                                                   | 625 lm                                                                            | 115 m - 377 ft                                                                    | 100 h                                                                             | ●                                                                                  | ●                                                                                   | ●                                                                                   |                                                                                     |
| ACTIK® CORE           |  | ●                                                                                 |                                                                                   |                                                                                   | 625 lm                                                                            | 115 m - 377 ft                                                                    | 100 h                                                                             | ●                                                                                  | ●                                                                                   | ●                                                                                   |                                                                                     |
| ACTIK®                |  | ●                                                                                 |                                                                                   |                                                                                   | 450 lm                                                                            | 100 m - 328 ft                                                                    | 100 h                                                                             | ●                                                                                  | ●                                                                                   | ●                                                                                   |                                                                                     |
| SWIFT® LT             |  | ●                                                                                 |                                                                                   |                                                                                   | 380 lm                                                                            | 70 m - 230 ft                                                                     | 60 h                                                                              | ●                                                                                  | ●                                                                                   |                                                                                     |                                                                                     |
| DISCOVER Headlamps    |                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| ARIA® 1R RGB          |  | ●                                                                                 |                                                                                   |                                                                                   | 475 lm                                                                            | 75 m - 246 ft                                                                     | 110 h                                                                             | ●                                                                                  | ●                                                                                   |                                                                                     |                                                                                     |
| TIKKA® CORE           |  | ●                                                                                 |                                                                                   |                                                                                   | 450 lm                                                                            | 75 m - 246 ft                                                                     | 110 h                                                                             | ●                                                                                  | ●                                                                                   |                                                                                     |                                                                                     |
| TIKKA®                |  | ●                                                                                 |                                                                                   |                                                                                   | 350 lm                                                                            | 70 m - 230 ft                                                                     | 110 h                                                                             | ●                                                                                  | ●                                                                                   |                                                                                     |                                                                                     |
| TIKKINA®              |  | ●                                                                                 |                                                                                   |                                                                                   | 300 lm                                                                            | 65 m - 213 ft                                                                     | 100 h                                                                             | ●                                                                                  | ●                                                                                   |                                                                                     |                                                                                     |
| TIKKID®               |  | ●                                                                                 |                                                                                   |                                                                                   | 20 lm                                                                             | 7 m - 23 ft                                                                       | 110 h                                                                             |                                                                                    | ●                                                                                   |                                                                                     |                                                                                     |
| e+LITE®               |  | ●                                                                                 |                                                                                   |                                                                                   | 40 lm                                                                             | 15 m - 49 ft                                                                      | 9 h 30                                                                            |                                                                                    | ●                                                                                   |                                                                                     |                                                                                     |


|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     | ●                                                                                   |                                                                                     | ●<br>WALL                                                                           |                                                                                     | IP67                                                                                | 390 g<br>13.7 oz                                                                    |
|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ●                                                                                   | ●                                                                                   |                                                                                     | ●<br>WALL                                                                           |                                                                                     | IP67                                                                                | 370 g<br>13.1 oz                                                                    |
|                                                                                     |                                                                                     |                                                                                     | ●                                                                                   | ●                                                                                   |                                                                                     |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     | ●<br>USB-C                                                                          |                                                                                     | IPX4                                                                                | 145 g<br>5 oz                                                                       |
| ●                                                                                   |                                                                                     | ●<br>RED                                                                            |                                                                                     | ●                                                                                   |                                                                                     |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     | ●<br>USB-C                                                                          |                                                                                     | IPX4                                                                                | 92 g<br>3.2 oz<br>95 g<br>3.3 oz                                                    |
|                                                                                     |                                                                                     |                                                                                     |                                                                                     | ●                                                                                   | ●                                                                                   |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     | ●<br>Micro USB                                                                      |                                                                                     | IPX4                                                                                | 79 g<br>2.8 oz                                                                      |
|                                                                                     |                                                                                     |                                                                                     |                                                                                     | ●                                                                                   | ●                                                                                   |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     |                                                                                     | 3 x AAA LR03                                                                        | IPX4                                                                                | 90 g<br>3.2 oz                                                                      |
| ●                                                                                   | ●                                                                                   | ●<br>RGB                                                                            |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     | ●<br>USB-C                                                                          |                                                                                     | IP67                                                                                | 95 g<br>3.7 oz                                                                      |
| ●                                                                                   |                                                                                     | ●<br>RED                                                                            |                                                                                     | ●                                                                                   | ●                                                                                   |                                                                                     |                                                                                     | ●                                                                                   | ●                                                                                   | ●<br>USB-C                                                                          |                                                                                     | IPX4                                                                                | 88 g<br>3.1 oz                                                                      |
| ●                                                                                   |                                                                                     | ●<br>RED                                                                            |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     |                                                                                     | ●                                                                                   | ●                                                                                   |                                                                                     | 3 x AAA LR03                                                                        | IPX4                                                                                | 98 g<br>3.45 oz                                                                     |
| ●                                                                                   |                                                                                     | ●<br>RED                                                                            |                                                                                     | ●                                                                                   |                                                                                     |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     | ●<br>USB-C                                                                          |                                                                                     | IPX4                                                                                | 43 g<br>1,5 oz                                                                      |
| ●                                                                                   | ●                                                                                   | ●<br>RGB                                                                            |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     | ●<br>USB-C                                                                          |                                                                                     | IP67                                                                                | 94 g<br>3.7 oz                                                                      |
| ●                                                                                   |                                                                                     | ●<br>RED                                                                            |                                                                                     | ●                                                                                   | ●                                                                                   |                                                                                     |                                                                                     | ●                                                                                   | ●                                                                                   | ●<br>USB-C                                                                          |                                                                                     | IPX4                                                                                | 84 g<br>2.96 oz                                                                     |
| ●                                                                                   |                                                                                     | ●<br>RED                                                                            |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     |                                                                                     | ●                                                                                   | ●                                                                                   |                                                                                     | 3 x AAA LR03                                                                        | IPX4                                                                                | 94 g<br>3.3 oz                                                                      |
|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | 3 x AAA LR03                                                                        | IPX4                                                                                | 92 g<br>3.2 oz                                                                      |
|                                                                                     |                                                                                     | ●<br>WHITE                                                                          |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     | 3 x AAA LR03                                                                        | IPX4                                                                                | 80 g<br>2.8 oz                                                                      |
| ●                                                                                   |                                                                                     | ●<br>WHITE /RED                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ●                                                                                   |                                                                                     |                                                                                     | 2 x lithium CR2032                                                                  | IPX7                                                                                | 26 g<br>1 oz                                                                        |



Lighting performance as defined by the ANSI/PLATO FL 1 protocol

Petzl has chosen to comply with the ANSI (American National Standards Institute) protocol to measure and demonstrate the lighting performance and burn times of our headlamps. This voluntary move allows users to easily compare the lighting performance and water resistance of different headlamp models using standardized criteria.

Lighting Performance: How Is It Measured?



**Brightness** (lumens)  
This measurement is taken between 30 and 120 seconds after the headlamp is turned on. It indicates the maximum light output, when the lamp is first turned on, using new batteries.



**Burn time** (hours)  
This corresponds to the length of time during which lighting is optimal. It is measured 30 seconds after the lamp is turned on and for as long as the lamp takes to drop to 10% of maximum light output.



**Lighting distance** (meters)  
This is the maximum distance between the lamp and the location where only 0.25 lux of illumination remains. The measurement is taken when the lamp is turned on, using new batteries. Lighting distance depends directly on brightness, but mainly on the shape of the beam.



**Reserve lighting** (outside scope of ANSI/PLATO FL 1 protocol)  
In addition to these measures, Petzl offers reserve lighting. Reserve lighting provides a minimum light level for walking. However, the light may not be sufficient for fast-paced activities (such as running, mountain biking, or skiing).

Water resistance:  
What are the IP ratings of Petzl headlamps?

A headlamp's resistance to solids and/or liquids is indicated by its IP rating. This index classifies the level of protection offered by equipment against intrusions by solids (e.g. dust) and liquids (e.g. water, oil).



**IPX4**  
Rating complies with the majority of headlamp uses, in rain, snow, or humidity. All Petzl headlamps are at least IPX4 rated (weather resistant).



**IP67**  
Rating indicates the headlamp is dustproof and waterproof in up to 1 meter of fresh water for 30 minutes. DUO RL, DUO S, ARIA 2R RGB, and ARIA 1R RGB headlamps are rated IP67.




**IPX7**  
Rating indicates the headlamp is waterproof in up to 1 meter of fresh water for 30 minutes. The e+LITE headlamp is IPX7 rated.

Optimizing Headlamp Performance With Different Lighting Levels

Petzl headlamps are designed to meet your needs for burn time and/or brightness. The choice is easy, with three brightness levels that correspond to the type of activity (except DUO headlamps):

- For a shorter activity requiring brightness, choose the MAX POWER level, which maximizes lumens over the first few hours
- For a longer activity requiring good burn time management, the STANDARD level, which offers a lumen/time balance
- For an activity requiring little movement (reading, camping), choose MAX BURN TIME, which optimizes battery life and provides moderate lighting for a longer time




Example of table that provides performance information on headlamp packaging:

| STANDARD LIGHTING | ANSI/PLATO FL 1 | RESERVE |
|-------------------|-----------------|---------|
|                   | 7 lm            | 10 m    |
|                   | 100 lm          | 60 m    |
|                   | 625 lm          | 115 m   |
|                   | 100 h           | 7 h     |
|                   | 2 h             | 2 h     |

Environmentally Responsible Lighting

From the first stages of headlamp design to the product launch date, at Petzl, we're committed to limiting our environmental impact.



Eco-Design

As of 2025, headbands and storage pouches for the TIKKINA, TIKKA, ACTIK, and ARIA are made with 100% recycled materials.

Repairability

All our rechargeable headlamps (except the SWIFT LT) have a removable battery that can easily be replaced to prolong the life of the headlamp. Most of our headbands can be removed and are available as spare parts to easily replace the old ones.

Objective: Zero Plastic

At Petzl, we're committed to totally eliminating single-use plastics from our packaging. Since 2021, we've reduced their use in our headlamp packaging by 93%.

Waste Reduction


In order to reduce waste, we are no longer including charging cables with new TIKKINA, TIKKA, ACTIK, ARIA and SWIFT LT headlamps.



Petzl Technologies — A Step Ahead




Hybrid Headlamps: Choose the Power Source That Meets Your Needs



The HYBRID CONCEPT design allows Petzl's compact headlamps to run on either the CORE rechargeable battery or three AAA/LR03 batteries without an adapter

- The CORE rechargeable battery is a long-lasting, economical solution for frequent and/or intensive use
- AAA/LR03 batteries offer a very long burn time and are ideal for occasional use
- IKO CORE, IKO, ACTIK CORE, ACTIK, ARIA 2R RGB, ARIA 1R RGB, TIKKA CORE, TIKKA, TIKKINA and TIKKID headlamps are built with the HYBRID CONCEPT design




Reduced environmental impact

The entire lifespan of a CORE rechargeable battery is equivalent to that of 900 standard batteries.



Beyond Power... Intelligence




This exclusive technology developed by Petzl instantly provides the right lighting at the right time

Featuring a light sensor and an accelerometer, the lamp is able to automatically adapt the lighting level. Burn time is optimized so you can remain focused on the activity. REACTIVE LIGHTING technology offers:

- Visual comfort with less manual operation
- Longer burn time and optimized energy consumption help limit environmental impact

DUO RL, NAO RL, SWIFT RL and SWIFT RL CLASSIC headlamps include this technology.



The Brightness You Need, Guaranteed

The minimum brightness level varies according to the intensity of the activity.



MAX BRIGHTNESS

Brightness is the total quantity of light emitted by a lamp. It is expressed in lumens. The greater the quantity of light, the better you see. The value indicated is that of the most powerful lighting level.



MAX DISTANCE

Lighting distance is linked to brightness and beam shape. It is expressed in meters and indicates the range of usable lighting. The value indicated is the maximum value.



MAX BURN TIME

Burn time expresses the length of time a headlamp functions with power sufficient for carrying out an activity. It is expressed in hours. The value indicated is the maximum value.



RESERVE

Reserve lighting provides a minimum light level for walking. However, the light may not be sufficient for fast-paced activities (such as running, mountain biking, or skiing).



LARGE

Wide beam designed for proximity lighting, to see up close or around your feet. The wide angle provides a very large and comfortable field of view.



MIXED

Mixed beam consists of a wide beam and a focused component, allowing both proximity lighting and longer-range vision for moving around.



FOCUSED

Focused beam allows focused lighting on a target in order to see objects or people at a distance.



RED LIGHTING

Red lighting for more comfortable night vision. This lighting allows good vision without blinding the user or members of a group.



RGB LIGHTING

Red, green, and blue lighting allows the user to better see contrasts within the lit object in certain situations (useful when reading a map, hunting, or fishing).



WHITE / RED STROBE

Red and/or white strobe lighting allows you to signal and be more easily located, for example in an emergency.



RED SIGNAL

Rear red lighting on the rechargeable battery to signal your presence.



REFLECTIVE COMPONENT

Reflective components for night visibility.



LOCK UNLOCK

LOCK function to avoid accidentally turning it on during transit or storage.



RECHARGEABLE

Petzl headlamps that work with rechargeable batteries.



BATTERIES INCLUDED

Petzl headlamps that work with regular batteries (included).



IP INGRESS PROTECTION

The IP rating on a headlamp indicates the degree to which it is waterproof and dustproof.



WEIGHT

The weight indicated is that of the headlamp with its energy source (regular or rechargeable batteries).



GLOW IN THE DARK

The energy stored by the reflector surrounding an LED is released in the form of a phosphorescent glow. This glow allows a headlamp that is turned off to be found, even in the dark.





PERFORMANCE Headlamps

SWIFT® RL NEW 2026

Ultra-powerful and rechargeable multi-beam headlamp with an ultra-thin headband and REACTIVE LIGHTING technology. 1200 lumens

Casting 1200 lumens and weighing 92 g, the SWIFT RL is the headlamp for all your most committing after-dark adventures! Using REACTIVE LIGHTING technology, a sensor analyzes the ambient light and automatically adjusts brightness to your needs. Ultra-thin and easy to adjust, the headlamp is almost unnoticeable when worn and provides an optimal fit for dynamic and committing activities, like mountaineering or skiing. Switch to red lighting when you need it, with a strobe or continuous beam. It's also rechargeable, so it's ready to light the way on any excursion under the stars.



Reactive LIGHTING



Also available with the wide CLASSIC headband (SWIFT® RL CLASSIC)



- **Ultra-powerful and intelligent headlamp**
  - Excellent weight-to-power ratio: 1200 lumens and 92 g
  - 1200 lumens allows you to see up to 155 meters away
  - Choose from two lighting modes: REACTIVE LIGHTING or STANDARD LIGHTING
  - Longer burn time, greater visual comfort, and less manual operation with REACTIVE LIGHTING mode, which uses an ambient light sensor to automatically adjust brightness and beam pattern, optimizing battery usage
  - Designed to power through long activities with a minimum 7-hour burn time at medium brightness in REACTIVE LIGHTING mode
  - 6-second BOOST mode activates with a quick double tap on the side of the lamp to help you navigate the terrain on your route
- **Ultra-thin, comfortable, and modular headband:**
  - Split construction headband (Petzl patent) is easy to adjust and provides optimal support when you're running or skiing
  - Comfort foam can be removed to decrease weight and increase air flow depending on your needs
  - Headband with reflective cord helps you remain visible, even in low light
  - Made entirely with recycled materials and can be removed, washed, and replaced
- **Designed for dynamic outdoor activities:**
  - Mixed beam provides comfortable, high-performance lighting for outdoor activities: proximity or distance vision
  - Continuous or strobe red lighting option depending on your needs
  - Battery performs well at low temperatures, maintaining 90% of burn time in temperatures as cold as -5° C
- **Simple to use:**
  - Single button controls all functions: ON/OFF, lighting modes, brightness, and locking
  - The SHELL LT ultra-light storage pouch can be used to turn it into a lantern
  - LOCK function prevents the lamp from turning on during transit or storage
  - R2250 battery is rechargeable via USB-C port (charging cable not included) and has a battery charge indicator
  - Five-level gauge for precise monitoring of the battery charge level
- **Repairability:** Headband, pouch, and battery are available as spare parts to help extend headlamp lifespan



The light sensor instantly adjusts brightness and beam pattern based on ambient light, optimizing battery use. Longer burn time, greater visual comfort, and reduced manual operation.



It is rechargeable (via USB-C) and features a five-level gauge for precise monitoring of the battery charge level.

Product Specifications

- Brightness: 1200 lumens (ANSI FL 1 STANDARD)
- Weight: 92 g
- Technology: REACTIVE LIGHTING or STANDARD LIGHTING
- Beam pattern: mixed
- Power: lithium-ion 2250 mAh battery (included), rechargeable with USB-C port
- Charging time: 5 h
- Water resistance: IPX4 (weather resistant)
- Certification: CE

Spare Parts

R2250 E092DC00  
SWIFT RL Headband E092EC00  
SWIFT RL CLASSIC Headband E092EB00  
SHELL LT E075AA00

Accessories

NOCTILIGHT E093DA00  
HELMET ADAPT E073AA00  
BIKE ADAPT 2 E074AA00  
UNI ADAPT E000BA00

Specifications by Reference

SWIFT RL available in three colors:

- BLACK/ORANGE E095BC00
- WHITE E095BC01
- JUNGLE GREEN E095BC02


SWIFT RL CLASSIC available in BLACK E095BD00  
Specifications page 110



|                                                                                                                                                                                | Reference                                                                                    | Version      | Weight |  MAX BRIGHTNESS |  MAX DISTANCE |  MAX BURN TIME | Made in | Case quantity | EAN code      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------------|--------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------|---------------|---------------|
| <b>DUO RL</b><br>Ultra-powerful, waterproof, and rechargeable headlamp featuring REACTIVE LIGHTING technology. 2800 lumens                                                     |  E103AA00   | BLACK/YELLOW | 390 g  | 2800 lm                                                                                          | 255 m                                                                                          | 72 h                                                                                             | FR      | 10            | 3342540828926 |
| <b>DUO S</b><br>Ultra-powerful, waterproof and rechargeable headlamp, featuring Petzl's FACE2FACE anti-glare function. 1100 lumens                                             |  E80CHR     | BLACK/YELLOW | 370 g  | 1100 lm                                                                                          | 200 m                                                                                          | 23 h                                                                                             | MY      | 6             | 3342540105843 |
|                                                                                                                                                                                | E80CHR UK                                                                                    |              |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540820814 |
| <b>NAO® RL</b><br>Ergonomic, ultra-powerful, and rechargeable headlamp featuring REACTIVE LIGHTING technology. 1500 lumens                                                     |  E105AA00  | BLACK        | 145 g  | 1500 lm                                                                                          | 200 m                                                                                          | 80 h                                                                                             | HU      | 22            | 3342540838215 |
| <b>NEW 2026</b><br><br><b>SWIFT® RL</b><br>Ultra-powerful and rechargeable multi-beam headlamp with an ultra-thin headband and REACTIVE LIGHTING technology. 1200 lumens       |  E095BC00 | BLACK/ORANGE |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540851917 |
|                                                                                                                                                                                |  E095BC01 | WHITE        | 92 g   | 1200 lm                                                                                          | 155 m                                                                                          | 100 h                                                                                            | HU      | -             | 3342540851924 |
|                                                                                                                                                                                |  E095BC02 | JUNGLE GREEN |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540851931 |
| <b>NEW 2026</b><br><br><b>SWIFT® RL CLASSIC</b><br>Ultra-powerful and rechargeable multi-beam headlamp with the CLASSIC headband and REACTIVE LIGHTING technology. 1200 lumens |  E095BD00 | BLACK        | 95 g   | 1200 lm                                                                                          | 155 m                                                                                          | 100 h                                                                                            | HU      | -             | 3342540851948 |



Night approach, Chamonix-Mont-Blanc, France © 2024 Petzl Distribution - Marc Daviet







Hiking, Dolomites, Italy © 2024 Petzl Distribution - Latouche

ADVANCED Headlamps

SWIFT® LT NEW/2026

Ultra-compact, lightweight, and rechargeable headlamp. 380 lumens

Featherweight lighting! Introducing the SWIFT LT, the ultra-lightweight (43 g) and compact headlamp that fits in the palm of your hand. Casting 380 lumens, it's your go-to for outdoor objectives where every gram counts, or to keep in the bottom of your pack. Enjoy three white lighting levels, as well as red light to keep from blinding those around you. The minimalist, yet functional headband design unites style and convenience. A reflective thread in the headband allows the user to remain visible under a variety of conditions. Its battery can conveniently be recharged via USB-C. Rain resistant (IPX4), you can use it every day, even in bad weather.



- **Designed for outdoor objectives where every gram counts:**
  - See and be seen with 380-lumen brightness
  - Wide, uniform beam so you can comfortably see up-close or around your feet
  - Three white lighting levels: MAX BURN TIME, STANDARD (better power/burn time balance), and MAX POWER
  - reflective thread over the entire headband makes the user visible even in low light
  - Lithium-ion 880 mAh battery, rechargeable via USB-C port (charging cable not included), with battery charge indicator
  - Battery charge indicator shows the battery level each time lamp is turned on or off
  - Rain resistant (IPX4)

- **Lightweight, compact, comfortable:**
  - Ultra-lightweight at just 43 g
  - Ultra-compact, it fits in the palm of your hand
  - The ultra-thin headband is compact, and breathable for dynamic activities; its ergonomic construction makes it easy to adjust and provides a stable and comfortable fit, plus it's made entirely from recycled materials and can be removed, washed, and replaced

- **Simple to use:**
  - Continuous red lighting to preserve night vision without blinding those around you, and strobe to signal your location, especially in emergency situations
  - LOCK function prevents the lamp from turning on during transit or storage
  - Headlamp can be tilted upward to see ahead when worn around the neck or tilted downward when worn on a helmet
  - Compatible with the HELMET ADAPT and BIKE ADAPT 2 mounts, so you can attach the lamp to a variety of helmet types or a bicycle (1)

- **Eco-design:** the headlamp is made of 50% recycled or biosourced materials


(1) WARNING: This lamp is not certified for road use: when used in areas subject to traffic regulations, Petzl lights are not a substitute for required standardized lights.



Ultra-lightweight and compact, it fits in the palm of your hand.



The thin band is compact and optimizes breathability. Its construction provides a fit that is both stable and comfortable.



The lamp can be tilted upward to see ahead when worn around the neck or tilted downward when worn on a helmet.

Product Specifications

- Brightness: 380 lumens (ANSI/PLATO FL 1)
- Weight: 43 g
- Beam pattern: Wide
- Power: 880 mAh rechargeable battery
- Certification: CE
- Water resistance: IPX4 (weather resistant)

Spare Parts

SWIFT LT Headband E102BB00

Accessories


SHELL LT E075AA00  
NOCTILIGHT E093DA00  
HELMET ADAPT E073AA00  
BIKE ADAPT 2 E074AA00  
UNI ADAPT E000BA00

Specifications by Reference

Available in three colors:

- BLACK E102AB00
- WHITE E102AB01
- DESERT/GREEN E102AB02

Specifications page 114






|                                                                                                                              | Reference                                                                                    | Version       | Weight |  MAX BRIGHTNESS |  MAX DISTANCE |  MAX BURN TIME | Made in | Case quantity | EAN code      |
|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------|--------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------|---------------|---------------|
| <b>IKO® CORE</b><br>Lightweight, ergonomic rechargeable headlamp with AIRFIT headband. 500 lumens                            |  E104BA00   | BLACK         | 79 g   | 500 lm                                                                                           | 100 m                                                                                          | 100 h                                                                                            | HU      | 20            | 3342540828704 |
| <b>IKO®</b><br>Lightweight, ergonomic headlamp with AIRFIT headband. 350 lumens                                              |  E104AA00   | BLACK         | 90 g   | 350 lm                                                                                           | 80 m                                                                                           | 100 h                                                                                            | HU      | 20            | 3342540828674 |
| <b>ARIA® 2R RGB</b><br>Waterproof, rechargeable, and powerful headlamp with white, red, green, and blue lighting. 625 lumens |  E070DA00   | BLACK         | 95 g   | 625 lm                                                                                           | 115 m                                                                                          | 100 h                                                                                            | MY      | 46            | 3342540850750 |
|                                                                                                                              |  E070DA01   | CAMO          |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540850767 |
|                                                                                                                              |  E070DA03 | BLUE          |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540850781 |
| <b>ACTIK® CORE</b><br>Powerful, rechargeable, and easy-to-use headlamp with red lighting. 625 lumens                         |  E065AB00 | BLACK         | 88 g   | 625 lm                                                                                           | 115 m                                                                                          | 100 h                                                                                            | FR      | 64            | 3342540846371 |
|                                                                                                                              |  E065AB01 | BLUE          |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540846388 |
|                                                                                                                              |  E065AB02 | RED           |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540846395 |
|                                                                                                                              |  E065AB03 | GREEN         |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540846401 |
| <b>ACTIK®</b><br>Powerful, easy-to-use headlamp with red lighting. 450 lumens                                                |  E063AB00 | BLACK         | 98 g   | 450 lm                                                                                           | 100 m                                                                                          | 100 h                                                                                            | FR      | 64            | 3342540846333 |
|                                                                                                                              |  E063AB01 | BLUE          |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540846340 |
|                                                                                                                              |  E063AB02 | RED           |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540846357 |
|                                                                                                                              |  E063AB03 | GREEN         |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540846364 |
| <b>SWIFT® LT</b><br>Ultra-light, rechargeable headlamp with red lighting. 380 lumens                                         |  E102AB00 | BLACK         | 43 g   | 380 lm                                                                                           | 70 m                                                                                           | 60 h                                                                                             | HU      | 112           | 3342540849228 |
|                                                                                                                              |  E102AB01 | WHITE         |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540849235 |
|                                                                                                                              |  E102AB02 | DESERT/ GREEN |        |                                                                                                  |                                                                                                |                                                                                                  |         |               | 3342540849242 |



Early bird start in the fog, Dolomites, Italy © 2024 Petzl Distribution - Lafouche








Hiking in the forest at night © 2024 Petzl Distribution - Vuedic.org

|                                                                                                                   |                                                                                       | Reference | Version | Weight |  MAX<br>BRIGHTNESS |  MAX<br>DISTANCE |  MAX<br>BURN TIME | Made in | Case<br>quantity | EAN code      |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------|---------|--------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|---------|------------------|---------------|
| <b>ARIA® 1R RGB</b><br>Waterproof and rechargeable headlamp with white, red, green, and blue lighting. 475 lumens |    | E069DB00  | BLACK   | 94 g   | 475 lm                                                                                                | 75 m                                                                                                | 110 h                                                                                                | MY      | 46               | 3342540850712 |
|                                                                                                                   |    | E069DB01  | CAMO    |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540850729 |
|                                                                                                                   |    | E069DB03  | BLUE    |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540850743 |
| <b>TIKKA® CORE</b><br>Rechargeable, compact, easy-to-use headlamp with red lighting. 450 lumens                   |    | E067AB00  | BLACK   | 84 g   | 450 lm                                                                                                | 75 m                                                                                                | 110 h                                                                                                | MY      | 64               | 3342540847026 |
|                                                                                                                   |    | E067AB01  | BLUE    |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540847033 |
|                                                                                                                   |    | E067AB02  | BROWN   |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540847040 |
|                                                                                                                   |    | E067AB03  | WHITE   |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540847057 |
| <b>TIKKA®</b><br>Compact, easy-to-use headlamp with red lighting. 350 lumens                                      |    | E061AB00  | GRAY    | 94 g   | 350 lm                                                                                                | 70 m                                                                                                | 110 h                                                                                                | MY      | 64               | 3342540847163 |
|                                                                                                                   |    | E061AB01  | BLUE    |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540847170 |
|                                                                                                                   |  | E061AB02  | BROWN   |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540847187 |
|                                                                                                                   |  | E061AB03  | YELLOW  |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540847194 |
| <b>TIKKINA®</b><br>Compact, easy-to-use headlamp. 300 lumens                                                      |  | E060AB00  | BLACK   | 92 g   | 300 lm                                                                                                | 65 m                                                                                                | 100 h                                                                                                | MY      | 64               | 3342540847125 |
|                                                                                                                   |  | E060AB01  | BLUE    |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540847132 |
|                                                                                                                   |  | E060AB02  | GREEN   |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540847149 |
|                                                                                                                   |  | E060AB03  | RED     |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540847156 |
| <b>TIKKID®</b><br>Compact headlamp for children 3 years and older. 20 lumens                                      |  | E091BA00  | BLUE    | 80 g   | 20 lm                                                                                                 | 7 m                                                                                                 | 110 h                                                                                                | MY      | 50               | 3342540819771 |
|                                                                                                                   |  | E091BA01  | PINK    |        |                                                                                                       |                                                                                                     |                                                                                                      |         |                  | 3342540819788 |
| <b>DISPLAY 12 TIKKID®</b><br>Display box containing twelve TIKKID headlamps (six of each color)                   |  | E091CA00  | -       | 1900 g | 20 lm                                                                                                 | 7 m                                                                                                 | 110 h                                                                                                | MY      | 1                | 3342540819795 |
| <b>e+LITE®</b><br>Ultra-compact emergency headlamp. 40 lumens                                                     |  | E02 P4    | BLACK   | 26 g   | 40 lm                                                                                                 | 15 m                                                                                                | 9h30                                                                                                 | MY      | 135              | 3342540815643 |






## Compatibility

| Compatibility         |                                                                                              | NOCTILIGHT                                                                          | SHELL L                                                                             | SHELL LT                                                                            | CORE<br>(1250 mAh)                                                                    | R1<br>(3200 mAh)                                                                    | R2250<br>NEW 2026<br>(2250 mAh)                                                     |
|-----------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                       |                                                                                              |    |    |    |    |  |  |
| PERFORMANCE Headlamps |                                                                                              |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                     |                                                                                     |
| DUO RL                |             |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                     |                                                                                     |
| DUO S                 |             |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                     |                                                                                     |
| NAO® RL               |             |                                                                                     |                                                                                     |                                                                                     |                                                                                       |  |                                                                                     |
| SWIFT® RL             | NEW 2026    |    |                                                                                     |    |                                                                                       |                                                                                     |  |
| SWIFT® RL CLASSIC     | NEW 2026    |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                     |                                                                                     |
| ADVANCED Headlamps    |                                                                                              |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                     |                                                                                     |
| IKO® CORE             |            |                                                                                     |                                                                                     |  |  |                                                                                     |                                                                                     |
| IKO®                  |           |                                                                                     |                                                                                     |  |  |                                                                                     |                                                                                     |
| ARIA® 2R RGB          |           |  |  |  |  |                                                                                     |                                                                                     |
| ACTIK® CORE           |           |  |  |  |  |                                                                                     |                                                                                     |
| ACTIK®                |           |  |  |  |  |                                                                                     |                                                                                     |
| SWIFT® LT             | NEW 2026  |  |  |  |                                                                                       |                                                                                     |                                                                                     |
| DISCOVER Headlamps    |                                                                                              |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                     |                                                                                     |
| ARIA® 1R RGB          |           |  |  |  |  |                                                                                     |                                                                                     |
| TIKKA® CORE           |           |  |  |  |  |                                                                                     |                                                                                     |
| TIKKA®                |           |  |  |  |  |                                                                                     |                                                                                     |
| TIKKINA®              |           |  |  |  |  |                                                                                     |                                                                                     |
| TIKKID®               |           |  |  |  |  |                                                                                     |                                                                                     |
| e+LITE®               |           |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                     |                                                                                     |

[illegible]

● Compatible, included with headlamp / ● Compatible





Headlamp Accessories

R2250 NEW 2026

Rechargeable battery compatible with SWIFT RL and SWIFT RL CLASSIC headlamps

The R2250 lithium-ion rechargeable battery provides excellent lighting performance for SWIFT RL and SWIFT RL CLASSIC headlamps, even at low temperatures. It charges via USB-C port and has a charging indicator light.



Easy to charge via USB-C port, with charge indicator on the battery

Product Specifications

- Weight: 42 g
- Technology: lithium-ion
- Capacity: 2250 mAh
- Number of charging cycles: 300
- Charging time: 5 h
- Certification: CE

Specifications by Reference

R2250 E092DC00  
Specifications page 121

- Lithium-ion 2250 mAh rechargeable battery for the SWIFT RL headlamp
- Battery performs well at low temperatures, maintaining 90% of burn time in temperatures as cold as -5° C
- Easy to charge via USB-C port (charging cable not included)
- Compatible with SWIFT RL (E095BC00, E095BC01 and E095BC02) and SWIFT RL CLASSIC (E095BD00) headlamps
- Battery charge indicator light



|                                                                                                                       | Reference                                                                                      | Weight | Specifics                                                                                                                                                                  | Made in | Case quantity | EAN code      |
|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------------|---------------|
| Headlamp Accessories                                                                                                  |                                                                                                |        |                                                                                                                                                                            |         |               |               |
| <b>NOCTILIGHT</b><br>Protective carrying case for Petzl's compact headlamps that diffuses light in lantern mode       |  E093DA00   | 85 g   | -                                                                                                                                                                          | CN      | 72            | 3342540817586 |
| <b>SHELL LT</b><br>Headlamp storage and transport pouch                                                               |  E075AA00   | 5 g    | Guarantee: 3 years                                                                                                                                                         | CN      | 468           | 3342540838963 |
| <b>SHELL L</b><br>Pouch for compact headlamps                                                                         |  E93990     | 41 g   | -                                                                                                                                                                          | CN      | 60            | 3342540081628 |
| <b>CORE</b><br>Rechargeable battery compatible with Petzl headlamps featuring the HYBRID CONCEPT design               |  E099EB00   | 23 g   | - Certification: CE<br>- 1250 mAh lithium-ion rechargeable battery (charging cable not included)<br>- Charging time: 3.5 h<br>- Water resistance: IPX4 (weather resistant) | CN      | 32            | 3342540847095 |
| <b>R1</b><br>Rechargeable battery for the NAO RL headlamp                                                             |  E037AA00 | 80 g   | - USB-C<br>- Capacity: 3200 mAh                                                                                                                                            | CN      | 100           | 3342540838222 |
| <span>NEW 2026</span><br><b>R2250</b><br>Rechargeable battery compatible with SWIFT RL and SWIFT RL CLASSIC headlamps |  E092DC00 | 42 g   | - USB-C<br>- Capacity: 2250 mAh                                                                                                                                            | CN      | -             | 3342540851955 |
| <b>R2</b><br>Rechargeable battery for DUO RL and DUO S headlamps                                                      |  E103CA00 | 168 g  | - Quick wall charger<br>- Capacity: 3200 mAh                                                                                                                               | CN      | 30            | 3342540839564 |
| <b>HELMET ADAPT</b><br>Adhesive plate for mounting a headlamp on a helmet                                             |  E073AB00 | 20 g   | Guarantee: 3 years                                                                                                                                                         | MY      | 175           | 3342540850149 |
| <b>Mount for Caving Helmet</b><br>Front and rear plates for mounting DUO headlamps on caving helmets                  |  E55940   | 40 g   | -                                                                                                                                                                          | FR      | 12            | 3342540089440 |









| Produit                              | Reference                              | Page   |
|--------------------------------------|----------------------------------------|--------|
| 8003                                 | C05 1N/2N                              | 29     |
| A                                    |                                        |        |
| ACTIK®                               | E063AB00/1/2/3                         | 114    |
| ACTIK® CORE                          | E065AB00/1/2/3                         | 114    |
| ADAM                                 | T001AA00/1/2/3/4<br>T001AA05/6/7/8/9   | 92     |
| ADJAMA                               | C022CA00/1/2/3                         | 28     |
| ALCANADRE CLUB 30                    | S064AA00                               | 89     |
| ALCANADRE GUIDE 45                   | S064BA00                               | 89     |
| ALTITUDE®                            | C019BA00/1/2                           | 28     |
| Am'D                                 | M34A SL/BL/RL                          | 53     |
| AMPOULE BAT'INOX                     | G103AA00                               | 84     |
| AMPOULE COLLINOX                     | G101AA00                               | 84     |
| ANGE                                 | M056AA00/1/2/3/4/5/6                   | 50     |
| ANGE FINESSE                         | M057AB00/01                            | 52, 55 |
| ANGE carabiners - 6 pack             | M056AA07                               | 54     |
| ANNEAU                               | C40A 60/80/120/150                     | 85     |
| ANTISNOW DART                        | U001DA00                               | 68     |
| ANTISNOW LEOPARD                     | T01A AS                                | 68     |
| ANTISNOW LYNX®                       | U020AA00                               | 68     |
| AQUILA                               | C037BA00/1/2/3                         | 28     |
| ARIA 1R RGB                          | E069DB00/1                             | 117    |
| ARIA 2R RGB                          | E070DA00/1/3                           | 114    |
| ARIAL® 9.5 mm                        | R34AC 060/070/080<br>R34AD 060/070/080 | 45     |
| ASCENSION                            | B17ALA B17ARA                          | 73     |
| ATTACHE                              | M038AA00/1                             | 53     |
| ATTACHE BAR                          | M038CA00                               | 53     |
| AVEN                                 | C013AA00/1                             | 31     |
| AXESS                                | C041BA00/1/2                           | 55     |
| B                                    |                                        |        |
| Bag for NEST litter                  | S062AA00                               | 90     |
| BACK FLEX                            | U018AA00                               | 67     |
| BACK LEVER                           | U017AA00                               | 67     |
| BANDI                                | S038BB00/1/2/3/4                       | 88     |
| BAR                                  | M029AA00                               | 55     |
| BARRETTES                            | T03A BA                                | 67     |
| BASIC                                | B18BAA                                 | 73     |
| BAT'INOX                             | G102AA00                               | 84     |
| BIKE ADAPT 2                         | E074AA00                               | 122    |
| BOLTBAG                              | C11 A                                  | 85     |
| BONGO                                | P27                                    | 85     |
| BOREA®                               | A048AB00/1/2                           | 35     |
| BOREO®                               | A042VA00/1/2/3/4/5/6<br>A042VA07/8/9   | 35     |
| BOREO® CAVING                        | A042SA02/3                             | 35     |
| BUG                                  | S073AB00/1/2                           | 87, 88 |
| C                                    |                                        |        |
| CANYON CLUB                          | C086AA00                               | 31     |
| CANYON GUIDE                         | C086BA00/1                             | 31     |
| CARITOOL                             | P42                                    | 31     |
| CARITOOL EVO                         | P043AB00                               | 31     |
| CARNET                               | S90, S91                               | 91     |
| CAVING LINE 7 mm                     | R041AA00                               | 47     |
| CEINTURE                             | C010AA00/1                             | 92     |
| CLASSIQUE 22                         | C03 2                                  | 89     |
| CLUB 10 mm                           | R39AO 040/060/070<br>R39AW 040         | 46     |
| CLUB + 10 mm                         | R039AA00/1/2/3                         | 46     |
| COEUR BOLT STAINLESS                 | P36BS 10/12                            | 83     |
| COEUR PULSE                          | G037BA00                               | 84     |
| COEUR STAINLESS                      | P36AS 10/12                            | 83     |
| COLLINOX                             | G100AA00                               | 84     |
| Comfort foam for CANYON CLUB harness | C086FA00                               | 31     |

| Produit                                  | Reference                                        | Page |
|------------------------------------------|--------------------------------------------------|------|
| CONGA® 8.0 mm                            | R42AB 020/030                                    | 47   |
| CONNECT ADJUST                           | L034BA00                                         | 79   |
| CONTACT® 9.8 mm                          | R33AC 060/070/080<br>R33AD 060/070/080           | 45   |
| CONTACT® WALL 9.8 mm                     | R33AC 030<br>R33AD 040                           | 45   |
| CORAX                                    | C051AB00/1,<br>C051BB00/1,<br>C051CB00/1         | 29   |
| CORAX LT                                 | C052AB00/1/2/3/4<br>C052AB05/6/7/8/9             | 29   |
| CORAX LT WOMEN                           | C052BB00/1/2/<br>C052BB03/4/5/6/<br>C052BB07/8/9 | 29   |
| CORD-TEC pouch                           | U003BA00                                         | 69   |
| Cords                                    | R044AA00, R045AA00,<br>R046AA00, R047AA00        | 47   |
| CORE                                     | E099EB00                                         | 121  |
| CORDEX                                   | K52 SN/MN/LN/XLN/<br>XST/ST/MT/LT/XLT            | 90   |
| CORDEX PLUS                              | K53 SN/MN/LN/XLN/<br>XST/ST/MT/LT/XLT            | 90   |
| COUDEE                                   | G105AA00                                         | 84   |
| Countertop or wall display for headlamps | Z002AB01                                         | 123  |
| Cravate cross merchandising              | Z002AV01                                         | 123  |
| CROLL® L                                 | B016AA00                                         | 73   |
| CROLL® S                                 | B16BAA                                           | 73   |
| Cutaway sling for CANYON CLUB harness    | C086DA00                                         | 31   |
| Cutaway sling for CANYON GUIDE harness   | C086EA00                                         | 31   |
| D                                        |                                                  |      |
| D-LYNX                                   | T25                                              | 66   |
| DART                                     | U001AB00                                         | 66   |
| DART crampon front sections              | U001EA00                                         | 68   |
| DELTA                                    | P11                                              | 85   |
| DEMI ROND                                | P18                                              | 85   |
| DISPLAY 12 TIKKID®                       | E091CA00                                         | 117  |
| DJINN                                    | M060LA00, M060LB00,<br>M060LB01                  | 54   |
| DJINN AXESS                              | M060LC01/2/3/4                                   | 55   |
| DJINN AXESS carabiners - 6 pack          | M060LC05                                         | 55   |
| DRY                                      | U19 DRY                                          | 60   |
| DUAL CANYON CLUB                         | L086AC00                                         | 79   |
| DUAL CANYON GUIDE                        | L086BC00                                         | 79   |
| DUAL CAVING                              | L002AB00                                         | 79   |
| DUAL CONNECT ADJUST                      | L035CA00                                         | 79   |
| DUAL EVOLV ADJUST                        | L035DA00                                         | 79   |
| DUFFEL 65                                | S045AA02                                         | 89   |
| DUFFEL 85                                | S045AA03                                         | 89   |
| DUO HELMET                               |                                                  |      |
| ADAPT                                    | E103BB00                                         | 122  |
| DUO RL                                   | E103AA00                                         | 110  |
| DUO S                                    | E80CHR, E80CHR UK                                | 110  |
| E                                        |                                                  |      |
| e+LITE®                                  | E02 P4                                           | 117  |
| ELASTIC STRAP                            | U001CA00                                         | 69   |
| Equipment holder for CANYON CLUB harness | C086GA00                                         | 31   |
| ERGONOMIC                                | U022AA00                                         | 59   |
| EVE                                      | T002AA00/1/2/3                                   | 92   |
| EXPLO                                    | C027AA00                                         | 31   |
| EXPRESS                                  | C040CA00/1/2                                     | 55   |
| F                                        |                                                  |      |
| FAKIR pouch                              | V01                                              | 69   |

| Produit                              | Reference                         | Page   |
|--------------------------------------|-----------------------------------|--------|
| FIFI                                 | V12                               | 91     |
| FIL                                  | T03A FIL                          | 67     |
| FIL FLEX                             | U011AA00                          | 67     |
| FIL FLEX SMALL                       | U012AA00                          | 67     |
| FIL FLEX WIDE                        | U013AA00                          | 67     |
| FIL TELEMARK                         | T03600                            | 67     |
| FINESSE                              | C042AA00/1                        | 55     |
| FLEX                                 | T03A BS                           | 67     |
| Floor display for 48 sport headlamps | Z002AR01                          | 123    |
| FLY                                  | C002BA00/1/2                      | 32     |
| FIXE                                 | P05SO                             | 75     |
| FOOTAPE                              | C47A                              | 73     |
| FOOTCORD                             | C48A                              | 73     |
| FREELOCK                             | U81000                            | 60     |
| FREINO                               | M42                               | 54     |
| FREINO Z                             | M042AA00                          | 54     |
| G                                    |                                   |        |
| GEMINI                               | P66A                              | 75     |
| GLACIER                              | U025AA00/1/2/3                    | 59     |
| GLACIER LINKIN                       | U026AA00/1/2/3                    | 59     |
| GO 8 mm                              | P015AA00/1                        | 85     |
| GOUTTE D'EAU                         | P06 2                             | 91     |
| GRADISTEP                            | C08                               | 91     |
| GRIGRI®                              | D014BA00/1/2                      | 40     |
| GRIGRI® +                            | D015AA00/1/2                      | 39, 40 |
| GRIPREST                             |                                   |        |
| ERGONOMIC                            | U022CA00                          | 60     |
| GRIPREST NOMIC                       | U021DA00                          | 60     |
| GULLY                                | U014AA00, U014BA00                | 59     |
| H                                    |                                   |        |
| HELMET ADAPT                         | E073AB00                          | 121    |
| HIRUNDOS                             | C036BA00/1/2/3,<br>C036CA00/1/2/3 | 28     |
| HUIT                                 | D02                               | 40     |
| HUIT ANTIBRULURE                     | D01                               | 40     |
| I                                    |                                   |        |
| ICE                                  | U19 ICE                           | 60     |
| IKO®                                 | E104AA00                          | 114    |
| IKO® CORE                            | E104BA00                          | 114    |
| IRVIS®                               | U006AA00, U006BA00                | 66     |
| IRVIS® crampon front sections        | T03A AV                           | 68     |
| IRVIS® HYBRID                        | U031AA00                          | 66     |
| K                                    |                                   |        |
| KIT CORAX GRIGRI Sm'D                | K032AB00/1                        | 81     |
| KIT CORD-TEC                         | U001GA00                          | 69     |
| KIT SECOURS CREVASSE                 | K025AA00                          | 81     |
| KIT VIA FERRATA EASHOOK              | K029DD00/1                        | 81     |
| KIT VIA FERRATA VERTIGO              | K029CD00/1                        | 81     |
| KLIFF                                | S010AA00/1                        | 89     |
| L                                    |                                   |        |
| LASER                                | G050AA00/1/2                      | 83     |
| LASER PROTECTION                     | U024AA00                          | 83     |
| LASER SPEED                          | G051AA00/1/2/3                    | 83     |
| LASER SPEED LIGHT                    | G052AA00/1/2                      | 83     |
| LEOPARD                              | U004BA00, U004AA00                | 78     |
| LINKIN                               | U082AA00                          | 60     |
| LIVANOS                              | 65504, 65506<br>65508, 65510      | 84     |
| LOOPING                              | C25                               | 91     |
| LUNA                                 | C035CA00/1/2/3                    | 28     |
| LYNX®                                | U034AA00                          | 66     |
| LYNX® crampon front sections         | U023AA00                          | 68     |

| Produit                      | Reference                              | Page   |
|------------------------------|----------------------------------------|--------|
| LYNX® front point kit        | T24850                                 | 68     |
| M                            |                                        |        |
| MACCHU®                      | C015AB00/01                            | 27, 30 |
| MAILLON RAPIDE N° 5          | P49100                                 | 91     |
| MAMBO® 10.1 mm               | R32AC 050/060/070<br>R32AD 050/060/070 | 45     |
| MARTEAU                      | U19 MAR                                | 60     |
| MASSELOTTES                  | U021EA00                               | 60     |
| METEOR                       | A071AC00/1/2/3/4/5/6/7                 | 34, 35 |
| MICRO TRAXION                | P53                                    | 75     |
| MINI                         | P59A                                   | 75     |
| MINI MARTEAU                 | U021BA00                               | 60     |
| MINI TRAXION                 | P054AA00                               | 75     |
| Mount for caving helmet      | E55940                                 | 121    |
| Mount for Bicycle Handlebars | E55930                                 | 122    |
| MULTIHOOK                    | U002AA00                               | 83     |
| N                            |                                        |        |
| NANO TRAXION                 | P053AA00                               | 75     |
| NAO® RL                      | E105AA00                               | 110    |
| NEOX®                        | D016AA00/1/2                           | 40     |
| NEST                         | S061AA00                               | 90     |
| NOCTILIGHT                   | E093DA00                               | 121    |
| NOMIC                        | U021AA00                               | 59     |
| O                            |                                        |        |
| OCTO                         | U010AA00                               | 83     |
| OK                           | M33A SL/TL/BL                          | 53     |
| OMNI                         | M037AA00, M037BA00                     | 54     |
| OSCILLANTE                   | P02A                                   | 75     |
| OUISTITI                     | C068AA00                               | 34     |
| P                            |                                        |        |
| PANNE                        | U19 PAN                                | 60     |
| PANTIN®                      | B02CLA, B02CRA                         | 73     |
| PARTNER                      | P52A                                   | 75     |
| PASO® GUIDE 7.7 mm           | R22BG 050/060/070<br>R22BO 050/060/070 | 46     |
| PAW S                        | G063AA00                               | 85     |
| PERFO SPE                    | P08                                    | 85     |
| PERSONNEL 15                 | S44Y 015                               | 89     |
| Petzl book                   | Z180 FR, Z180 ES,<br>Z18001 EN         | 92     |
| PICCHU                       | A049AA00/1                             | 40     |
| PICK AND SPIKE PROTECTION    | U084AA00                               | 60     |
| PIRANA CLUB                  | D005BA00/1                             | 41     |
| PIRANA GUIDE                 | D005AB00                               | 41     |
| POWER CRUNCH                 | S034AA00/1/2                           | 88     |
| POWER LIQUID                 | S035AA00                               | 88     |
| PRO ADAPT                    | E80004                                 | 122    |
| PROTEC                       | R003AA00                               | 85     |
| PULSE 8 mm                   | G037AA00                               | 84     |
| PUR'ANNEAU                   | G006AA00/1/2                           | 85     |
| PUR'DRY                      | U022BA00                               | 60     |
| PUR'ICE                      | U021CA00                               | 60     |
| PUR LINE 6 mm                | R010AA00/1                             | 47     |
| PUSH 9 mm                    | R40AO 040/060/070<br>R40AW 040         | 46     |
| PUSH + 9 mm                  | R040AA00/1/2/3                         | 46     |
| Q                            |                                        |        |
| QUARK                        | U019BA00, U019AA00                     | 59     |
| Quick charger                | E55800/E55800 UK                       | 133    |
| QUICKSTEP                    | C09                                    | 91     |
| R                            |                                        |        |
| R1                           | E037AA00                               | 121    |
| R1 Extension Cord            | E105BA00                               | 122    |

| Produit                          | Reference                        | Page     |
|----------------------------------|----------------------------------|----------|
| R2                               | E103CA00                         | 121      |
| RACK                             | D11                              | 40       |
| RAD LINE 6 mm                    | R011AA00/1                       | 47       |
| RAD SYSTEM                       | K011AB00                         | 47       |
| R2250                            | E092DC00                         | 120, 121 |
| REGLETTE                         | P06 1                            | 91       |
| RESCUE                           | P50A                             | 75       |
| REVERSO®                         | D017AA00/1/2                     | 40       |
| RIDE                             | U04A 45                          | 59       |
| ROCHA                            | M027AA00/1                       | 53       |
| ROCHER MIXTE                     | 65106, 65108, 65110              | 84       |
| ROCPEC                           | P26                              | 85       |
| ROCPEC ADP                       | P26250                           | 85       |
| RUMBA® 8 mm                      | R21BR 050/060<br>R21BB 050/060   | 46       |
| S                                |                                  |          |
| SAKA                             | S039BB00/1/2/3/4                 | 88       |
| SAKAB                            | S037AA00                         | 88       |
| SAKOVER                          | S036AA00                         | 88       |
| SAKAPOCHE                        | S040AB00/1/2                     | 88       |
| SAMA                             | C021CA00/1/2/3<br>C021CA04/5/6/7 | 28       |
| SARKEN                           | U008AA00                         | 66       |
| SARKEN crampon front sections    | T10A AV                          | 68       |
| SEGMENT 8 mm                     | R076AA06                         | 47       |
| SCORPIO® EASHOOK                 | L060BB00                         | 79       |
| SCORPIO® EASHOOK SW              | L060CB00                         | 79       |
| SCORPIO® VERTIGO                 | L060AB00                         | 79       |
| SCORPIO® VERTIGO SW              | L060DB00                         | 79       |
| SELENA                           | C055CA0<br>0/1/2/3/4/5/6/7       | 28       |
| SHELL L                          | E93990                           | 121      |
| SHELL LT                         | E075AA00                         | 121      |
| SHUNT                            | B03B                             | 91       |
| SIMPLE                           | D004AA00                         | 40       |
| SIROCCO®                         | A073DA00/1/2/3                   | 40       |
| SITTA                            | C011AA00/1/2/3                   | 28       |
| Sm'D                             | M39A SL/RL                       | 53       |
| Sm'D WALL                        | M39A S                           | 54       |
| SPATHA                           | S92AY, S92AB                     | 91       |
| SPEEDY                           | G106AA00                         | 85       |
| SPIRIT                           | M061AA00/1/2/3/4/5/6             | 54       |
| SPIRIT EXPRESS                   | M061AC00/1/2                     | 55       |
| SPIRIT carabiners - 6 pack       | M061AB01                         | 54       |
| SPIRIT EXPRESS - 6 pack          | M061AC03                         | 55       |
| SPLIT                            | S013AA00/1                       | 88       |
| ST'ANNEAU                        | C07 24/60/120                    | 85       |
| STEF                             | S059AA00                         | 90       |
| STEF for NEST litter before 2020 | S059BA00                         | 90       |
| STOP                             | D009AA00                         | 40       |
| STRING M                         | M090BA00                         | 55       |
| SUM'TEC                          | U015AA00, U015BA00               | 59       |
| SUMMIT®                          | U13B 052/059/066                 | 59       |
| SUMMIT® EVO                      | U14B 052/059/066                 | 59       |
| SUPERAVANTI                      | C012AA00/1                       | 31       |
| SWIFT® RL                        | E095BC00/1/2                     | 109, 110 |
| SWIFT® RL CLASSIC                | E095BD00                         | 110      |
| SWIFT LT                         | E102AB00/1/2                     | 113, 114 |
| SWIVEL S                         | P58 S                            | 85       |
| T                                |                                  |          |
| TAM TAM                          | P16                              | 85       |
| TANDEM®                          | P21                              | 75       |
| TANDEM® SPEED                    | P21 SPE                          | 75       |
| TANGO® 8.5 mm                    | R20AW 050/060<br>R20AB 050/060   | 46       |
| TARP                             | S012AA00                         | 89       |

| Produit                       | Reference                                                  | Page |
|-------------------------------|------------------------------------------------------------|------|
| TIBLOC                        | B01B                                                       | 73   |
| TIKKA®                        | E061AB00/1/2/3                                             | 117  |
| TIKKA® CORE                   | E067AB00/1/2/3                                             | 117  |
| TIKKID®                       | E091BA00/1                                                 | 117  |
| TIKKINA®                      | E060AB00/1/2/3                                             | 117  |
| TORSE                         | C026AA00                                                   | 31   |
| TOUR                          | C020BA00/1/2                                               | 29   |
| TRANSPORT 30                  | S042AA00/1                                                 | 89   |
| TRANSPORT 45                  | S042BA00/1                                                 | 89   |
| TRANSPORT 60                  | S042CA00/1                                                 | 89   |
| TRIGREST                      | U016AA00                                                   | 60   |
| U                             |                                                            |      |
| U                             | 65312/65314                                                | 84   |
| ULTRALEGERE                   | P00A                                                       | 75   |
| ULTRALIGHT pouch              | U003AA00                                                   | 69   |
| UNI ADAPT                     | E000BA00                                                   | 122  |
| UNIVERSEL                     | P17 5/7/9                                                  | 84   |
| V                             |                                                            |      |
| V CONIQUE                     | 66007, 66011                                               | 84   |
| V-LINK                        | U083AA00                                                   | 60   |
| VASAK®                        | U007AA00, U007BA00                                         | 66   |
| VASAK® crampon front sections | T05A AV                                                    | 68   |
| VERSO                         | D019AA00/1                                                 | 40   |
| VERTIGO WIRE-LOCK             | M040AB00                                                   | 54   |
| VOLTA® 9.2 mm                 | R35AN 050/060/070/080<br>R35AO 030/050/060/<br>070/080/100 | 45   |
| VOLTA® GUIDE 9 mm             | R36AO 030/040/050/060<br>R36AO 080/100                     | 45   |
| VOLTIGE                       | C60                                                        | 29   |
| VRILLEE                       | G104AA00                                                   | 84   |
| W                             |                                                            |      |
| WILLIAM                       | M36A SL/BL                                                 | 53   |
| WHISPER                       | C003AA00/1/2/3                                             | 28   |
| Y                             |                                                            |      |
| YARA CLUB 15                  | S065AB00                                                   | 89   |
| YARA GUIDE 25                 | S065BB00                                                   | 89   |

MADE IN

|                     |                  |
|---------------------|------------------|
| BD : Bangladesh     | KH : Cambodia    |
| BG : Bulgaria       | LK : Sri Lanka   |
| CN : China          | MY : Malaysia    |
| CZ : Czech Republic | NL : Netherlands |
| DE : Germany        | PT : Portugal    |
| ES : Spain          | RO : Romania     |
| FR : France         | TN : Tunisia     |
| GB : Great Britain  | TR : Turkey      |
| HU : Hungary        | TW : Taiwan      |
| IT : Italy          | VN : Vietnam     |






Red Cliff Bridge Colorado © 2024 Petzl Distribution - Vuedici.org

**Rope Access and Confined Space**

Rope access work often involves environments at significant height. Work done in confined spaces entails challenges related to the lack of space and lack of means of autonomous progression.



© 2024 Petzl Distribution - Latouche - Green Up - TDF

**Energy and Networks**

These environments are characterized by structures such as towers, antennas, and wind turbines. The means of progression are varied and dependent directly on the structure, which does not always have a fall-arrest system in place.



© 2022 Petzl Distribution - Marc Daviet - Canopée Verte - Bois-Tree

**Tree Care**

Not all tree work can be done using exterior means such as elevated platforms or ladders. In this case, to move and work, the arborist uses rope progression techniques.



© 2023 Petzl Distribution - Vuedici.org - Christophe Benelux - BEI

**Framing and Roofing**

At this type of worksite, the risk of slipping and falling is higher. A fall-arrest system must therefore be installed to guard against these hazards.



© 2023 Petzl Distribution - Vuedici.org

**Technical Rescue**

Every day, rescue workers must adapt to new and dangerous situations, and require significant material support. Petzl offers innovative, versatile, and high-performance solutions to facilitate these missions.



© 2019 Petzl Distribution - Rémi Flament - SAS Michel Besson

**Hazardous Areas**

Where there is risk of explosion, the hazardous locations are classified by zone (ATEX and/or HAZLOC). All of the materials used must therefore conform with current regulations for this type of zone.



© 2019 Petzl Distribution - Roh - SLC FIRE DPT

**Self-Rescue**

A firefighter who finds themselves trapped inside a burning structure must be prepared for self-evacuation and have the appropriate equipment on hand.



© 2022 Petzl Distribution - James Roh

**Maintenance and Workshops**

Professionals working at concerts and shows, in workshops, in maintenance, or in the energy and networks sector all require practical and lightweight headlamps on a daily basis.



© 2019 Petzl Distribution - Fred Mare / Hans Lucas - 17° RGP

**Tactical, Special Forces**

Tactical operations in a hostile environment require maximum safety in every situation, so being able to count on the quality and performance of the equipment is essential.






Exploring New Horizons

The Petzl Foundation's mission is to support and initiate public interest projects through its activities in mountainous and vertical domains; projects that help bring balance to humankind's place in its natural, cultural, and economic environments. The foundation supports non-profit organizations through financial and equipment grants, as well as consultation and training.

Our Focus



Prevent accidents in vertical environments



Support ecological transition in mountainous areas



Encourage mountain exploration

Sharing the Mountains

The Petzl Foundation helps those in marginalized communities who are in the process of social reintegration or affected by illness to explore mountains and the vertical world.

While organizations may not be able to reverse policies that are unfavorable to the most vulnerable, through mountain recreation they can attempt to bring comfort and a new start to people excluded from school, work, or society. The Petzl Foundation supports organizations in France and across the globe that facilitate access to mountain recreation, help young people from working-class neighborhoods integrate into the professional world, and welcome refugees.

The Healing Power of Nature

According to numerous scientific studies, physical activity and connection with nature have beneficial therapeutic effects. We support organizations that provide mountain excursions for people living with or recovering from cancer. The goal is for these people to feel re-energized with self-confidence and well-being, which are often affected during long periods of treatment.

These programs account for 30% of our total support for organizations (approximately €130,000 per year).

Learn more about the organizations we support:

- 82-4000 Solidaires
- En passant par la montagne
- Les Enfermés Dehors
- Seuil
- Projets en Cimes
- Sport dans la Ville
- Ascend Athletics
- Weavers
- Bivouac et Moi



Bivouac et Moi is an organization that offers mountain adventures to people undergoing cancer treatment.

Learn more about the organizations we support

Learn about all our projects at [www.fondation-petzl.org](http://www.fondation-petzl.org)




petzdealer.com

Order products and download information easily

Petzdealer.com, the Petzl retailer website

petzdealer.com



Easily access all of our offerings

- Navigate easily and intuitively
- Direct access to our latest products

Manage your products, down to the smallest details

- Comprehensive information on each product
- Documents to inform and advise your clients

Order with complete peace of mind

- Thee direct access points to order your products
- Absolute pricing transparency
- Real-time status of Petzl inventories

Track your orders

- Precise status of your current orders
- Personalized order tracking

Download Information

Quickly find your choice of Petzl information for download.

Find us on:



Subscribe to the newsletter and stay connected with our latest news

Find a Petzl dealer



**Petzl headquarters:** PETZL INTERNATIONAL. Z.I. Crolles, 38920 CROLLES, FRANCE  
**Design:** Bruno Fouquet  
**Product photos** (non-contractual photos): © Petzl  
Kalice - [www.kalice.fr](http://www.kalice.fr)  
Aurélie Jeannette, Photographer - [www.aureliejeannette.com](http://www.aureliejeannette.com)  
Yannick Siegel

Digital Publication: Fluidbook.com



Access  
the  
inaccessible®



To find a Petzl retailer near you or anywhere in the world, go to:  
[www.petzl.com/dealers](http://www.petzl.com/dealers)

PETZL.COM

